



Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

62.63



BUXTON WHITE'S

Garden Annual

BUXTON WHITE SEED CO.

ELIZABETH CITY, N. C.

White's True Bred Seeds . . . 30th Anniversary Year

**New! THE GREATEST FLOWER
NEWS IN MORE THAN A DECADE**




FIRE CHIEF PETUNIA—This beautiful deep red petunia is the first flower to win the top Gold Medal award in eleven years! Plan to be one of the first to use this important new variety. Will add a glowing new freshness to your 1950 flower garden.

New Selections for YOUR GARDEN



LARKSPUR—Regal. Tremendously long thick spikes. Superb performer that suits critical florist standards.



DOUBLE SNAPDRAGON — Lemonade. Clear primrose-yellow with extra petals in the mouth of each floret.



SWEET PEA — The Margaret O'Brien. Distinctly different color. Radiant salmon-coral suffused with luminous orange sheen.




MORNING GLORY—Blue Star. Beautiful. Dark blue star on delicate sky-blue trumpet.



ASTER—Princess. Deep quilled "cushion" centers. 3" to 3½" blooms. Makes fine wilt-resistant cut flowers in new colors.



POPPY, Gartford—Pastel mixture. Long stemmed. Very rich. A most unusual giant flowering strain.



CALENDULA — Orange Quills. Bright mid-orange flower. Unique form. Petals curl downward and meet underneath forming a quill.

LIMITED WARRANTY CLAUSE—Our Company warrants to the extent of the purchase price that seeds or bulbs sold are as described on the container within recognized tolerances. Seller gives no other or further Warranty, express or implied.

This book is a Complete Guide



Do you know exactly how much lettuce seed to plant for the number of feet of row you want?

. . . or what kind of soil you need for cucumbers? And how to get it?

. . . or what are the reasons behind inter-cropping, catch-cropping, and succession cropping?

. . . or the special fertilizer needs of dahlias?

• • •

In this "Garden Annual" you'll find the answers to hundreds of questions like these! Unlike most seed catalogs, this book devotes nearly half its space to the "How-when-where-why" of gardening.

You see, we want your garden to be a rousing success! We want you to get the most results with the least effort. We want your gardening to be fun.

So, in this book as in our store, we do everything possible to help the gardeners we serve.

Our job as seedsmen, we believe, is to provide know-how, as well as merchandise. We provide it through our Spring Garden Annuals. We keep on providing it in our store, throughout the year!

YEAR-ROUND!

We offer a complete, year-round, local garden service.

We offer only good, fresh seeds—packet or bulk.

We offer a complete supply service.

We offer cheerful, expert garden counsel.

HELLO NEIGHBOR!



Just between us home folks—

As you've already noticed, this "Garden Annual" comes to you **from a neighbor**. Unlike most seed catalogs, it's a local affair. That's very important, we think.

For one thing, it means that this book tells about **local** gardening—and offers you seeds and garden materials **suited to your own area and your own growing conditions**. It means, also, that you don't have to send a thousand miles away to get what you want for your garden. You can get the very best, right here in your own neighborhood!

• • •


Another very important point—as you know, there are many flower and vegetable seed varieties which do well in some areas, but are uncertain in other parts of the country. So we always make sure the seed we offer is truly suitable for use hereabouts. Often we rule out very attractive varieties, because **we want your garden to be successful**, from start to finish!

Isn't it **just good sense**, then, to do your garden shopping here—where **your** needs are understood! Certainly it's easier—and safer!

PRICES: All prices in this catalog are subject to change without notice.

MAIL ORDERS: On mail orders, all packet seeds are sent postpaid. On all other items, add parcel post charges to your remittance.

NOTE—If any of your gardening friends have not received this catalog, and would like to have a copy, just let us know. But please do so early, as the supply is limited. And, incidentally, if you, yourself, have any comments to make on our book (good or bad) we hope you'll let us have them—in person or by letter. We like a pat on the back—and we appreciate constructive criticism, too.



How to Grow and Maintain a Beautiful, Rich, Green Lawn!

STARTING A NEW LAWN

SOIL PREPARATION. Spade or plow the area to a 6 or 8 inch depth. Pulverize the soil thoroughly. A heavy clay soil can be lightened by mixing with sand and humus. A light soil can be improved by adding a top dressing of heavier soil. For best results soil should be slightly heavy. If the soil is acid, scatter crushed limestone.

Peat moss or Terralite are invaluable additions to both light and heavy soils because they help retain soil moisture without allowing the water to be dissipated down below the root lines. Too, they keep soil particles loose and friable. Spade them into the soil or apply as a top dressing at least half an inch deep. In a heavy clay soil use one inch or more. A newly planted lawn needs a rich well balanced soil, because grass roots are heavy feeders. By feeding the soil the vital elements contained in plant food, such as nitrogen, phosphorous, potash, etc., you are headed toward a successful planting. We can recommend the best plant food for your local soil condition.

Mix the lawn food with a top dressing or rake and work it well into the soil. Because fresh manure usually contains weed seeds its use is not advisable for a new lawn.

SEEDING. The generally accepted rule for the amount of seed required is five pounds per thousand square feet. Skimping on seed in quality or quantity is costly in time and labor. A well sown lawn checks the immediate introduction and development of weeds. Too much seed retards growth. Choose a calm windless day for sowing. A more uniform distribution of seed is possible with a spreader. Whether sown by hand or spreader, however, sow in two directions, one at right angles to the other. This insures against leaving bare grassless areas.

Rake the seed into the soil lightly or brush it in by dragging some light flexible object over it such as a sack. The seed should be covered by an eighth of an inch of fine soil or new top dressing.

ROLLING. May be properly employed to press the soil firmly around the new seed. Use a light water ballast roller, empty to one third full. Remember the soil becomes compacted if rolled too heavily too often or when wet and sticky. For leveling your lawn whether new or old use top dressing, never a roller.

WATER with a fine spray so the seed bed will not be disturbed. If the normal moisture is enough to keep the lawn just slightly damp try not to water it again until the seed has germinated, but do not let it get dry at any time.

SPRING LAWN CARE

Fine lawns start with very early spring care. Here are some suggestions.

1. **REMOVE** all the winter accumulations of leaves and debris by raking.

2. **APPLY PLANT FOOD** as directed by the manufacturer. If grass has started apply when grass is dry, then soak the lawn to wash the plant food off the blades and into the soil.

3. **RE-SEED** thin and bare spots using about a pound to each 200 square feet. Pulverize the soil in bare spots, then cover the seed lightly.

4. **ROLL** the lawn with a lightweight roller when soil is dry enough to prevent compacting.

Fall planting offers many advantages in lawn starting. If you plant in the spring, seed early—long before you begin work on your flower garden, for seedlings need a chance to grow sturdy before weeds germinate. Planting delayed until mid-summer can be successful if diligently followed by ample watering and weeding.

SUMMER LAWN CARE

1. **MOW** frequently enough to keep grass from exceeding a 2½ inch height. Set the mower to cut about 1¼ inches high. Very close cutting scalps the rough spots and unless done extra-frequently injures the grass by sudden exposure to the sun after it has been shaded by dense growth. Short mower clippings left on the lawn are beneficial. They are harmful however if the quantity is so great the grass is smothered and new growth retarded.

2. **WEED CONTROL** with the many excellent and selective types now available assures weed elimination with the least effort and time. Get those weeds early before they seed or spread and your summer lawn care is considerably easier. Refer to our weed killer selection in the back of our Garden Annual.

3. **WATERING** is a point that depends much on your good judgment. If the turf is dry it is far wiser to soak limited areas to a six to eight inch depth on successive evenings than to sprinkle the whole lawn with a limited supply of moisture that will attract the dry grass roots up to the surface. Water sloping areas more liberally at the top to compensate for drainage losses.

FALL LAWN CARE

FEEDING the lawn with a balanced plant food and seeding the bare and thin spots will amply reward your effort the following spring with a sparkling, healthy new growth.

Fall Is A Good Time To Make a New Lawn. During the moderate fall weather, grass seed germinates quickly and makes vigorous growth. Also, few weeds germinate in the fall, thus permitting the lawn to flourish without interference.

LAWN SEED

A better lawn for your home? We can help you!

When a seedsman operates in **only one area**, he soon knows just about all there is to know about **lawn-building** in that area.

We've been at it for quite along time, hereabouts! So we can assure you that **we know what your lawn needs**. Whatever your lawn situation may be, it's a good idea to ask us about it!

Unhulled Bermuda Grass

Best for sunny exposure and summer lawns. Makes vigorous and persistent growth, lasts for years, stands long, hot summers well and grows well in any soil not too wet. Ideal for lawns, golf courses and athletic fields. Makes a tough, even turf without clumps and recovers quickly after cutting. For best results, sow when ground is thoroughly warm and moist.

Hulled Bermuda

Highest grade Bermuda. Removal of the hard, almost water-tight hull speeds germination. With proper moisture conditions, seed germinates in one to two weeks and develops rapidly into a beautiful green lawn.

Winter Rye Grass

The winter grass for all the south. Fast-growing annual grass with long, flat leaves. Stands close and frequent mowings. Scratch seed into Bermuda sod for green lawn until Bermuda comes out again in summer. Makes a delightful green lawn in sun or shade. Must be replanted each year.

Kentucky Blue Grass

Deep, vivid green. Very narrow leaf blades. Plants are slightly creeping. A

Our finest Lawn Mixture

Our **selected** lawn mixture is a combination of the finest quality seeds—which we have developed after years of experience. All the grasses in it are fine-bladed and deep-rooting. There just isn't any better combination than this for the lawns of our territory!

fine lawn grass under proper conditions. However, we recommend it only where it has been proved.

Carpet Grass

Exceedingly hardy. Does better than any other grass in poor, sandy soil. The more mowing and trampling it gets the better it likes it. Good only in certain areas.

Red Top

Good for low, wet spots. Stands wet weather, and even overflowing, better than other grasses. Does well on any good, rich soil. Often thrives where Blue Grass fails.

White Dutch Clover

Although not a grass, White Clover is used extensively to supplement lawn grasses in mixtures. Succeeds best on moist ground or during a wet season.

Other Grasses

In addition to the lawn grasses listed here, we can supply just about any other variety you need. We carry a complete line of all grass varieties that can be grown successfully in this part of the country.

Our special Shade Mixture

Our **shade** lawn mixture is a scientifically developed blend of top quality shade enduring grasses and clovers. We've been getting excellent results with it for years and believe it will produce results anywhere that grass can be made to grow.

Our Lawn Seed Department Offers You . . .

1. THE RIGHT SEED

The only way to win a thick, lasting turf is to sow a mixture of true turf grasses suited to your own soil and climatic conditions. And the only sure way to get such a mixture is to depend on a seed specialist who knows your territory and knows seed.

2. THE RIGHT FOODS

Our plant foods selection is designed to meet every soil condition in this area. All purpose lawn foods or special fertilizer for exceptional conditions—we have them for you.


3. TESTED WEED CONTROLS

To beat those weeds quickly and easily we have a full range of weed controls in liquid and dust form. For more information about these modern controls, turn to the Supply Section of this book—or ask for data on any weed killing problems.

4. LAWN KNOW-HOW

Last, but probably most important of all our 4-WAY LAWN SERVICE includes competent advice whenever you want it—advice based on thorough knowledge of the lawn problems of this particular territory.

WHATEVER THE NEED!




BRIGHT SUN

Some sunny lawns require one type of seed; some need another. No single variety or mixture of varieties can take care of all situations. But whatever the need, we can supply the seed that is best suited.



DEEP SHADE

Wherever cool shade makes it difficult to obtain a good lawn, our special shade mixture is heartily recommended. We have chosen excellent quality, shade enduring grasses and clovers that will give you good results.



SPECIAL USES

We have just the right grass seed for every purpose. We can give you special deep-rooted grasses for the sloping lawn, the ideal grasses for planting on golf courses, parks, estates, cemeteries . . . or for just any other special use. Just tell us what you want.



VEGETABLE SEEDS

From among all the thousands of available varieties, we have selected those which will produce the best quality and the greatest yields in the gardens of our territory. So we offer you this compact selection as a safe, sound base for your plans.

VEGETABLES FOR FREEZING

The Symbols (fr) following the variety names indicates vegetables suitable for home freezing.

ASPARAGUS

A hardy perennial; will bear over 20-year period if properly cared for. We recommend purchase of ASPARAGUS ROOTS rather than seeds, as roots produce crop 2 years earlier. If seed is used, sow thinly in drills in early Spring. Cover to $\frac{1}{2}$ " depth. Soak seed 24 hrs. before planting. Sow in loose, rich, moist soil after weather warms up. Thin to stand 6" apart. When a year old and in early spring transplant in well enriched beds in permanent position, 24" apart, in rows 20" apart. Set in hole so that crown is 8" below surface, but only cover tips with 3" of soil. As plants grow, fill in until level. Don't cut first year after setting.

Mary Washington (fr)—Thick, tall green spears with purple tops. Highly rust resistant. Rapid growing. Tender.

BEANS

Green Podded, Dwarf or Bush

Don't plant until the weather is warm and settled.

Sow beans in bottom of furrow, 3" to 4" deep and from $2\frac{1}{2}$ to $3\frac{1}{2}$ feet between rows, but do not fill in with more than $1\frac{1}{2}$ " of soil over seeds. Press soil firmly over seeds, but do not pack hard. Thin to stand 4" to 6" apart in row. Bean seedlings are likely to be slowed up pushing through heavy soil. In such soils, cover seeds with mixture of half sand and half soil, or sand and peat

or any other loose, light material that will allow seedlings to break through easily.

Thin young plants to about 6" apart. Keep cultivated until plants blossom. (DO NOT CULTIVATE when blossoms are at prime or when plants are wet with dew. Keep vines picked to insure a larger bearing period.) Make plantings every two weeks for supplies throughout the season.

—Two scientific facts about beans will help produce better crops. First, being legumes, they should be inoculated with special legume culture listed in supply section. This enables plants to manufacture their own nitrogen from the air. Second, bud drop of the tiny flowers (even before they can be easily seen) cuts the early set of pods. By spraying with a fruit setting spray these buds are held on and the early crop increased by as much as 100 per cent.

Black Valentine Stringless (fr)—Hardy, early maturing, very productive. Pods, dark green, 6-6 $\frac{1}{2}$ in. long, brittle, smooth, stringless. Seeds black. 49 days.

Bountiful (fr)—An early, heavy-yielding variety. The leading flat podded bean for market and home use. Flat, light-green, stringless, but slightly fibrous pods of finest quality. 47 days.

Stringless Green Pod (fr)—Large, sturdy plants. Meaty, round pods, brittle and strictly stringless at all stages. Medium green pods, oval, yellowish-brown seed. 54 days.

Logan—Plants vigorous and erect, resistant to common bean Mosaic and powdery mildew. Pods will set in hot weather, borne rather low; round, green stringless. 55 days.

Longgreen (fr)—Large, sturdy, prolific plants. Long pods, nearly round when fully mature. A recent All-America selection. 52 days.

Tendergreen (fr)—Large, erect plants. Abundant, round, dark-green pods, strictly stringless and fleshy. 54 days.

Tennessee Green Pod—Plant medium,

dark green, spreading hardy, productive. Pods 6 $\frac{1}{4}$ " long, flat, broad, curved, medium green, depressed between seeds. Stringy, somewhat tough but of particularly good flavor. 50 days.

Wax Podded, Dwarf or Bush

Improved Golden Wax (fr)—Small, erect plants, moderately productive. Straight, thick, flat pods, creamy yellow and stringless. 51 days.

Sure Crop Stringless—Handsome, rich yellow pods. Sturdy, brittle. 6-6 $\frac{1}{2}$ in. long. Strictly stringless. 53 days.

Beans, Pole

In warm ground, set poles 4' to 8' long slanting a bit to the north in rows 4' apart. (Extending north and south the poles will be 3' apart in the row.)

Anchor well as heavy beanvines blow over easily.

Plant 5 to 8 beans about 1" deep around each pole. When growth is sufficient thin to four plants.

Sometimes three poles set to form a tepee are used and several seeds planted around each tepee.

Caution: To avoid spreading plant diseases, do not cultivate or pick when plants are wet.

Genuine Cornfield (Striped Creaseback)

—Vigorous-growing, prolific. Pods round, straight, light green; fleshy, tender, but somewhat stringy. 71 days.

Kentucky Wonder (fr)—Strong climber, hardy, long-bearing. Curved, almost round pods. Slightly stringy, but brittle and fibreless. Meaty. 65 days.

McCaslan—Dry shelled or snap, good climber. Medium green thick, flat pods. Meaty, stringless and tender. 65 days.

Beans

15¢ PER PACKET

ALL OTHER VEGETABLE SEEDS 10¢
EXCEPT WHERE OTHERWISE NOTED

Stringless Black Creaseback—Earliest and most prolific, stringless, green-podded pole bean. Pods 5 inches long, round, slightly curved, borne in clusters. 58 days.

Lima, Dwarf or Bush

Plant in dry, warm ground. Make rows 2' apart and drop beans 6" apart in row. Plant Lima Beans with the eye down to assist quick germination. Cover with 1" of soil. Can also be planted in hills, 3' apart one way and 2' apart the other way. Use 4 to 6 beans per hill.

Baby Potato (fr)—1940 All-America. Small, thick-seeded butter bean with real flavor, early maturity and prolific growth. 12 to 16-in. tall.

Burpee's Improved Bush (fr)—Best of flat seeded bush limas. Pods contain four or five large beans of excellent quality. 75 days. Pkt. 15c.

Fordhook Bush (fr)—Straight pods with plump, large beans, excellent quality.

Henderson's Bush (fr)—Known as Baby Lima or Butter Bean. Plants small, early and bushy. 65 days. Very productive.

Jackson Wonder (Speckled Bush)—Pods medium size with 4 to 5 thick, large beans. Drought resistant and very prolific. Dry beans mottled in color. 66 days.

Lima, Pole

Follow same plan as for other pole beans but plant seed two weeks later.


Florida Butter Bean—Dependable, popular, prolific. 78 days.

King of the Garden (fr)—Flat, smooth pods with four or five white, large, flat beans. 88 days.

Sieva, Carolina or Small White—Plant 10 to 12-ft. tall, and bears over a long season. Medium green pods with 3 to 4 beans of excellent quality. 77 days.

BEETS

Deep, rich sandy loam produces finest beets. As soon as ground can be worked sow in drills 18" apart and press soil firmly over seed. Each "seed" is a fruit with several true seeds. No matter how thinly beets are sown, they will need thinning. Make three sowings, one early, one three weeks later and one 60 days before fall. When tops are 3" to 6" tall pull them and use for cooked greens. Continue this until roots stand 6" apart.



The beans illustrated here (to give you a comparison of sizes) are: 1—Improved Golden Wax; 2—Giant Stringless; 3—Tendergreen; 4—Bountiful; 5—Kentucky Wonder; 6—Henderson's Bush Lima, and 7—Fordhook Bush Lima.

Crosby's Egyptian (fr)—Widely grown for early beets. Flattened globe shaped roots with small tap root. Excellent quality, tender and sweet. 60 days.

Detroit Dark Red (fr)—Standard of excellence in table beets. Smooth, globular roots of deep ox-blood red—sweet and tender. 68 days.

Early Blood Turnip—Medium early. Tops medium, somewhat coarse. Bright red. 65 to 70 days.

Early Wonder—Early variety. Semi-globular, tender, blood-red. 58 days.

BEETS, STOCK (Mangel Wurzel)

Sow seeds in early fall and spring in rows 2½' to 3' apart. Later thin to 10" apart.

Mammoth Long Red—Very popular, 30 to 50 tons per acre. Roots grow half above the ground. Light red, flesh white with rose tinge. 110 days.

SWISS CHARD

Requires about same treatment as beets. Cultivate frequently. Leaves may be gathered during summer and fall. New ones will grow quickly.

Lucullus—Most popular Chard. Upright in growth, with yellowish-green curled, crumpled leaves. Thick, broad and light green stems. 50 to 60 days.

Rhubarb Chard—Heavily crumpled leaves, dark green with a translucent crimson stalk. Easily grown, everywhere. A different, tasty, delicious flavor—cook stalks and leaves together for a new taste thrill. 60 days.

BROCCOLI

Plant and cultivate like cabbage and cauliflower.

Italian Green Sprouting (fr)—Plant bears a succession of sprouting heads about 5-in. long, which, if kept cut, will be replaced by others for 8 to 10 weeks. 55 to 65 days.



FEEDING IMPROVES QUALITY AND YIELD!

By feeding their vegetables adequately, home gardeners can not only enjoy increased yields, and higher quality, but can reduce substantially the work involved in gardening. Expense of feeding plants remains practically at its prewar figure.

To apply, stretch the line to mark the row in which seeds are to be planted. Then not less than two inches away on either side, make a furrow four inches deep. Pour plant food into each furrow at the rate of one pound

(or pint) for 50 feet, and cover it with earth. Then make the drill in which seed are to be sown and proceed with planting as usual.

The standard application of a balanced plant food for evenly distributed area coverage is 4 pounds per 100 square feet (a space 10x10 feet square). You may figure one pound per pint, so an area 10 by 10 ft. requires two quarts. One quart will feed 50 square feet and one pint 25 square feet.

BRUSSELS SPROUTS

Easy to grow wherever conditions are favorable for late cabbage, and requires same culture. As sprouts begin to form remove lower leaves so that all nourishment sent to lower stem will be forced into the sprouts. Do not use until after heads have matured.

Long Island Improved—Compact, uniform dwarf size plants. Cabbage-like sprouts 1¼" to 1½" in diameter. One of the most dependable varieties. 90 days.

CABBAGE

Sow seed in drills 6" apart across the bed, dropping the seed 5 to 6 to the inch. Firm soil after covering, then water thoroughly. Keep beds moist but not soaking wet. Seed germinates 3 to 8 days depending on temperature. Transplant to open ground when plants have made fourth pair of leaves. Space 12" x 24". Use plenty of good commercial fertilizer. Cultivate frequently, every 5 or 6 days until cabbages are large.

FOR LATE CABBAGE

Direct-seed four months before crop is wanted. Or start plants indoors 30 days before needed, transplanting outdoors 90 days before frost. Don't water freely when heads are nearly filled, as this promotes splitting; irrigate only enough to keep plants growing well.

Charleston Wakefield — Pointed-head, large, hardy. Splendid first early cabbage for home use. Plants medium, vigorous, slightly spreading. Leaves rather large, smooth and thick. 71-75 days.


Copenhagen Market—Excellent, early short season type. Short stems, 6½-in., 3½ to 4-lb. heads. 65 to 70 days.

Early Jersey Wakefield—Pointed heads, small and firm. Earliest pointed variety. Plants compact. 62 days.

Early Flat Dutch—Good second early variety. Plants medium. Very vigorous. Large, flat solid heads 6-in. deep, 11 to 12-in. in diameter, 11 to 12-lb. 90 days.

Golden Acre—Extra early variety producing uniform well-balanced head. Weighs about 3 lbs. Excellent quality. 65 days.

Glory of Enkhuizen—Large heads, round, solid, gray-green outer leaves. Excellent quality, mid-season variety. Good shipper, for local markets and sauerkraut, 77 days.



Some carrots reach deeply into the soil for food and moisture while others widen themselves in the topsoil. Above are comparative sizes and shapes of carrots. (1) Chantenay; (2) Emperor; (3) Danvers Half Long; (4) Red Cored Chantenay; (5) Oxheart.

CHINESE CABBAGE

Must never be grown as a spring crop since it will only go to seed. Plant after June 15, as days are getting shorter, then it will head. An excellent succession crop to follow early peas.

Chihili or Improved Pekin—Dependable, early. Solid, tapered heads, 3 to 4-in. thick, 18 to 20-in. long. 75 days.

CARROTS

Use sandy loam enriched by manure the previous year, if possible; but any good land if deeply and well worked will produce a good crop. Sow seed as early as ground can be worked. Sow seed ½" to 1" deep in drills 16" to 18" apart. Press soil firmly above seed. When plants appear use cultivator or wheel hoe and thin from 2" to 6" apart, according to type. Keep cultivated.

Chantenay, Red Cored (fr)—Root has thick shoulder and tapers to slight stump root, 5-in. long. Red cored. 70 days.

Danvers Half Long—Sweet, tender roots, 6 to 7-in. long tapering to a blunt point. Fine for storing. 75 days.

Improved Emperor (fr)—Fine-grained, tender. Rich orange, indistinct core.

Roots smooth, tapered to semi-blunt. 77 days.

Long Orange (Stock Carrot)—Large, strong tops, 11" roots taper to a point. Red-orange color. Flesh similar in color to exterior with core of lighter shade. 88 days.

Oxheart or Guerande—Excellent for shallow soil, easy to harvest. Chunky, tender and sweet. Bright orange. Keeps well. 72 to 75 days.

CAULIFLOWER

Packet, 25c

Needs rich soil and abundant watering. Cultivate same as cabbage but protect heads from sunlight to insure the prized white curd. This is done by gathering leaves together loosely as soon as heads begin forming, and tying them at the top.

Early Snowball (fr)—Best and most widely used early variety. Medium, firm compact heads of fine flavor. 6-7 inches in diameter. 55 days.

ALL PRICES IN THIS CATALOG ARE SUBJECT TO CHANGE WITHOUT NOTICE



PROPER GARDEN SPADING A REAL ART

When the soil can be crumbled in your hand it is dry enough to spade. Spading wet soil forms clods that are difficult to break up. Mould a ball of soil in your hand and pat it to make a mud pie. If the pie holds together the soil is too wet to spade.

If you are going to tackle a sizable job of spading, it's good strategy to work at it only an hour a day. Then you'll be done before you realize it and the job will not be so exhausting.

There's a trick to spading for best results. Drive the spade straight down. Dig a trench and lay the soil from the trench, aside at the end. Now spade with the

blade not parallel to the trench but at right angles to it. Lift it up and turn the spade over so that the top soil, humus and plant food which you have added are dropped underneath and into the trench you have spaded previously.

When the last row is dug, carry the soil removed from the first row to fill in the last trench. If the good soil is deep, spade to a depth of 8 to 12 inches. If the top soil is shallow, avoid digging up the subsoil. Pulverize the soil, breaking up clods with iron rake and removing stones or trash. Just before planting any area of the garden, work that part finely and smooth off with a rake before laying out the rows.

CELERY

Start in shaded hotbed 60 days before needed. Cover seed 1/4". Transplant when 6" high. In setting outdoors, don't get soil in or over crown. Set 7" to 12" apart. Soil must be rich, moist and loose. As soon as plants have grown to 14" to 15" tall, set 12" boards on both sides of row and hold in place with earth. Or 4" drain tile can be used to blanch individual stalks. Celery must have warm, settled weather: if chilled, plants are likely to go to seed. Keep soil well fertilized and moist. Crop matures in cool weather of autumn.

Golden Self Blanching, Dwarf—Compact plants, yellowish green foliage. Broad solid stalks, nutty flavor. Blanches readily. 120 days.

COLLARDS

Sow seed heavily and transplant when 4" high; or sow in rows in permanent beds and thin to 16" to 18" apart when plants are well started.

Cabbage Collards—Combines qualities of cabbage and collards, but finer flavored than either.

Southern or Georgia—An excellent cooked green. Long stemmed plant, with clustered leaves. Withstands heat and bad soil. 24 to 36 days.


SWEET CORN

CORN, 15c PKT

For the home gardener, the simplest way to plant sweet corn is in rows or drills, not in hills. Plant on north side of garden or so late summer shade from your corn does not retard growth of other nearby vegetables. Space the rows 36" apart, and plant a seed about every 3". Thin stalks to stand 9" to 12" apart in row. The drill should be 3" to 4" deep, but don't cover seed with more than 1" of soil. The drill or furrow can be filled in as the plants grow to anchor them against the wind.

In hills, plant 4 to 6 grains per hill. Later thin to 2 to 3 stalks to a hill. Space several plantings at intervals of 14 days for continuous crop.

Removing suckers has been standard practice with practically all growers. Now, experiments prove that removing suckers merely takes away extra food-producing leaves and so hurts rather than helps growth. Also, suckering often disturbs roots



Most Sweet Corn is really sweet only if it is home grown. As soon as it's picked, the sugar begins to turn to starch, and six hours after it's picked, most of the sweetness is gone. Illustrated above showing comparative row and kernel characteristics are (1) Golden Bantam (2) Golden Cross Bantam (3) Country Gentleman.

enough to injure plant. Always plant corn in several short rows side by side rather than one long row. Corn is pollinated by wind and rows side-by-side mean that all the stalks can be reached by the pollen. Many home gardeners, on reading newspaper accounts of corn de-tasseling, assume that this is necessary to set ears. On the contrary, removing tassels may cut the crop seriously. Detasseling is **only** done where hybrid corn is raised for seed purposes. The more pollen that flies, the better the set of kernels. So **don't** detassel sweet corn in the home garden. If weeds are under control, stop cultivating. If weeds are bad late in the season, work the soil as shallow as possible to avoid injuring surface feeder roots.

Hybrids

We offer Hybrid Sweet Corn varieties known as the best for your garden—the finest that can be procured anywhere. We list here only a few of these choice kinds. Whatever your needs or your preference, be sure we can supply you with the kind of corn you want. Talk it over with us.

Golden Cross Bantam (fr)—Extremely uniform. Ears 10 to 14 rows, slightly lighter yellow than Golden Bantam. Highly resistant to Stewart's disease. 85 days.

Ioana (fr)—1940 All-America. Ears 7½ to 8-in., well-filled with 12 or 14 rows of deep, medium narrow, light yellow kernels. Highly resistant to drought and bacteria wilt. 87 days.


Open-Pollinated

Country Gentleman or Shoe Peg (fr)—Prolific late variety. Favored by canners. Irregular kernels, very deep, sweet. 93 days.

Golden Bantam (fr)—The best and most favorably known of all the yellow varieties. Stalks often have 2 ears. Ears 8 rowed, kernels broad, with tender hull.

Stowell's Evergreen—White. Large ears about 8" long. Big kernels. Very sweet. Good late variety. 93 days.

Continued on next page



SMART THINNING CAN INCREASE YIELD

There is no satisfactory way to avoid thinning. When too many come up, be thankful and consider the thinning out as an opportunity to select the best plants as the ones to survive.

For best results, thinning should be done gradually. In case of a crop which grows best when the plants stand four inches apart, do not at first thin it to one plant for each four inches.

It is foolish to discard all excess plants prematurely when accidents, insects or disease may destroy many which are left. If thinning is done by stages as the plants grow, they will finally stand at the optimum distance from each other, and there

will be small chance of vacant spaces in the row.

Lettuce plants, thinned to stand an inch apart, will soon reach a size when alternate plants can be removed to make a salad; and this process may be continued until the spacing is right for the remaining plants to mature.

Carrots may be thinned the first time when they are as thick as a pencil; and a dish of the thinnings will give those who have never eaten such tiny carrots before, a new idea of this vegetable.

Beets may be allowed to grow until about six inches tall, when their roots have just begun to swell.

SWEET CORN, Continued

ROASTING EAR CORN

Adams Improved or Large Early—Large-eared roasting variety, earlier than Trucker's Favorite, 12 to 14 rowed. Kernels white and tender when young. 70 to 73 days.

Trucker's Favorite—Extensively used for roasting ears and shipping. Ears 12 to 16 rowed. Kernels white, fairly tender, and moderately sweet. 70 to 75 days. Plant early or late.

CUCUMBER

Select soil fully exposed to sun and enrich thoroughly with fertilizer. Sandy soils with plenty of compost are best. Roots have difficulty on heavy soils. Plant 8 to 10 seeds in a "hill." Plant each hill about 36" apart. Cucumber vines like to stretch out, so plant rows about 4 feet apart. The old tale that melons or squash will cross pollinize with cucumbers and affect their taste if planted nearby is untrue. When vine is 6" long, thin to three strongest plants. Keep fruits picked to promote continuous fruiting. Use plenty of moisture: cucumbers are 90 per cent water.

A and C—A long dark green cucumber which merits a trial. Uniform, nearly cylindrical, well rounded at ends.

Chicago Pickling—Vigorous grower. Fruits medium dark green. 6" to 7" long when grown. Slightly tapering of even size. 58 days.

Early Fortune—Rich, dark green fruits with firm, crisp, pure white flesh. Grows to 9 by 2½-in. Ships well and is highly resistant to disease. 66 days.

Long Green Improved—Black spined, good pickling. Grows 10 to 15 in. long, 70 days.

Straight Eight—Unsurpassed as slicing cucumber. All-American Selection. 2½-lb. fruits, rounded at ends, medium green. 68 days.

White Spine Improved—One of the earliest and most prolific of the white spine cucumbers. Fruits 7" to 9" long, 2½" in diameter. Dark green. 60 days.



EGGPLANT

Requires continuous warm weather for best results. Seed should be started in a hotbed, as it is slow to germinate. Set plants in open ground when 2" tall and protect from hot sun when young. Be sure to keep young plants developing rapidly. Cultivate freely. To produce large fruits, remove lateral branches so as to reduce number of fruits per plant. Spray to protect from potato bugs.

Black Beauty (fr)—Large, egg-shaped, smooth, very dark purple fruits. Keep well. Plant bears 4 to 5 fruits. Early.

Florida High Bush—Plant upstanding, holding fruit off the ground. Fruits elongated tapering toward stems. Dark purple. Hardy variety, resistant to drought and root rot. 85 days.

ENDIVE

Strictly a cool-weather crop: gets bitter at temperatures much above 80 degrees. Even moderately warm weather causes the plants to produce seed stalks. Plant very early. For late fall, sow early in middle autumn. Use last planting as late fall salad crop, and store surplus in cold frame or cellar by digging each plant with ball of soil. Plant in shallow drills with rows spaced 18" apart. When 4 inches tall, thin out to stand 6 inches to a foot apart. To blanch, gather the outer leaves together and tie with soft twine or raffia. Do this when plant is nearly grown. Strings should be untied after a rain to permit leaves to dry and avoid rotting.

Full Heart or Escarole—A strongly bunched mass of thick, slightly crumpled leaves, well blanched heart. Upright growing plant about 12 inches in diameter. 71 days.


Green Curled Ruffec—Plants 16 to 18-in. in diameter. Fine fall variety. White, tender, fleshy. 95 days.

HERBS

(Aromatic, Medicinal and Kitchen)

Every garden has a place for herbs, in the vegetable garden or for their ornamental appearance in the flower garden.

Anise—An annual—used for garnishing, seasoning and for cordials. Seeds have an aromatic flavor. Plants 14". 75 days.



HERBS

1. Chives 2. Dill 3. Fennel, Sweet 4. Sage 5. Sweet Basil 6. Thyme.

Basil—Sweet—Annual; Ht. 12" to 18". Leaves, green or dried, are chiefly used as a seasoning for soups, stews, etc. 85 days.

Borage—Annual; Ht. 12-18". Young tender leaves are used as salad and also used to flavor lemonade and other cooling drinks. 80 days.

TO SAVE SPACE, LET THEM CLIMB . . .

All cucumbers will climb if they are permitted to do so. In a small vegetable plot, cucumbers, tomatoes, peas, and beans can be grown on the fence.

When garden space is limited, wise home gardeners will exploit the air rights of their holding, and grow those vegetable crops that like to climb.

Cucumbers are among these, and any cucumber will be happy climbing a fence, whether it is called a climber or not. Even those with the largest fruits so heavy you might think they would need support, seldom do.

Careful tests have shown that on a given ground area more tomatoes can

be grown on plants pruned to a single stem and tied to a stake or fence, than in any other way. They ripen earlier, too, and in many ways this method is best for the small vegetable garden.

Keeping tomato plants pruned and tied needs constant attention. At the joint where each leaf grows on the main stem, a branch will develop, and this must be cut or pinched off before it is four inches long, otherwise its removal may weaken the plant.

Varieties of normal vine growth are the only kind that should be staked and pruned.

HERBS, Continued

Caraway—Biennial; Ht. 18-24". Seeds used for flavoring. Young leaves and shoots used for flavoring salads. 70 days.

Coriander—Annual; Ht. 24-30". Seeds used for flavoring and in candy and to mask taste of medicine. 75 days.

Chives—Perennial; Ht. 6". Tops, finely chopped for adding mild onion flavor to soups, stews, salads, etc. 80 days.

Dill—Annual; 2' to 3'. Seeds and leaves used for flavoring—especially for dill pickles. 70 days.

Fennel, Sweet—Biennial; Ht. 2' to 4'. Leaves are used for garnishing, fresh stems tender, eaten raw like celery or in salads. Seeds used for flavoring. 60 days.

Margoram, Sweet—Annual; Ht. 1' to 2'. Used for seasoning either fresh or dried. 70 days.

Rosemary—Perennial used as annual. 2' to 4'. Fragrant odor and warm, pungent taste, acceptable seasoning.

Sage—Perennial; Ht. 14" to 16". Used for seasoning either fresh or dried. 75 days.

Thyme—Perennial; Ht. 8" to 12". Aromatic foliage used as seasoning. 85 days.

KALE OR BORECOLE



Early fall or spring sowing. Either in rows or broadcast. To produce large plants have rows 2' apart and thin to 2' in rows. Leaves are best after coming of cool weather in fall.

Dwarf Siberian—Hard and productive. Bluish green foliage. Leaves large and spreading. 65 days.

KOHLRABI

Sow seed in early spring or fall and when well established thin to 6" apart in the row. Even better to start it in beds and transplant same as cabbage. Planting at intervals of 10 days gives tender bulbs until hot weather. Must be used when young. Woody when old.

White Vienna Early (fr)—8 to 10-in. leaves on slender stems. Bulbs 2 to 3-in., globular light green. Crisp, tender, clear white flesh. 55 to 60 days.



The kind of lettuce you can grow at home—really crisp, fresh lettuce is the kind every master chef sighs for. Three types of lettuce are shown above, (1) Black Seeded Simpson; (2) Iceberg; (3) Cos.

LETTUCE

Keep lettuce growing rapidly for best results. A light, rich soil needed for this. Earliest varieties must be started from seed in cold-frame. As soon as open ground can be worked, transplant. For later use, sow seed in open ground as soon as weather is favorable. Thin plants in rows 4" to 8" depending on variety.

Remember that lettuce is a fast-growing, rich feeding crop. Give it plenty of water. And use your compost or well-rotted manure liberally on the lettuce row. A light sprinkling of nitrate of soda will pay, too, because lettuce thrives on lots of nitrogen.

Heading or Cabbage

Big Boston or Mammoth Boston—Popular for cold frame forcing and outside culture. Medium, compact heads with creamy yellow heart. Smooth, glossy

leaves, edges wavy, and slightly tinged with reddish brown. 75 days.

Great Lakes—All-America award. An outstanding new Iceberg or Crisp-head type. A summer lettuce that stands heat well and is very resistant to tip burn. Heads medium size, solid, crisp.

Iceberg—Late, large variety. Compact heads, crumpled, crisp and sweet. Leaves light green, slightly brown on edges. 85 days.

Imperial No. 847 (Florida Iceberg)—Heads are of good size and solid. Does well in hot weather, and is resistant to tip burn. Very hardy. 83 days.

New York—Long distance shipper. Large curled heading lettuce. Dark green. Curled edge leaves. Well blanched heads. Sweet, tender. 80 days.

White Paris Cos or Trianon—Medium large self-folding, dark green leaf shaped heads. Greenish-white, well blanched interior. 66 days.

Loose Leaf Varieties

Black Seeded Simpson—Light green, frilled and crumpled. 45 days.

Oak Leaf—The most popular leaf lettuce for home gardens. Rich, dark green leaves, tender and delicious. Outstanding resistance to hot weather.

**ALL PRICES
IN THIS CATALOG
ARE SUBJECT TO CHANGE
WITHOUT NOTICE**

HUMUS A MUST FOR SOIL CONDITIONING

In the proper preparation of garden and lawn soil for planting, humus in most cases should be added. Without humus, soil is as lifeless and inert as sand. Humus consists of decomposed plant and animal matter microscopic and larger. Peat Moss is a humus, a many years accumulation of decayed water plants and organisms from bogs or ponds.

The addition of peat moss to soil accomplishes a four fold objective: (1) it supplies the plants with many elements essential to growth; (2) blotter-like in quality it absorbs and retains moisture in the top-soil where it is most needed; (3) the soil texture is improved by making it looser—allowing plant roots greater freedom in their reach for food and moisture; (4) creates an environment suitable for bacteria

and other microscopic life to break up the complex soil chemicals in simpler forms more easily absorbed by the plant.

A very recent scientific addition is Vermiculite. Vermiculite, also known as Terra-Lite, is the new mineral which likewise performs many of the functions of peat moss. Its freedom from weed seeds and exceptional ability to retain moisture makes it well worth your consideration for soil conditioning.

The type and amount of humus to use and methods of application ARE STRICTLY A LOCAL PROBLEM TO MEET LOCAL SOIL CONDITIONS. Another sound reason why your local seedsman KNOWS BEST. See our Supply Section in the back of this book.

MANGEL WURZEL

(See Beets, Stock)

MELONS**Muskmelon and Cantaloupe**

Easily injured by cool weather. Before planting, spade liberal forkful of well rotted manure into each hill. Plant 8 to 10 seeds to a hill. Thin plants to four per hill after third leaf develops, and train vines in different directions. On moist ground, use shingles to hold melons off ground to prevent rotting. If grown in cool weather or where nights are cold, will not bear well and melons will have poor flavor.

Banana—Fruits smooth and slender, 20 inches long and 4 inches thick, resembling a banana. Flesh salmon color, with banana-like flavor. 90 days.

Hale's Best—Flesh thick, deep salmon-pink, sweet and tasty. Heavily netted rind, with faint stripe. Small seed cavity. Outstanding variety, resistant to powdery mildew. 4 lbs. 86 days.

Hearts of Gold or Improved Hoodoo—Nearly round 2-lb. fruit, distinctly ribbed, deep green with fine grey netting. Thick, deep salmon flesh, tender sweet. 94 days.

Honey Dew—The well-known green-fleshed melon for warm climates. Smooth, ivory colored skin. Flesh is sweet and juicy. 112 days.

Rocky Ford, Golden Lined—Fruits small, with rather large seed cavity. Nearly round, weight 2½ lbs. No ribs. Heavily covered with hard grey netting. Flesh thick, green with gold tinge at center. Very juicy and spicy. Excellent quality. 92 days.

Texas Resistant Number 1—New mildew and aphid resistant melon. Rich salmon-colored firm flesh, sweet and slightly musky-flavored. Small seed cavity, with few compact seeds. Moderate netting, firm rind. 4½ to 5½ in. diameter. Very prolific.

WATERMELON

Requires about same culture as muskmelon, except the vines need more room. Fertilize each hill liberally and cultivate thoroughly.

Cletex—Dark green, irregular mottling on lighter green background. Flesh red

and sweet. Large size, cylindrical shape. 90 days.

Dixie Queen—Very prolific. Bright red, crisp, splendid quality fibreless flesh. Very few small, white seeds. 85 days.

Florida Giant or Black Diamond—A huge melon, growing sometimes to weight of 100 lbs. Oval-round with blunt ends, it has dark green skin and thick, tough rind. Flesh is of excellent quality, firm and red. 90 days.

Irish Gray—A very good shipper. Hardy and productive. Fruits large, smooth, creamy-white tinged with green. Rind tough and hard. Firm, bright red flesh. 95 days.

Kleckley's Sweet or Wondermelon—Large, cylindrical, dark bluish-green, with thin, tender rind. Bright red, juicy, sweet flesh, creamy-white seeds with traces of brown. 85 days.

Stone Mountain—Also called Dixie Belle. High quality shipping variety. Fruits very large, oval-round, blunt ends. Dark green, tough rind. Flesh rich scarlet, fine grained, sweet. Seed white with black tips. 90 days.

Tom Watson—Red heart strain. Large fruit, uniform cylindrical, with tough, elastic rind, faintly veined. 90 days.

MUSTARD

Sow as early as possible in the spring. Keep rows 6" to 12" apart and cover with soil ½" deep. You may also sow seed in autumn to raise greens and for salads.

Chinese Broadleaf—Large oblong, slightly crumpled leaves, scalloped at edges. Medium green, vigorous plants. 45 days.

Florida Broad Leaf—Vigorous, upright plants. Leaves large, broad and deep green; quick grower. 43 days.

Mustard Spinach or Tendergreen—Wholesome, quick-growing green, combining mustard and spinach flavors, 28 days.

Southern Giant Curled—Large, frilled and crumpled. Light green leaves. 35 days.

OKRA OR GUMBO

Sow in rows about 3' apart. Cover seeds with about 1" of fine soil firmly pressed down. Thin plants 18" to 24" apart when they reach 3"

growth. Do not plant until ground is warm, as this is a tender, hot weather plant. Pick before woody fibers develop.

Clemson Spineless—All-American Silver Medal Award. Pods are rich green, straight, uniform ridged and of best quality. 56 days.

Dwarf Green—Early, prolific dwarf growing sort. Dark green fluted, 5 to 7-in. pointed pods. Most desirable, compact growing okra. 50 days.

Perkin's Mammoth Long Pod—Early and prolific. Very tender, long pods. Deep green and slightly corrugated. 68 days.

White Velvet—Early and prolific. Pods pale greenish-white, 6 to 7-in. long. Meaty, tender. Strong, tall-growing, 3½ feet in height. 62 days.

ONIONS

Plant as soon as soil can be prepared. For best yield, plant on very fertile land—fall plowed, and thoroughly fertilized. When plants are a few inches tall, thin to prevent crowding—using the plants removed as green onions. Leave 4" apart for globe-types and 6" for the big Spanish types to mature for dry onions. Latter can also be started indoors for largest bulbs and can be set out 6" apart after frost danger has passed. All onions need liberal feeding and watering. Those left to become fully ripe can be stored for winter. Cultivate and hand weed every 2 weeks during summer.

Yellow Varieties

Prizetaker—Large, globe shaped, with glossy, thin straw-colored skin. Coarse, mild flesh. Sometimes weigh as much as 4 lbs. each. 102 to 104 days.

Yellow Sweet Spanish—Large, globe-shaped, exceptionally mild and sweet—'excellent for eating raw or boiled. Light yellow skin and pure white, firm, crisp, and tasty flesh. 112 days.

Yellow Bermuda—Very early, medium sized, flat. Thin loose skin. Flesh nearly white, mild and sweet. The most widely grown Bermuda Onion. 92-94 days.

Yellow Globe Danvers—An oval shaped straw-colored onion. White flesh, crisp and mild. Splendid keeper. 110 days.

Continued on page 14

**SPECIAL TECHNIQUE USED IN SOWING HILLS**

Hills are "holes" on points, and distinguished from drills, which are rows. Plants sown in hills are usually either vines, or large bushes, which need so much room in the row they cannot be sown in drills. For example, cucumbers, melons, squash, sweet corn, bush squash and tomatoes.

The procedure is to stretch a line, just as you would for a seed drill, and along this mark the location of the hills at the proper intervals.

Scoop out a shallow depression and mix with the soil at its bottom a quantity of plant food, which may vary from a tablespoonful to a pint. The latter heavy dose is recommended by southern watermelon experts, for hills in which this crop is

sown. Mix the plant food thoroughly and cover it with fresh soil, almost filling the hole; then sow the seed and cover with light soil, which can be depended upon not to form a crust before the seeds have sprouted.

When the seeds sprout they should be thinned out to the required number of plants. For those that grow in bush form, one plant to a hill is all that should be grown. Sweet corn is sometimes grown three plants to a hill; and vine crops the same. Thinning should be gradual, at first enough to insure each infant plant a chance to grow without interference from neighbors. Then as the plants become established the weakest should be eliminated until only the desired number remain.

DOWN-TO-EARTH ANSWERS TO EVERY-DAY QUESTIONS

The Home Gardening Guide sections of this and following pages of our Garden Annual tells, in as few words as possible, what every gardener should know. It is planned to be of informative value to you the whole gardening season, not as a mere garden starter. Here you will also find practical every day facts you'll want as a foundation for successful gardening.

All the data in the Home Gardening Guide sections is necessary information for the gardener of limited experience. We urge all such gardeners to study and follow the suggestions offered here.

The good seed we sell you will yield results in direct ratio to your observance of these notes. Much of what we say is, of course, already known by the old timers. But some of our facts are necessary reference material for all gardeners.

If you still have questions unanswered after reading this book, come in and let's talk them over. Take advantage of our wealth of experience . . . it's yours for the asking.

8 Fundamentals of Planning

No one can fully plan your garden for you, because garden planning is a highly personal, individual matter. Give your own ideas and desires plenty of play—and you'll enjoy your garden more.

There are certain absolutely basic facts that apply to all home garden planning.

1—Plan to use your garden full time. To do this you'll need catch crops, intercrops (also called companion crops) and succession crops. **Catch crops are early vegetables**, like spinach, that you grow very early before a crop like late cabbage is set out. **Intercrops are planted between the rows of larger vegetables**, like head lettuce between rows of broccoli. **Succession crops are catch crops in reverse**—they follow early crops. For instance, Chinese

cabbage will mature fine heads if planted after an early crop of peas has been taken.

2—Divide the garden into three sections if possible, (1) Root vegetables, (2) Leaf vegetables, and (3) Fruit vegetables. By switching these three groups every year you avoid many soil-borne diseases and insects and get better use of fertilizers. This isn't absolutely necessary, but it is one of those details that the smart gardener watches.

3—On level ground, you can run either east and west or north and south. If east-and-west layout is used, be sure to plant taller vegetables to the north. **On sloping ground**, the rows must run across the slope, not up and down. Otherwise all your plant food and much of your topsoil will go down the hill when it rains.

4—Plan to grow enough vegetables for storing and canning. Remember that correct storage begins with planting so provide for this when planning your garden and ordering seed.

5—In smaller gardens, don't plant space-wasting crops like Potatoes, Pumpkins, Sweet Corn and Vine Squash. On the farm these can be grown with the field crops, saving the more highly cultivated garden space for the more productive vegetables that need closer attention. **Many gardeners report that Zucchini and other bush squashes gave better results than Eggplant and satisfied many of the requirements for vining Squashes.**

6—Include perennial vegetables when possible. Rhubarb, Asparagus, Horse Radish and Perennial Onions can be grown on one side of the garden where they won't interfere with plowing or cultivating. Small fruits should be included whenever space will permit, since the quality of home-grown berries is far better than any you can buy.

7—Avoid growing vegetables your family doesn't like and won't eat, but be sure to include plenty of those they do like. If they're fond of beans, for instance, don't be satisfied with a single large planting, but make several smaller plantings at two weeks intervals.

8—Study the chart on page 22. This will tell how far apart rows should be, how long each crop takes to mature, and how much space you will need to provide the vegetables your family likes. After you have taken into consideration the crops you want to grow, make a rough sketch showing the location of each crop, with catch crops, intercrops, succession crops indicated.


SQUASH, Early Prolific Straightneck

CABBAGE, Early Flat Dutch

CABBAGE, Copenhagen Market

SQUASH, Zucchini

ONIONS, Green Bunching



ONIONS, Continued**White Varieties**

Crystal Wax Bermuda—Sometimes called White Bermuda. Bulbs flat, medium-sized, clear white. 92 to 94 days.

White Portugal or Silverskin—Excellent flat variety. Dependable cropper, excellent for sets, for green bunching, or as a pickler. 100 to 102 days.

Red Varieties

Red Wethersfield—Bulbs medium large, flat on the bottom, sloping top. Purplish red. Fine grained, firm flesh, white slightly flushed with pink. Strong flavor. 100 days.

ONION SETS

Onion sets used instead of seeds will produce earlier crops of green onions or large bulbs. Plant sets right side up and cover with garden rake; then firm the soil well over the sets.

The quickest way to get onions early. We offer choice, select, dry sets, of the highest quality. (Prices on application.)

ONION PLANTS

Sturdy, hardy plants that come to you all ready to set out. Ask for prices.

PARSLEY

Does best in rich, mellow loam. Seed is slow to germinate, and is helped by soaking in warm water overnight before planting. Sow early and not too deeply. Space plants 6" apart. When curled varieties are about 3" tall, cut off leaves. The new growth will be brighter and curlier.

Moss Curled or Triple Curled—Compact, dark green leaves, curled and fine-cut. 70 days.


PARSNIP

Needs rich, mellow soil for best growth. Must be planted as early as ground can be worked. Soil must be loose to a depth of 12" and cannot be heavy. Rows should be 15" to 18" apart. Cover seed 1/2" and press down soil. Thin out to 4" when plants have made a good start. Cold weather turns starches into sugar and improves flavor. Roots are hardy: leave in ground over winter if desired.

Hollow Crown (fr)—The most generally grown kind. Roots 2 1/2 to 3-in. thick at shoulder. 12 to 14-in. long, uniformly tapered, hollow crowned. 95 days.

**PEAS**

Early peas need a light, warm soil; but general crop thrives best in moderately heavy soil. (Avoid fresh manure and very rich or wet, mucky soil as this produces large growth of vine at the cost of quality of the peas.) Plant seed in rows at 2" depth.



Peas, a comparison of shapes and sizes: (1) Laxton's Progress; (2) Little Marvel; (3) Alderman or Dark Podded Telephone; (4) Mammoth Melting Sugar.

Keep rows 21" to 28" apart for dwarf varieties and 28" to 42" for the taller types. Gather crop as fast as it is fit to use or new pods will cease to form and those partly advanced will cease growth.

Plant variety Alaska as soon as ground can be dug. Plant wrinkled varieties (which have better flavor) when narcissus buds show color or when crocuses are in bloom. Peas are not satisfactory when weather turns hot. Tall varieties must be staked. Most home gardeners prefer dwarf varieties like Little Marvel. Peas want well-limed soil. Don't forget, inoculation improves production.

Early and Second Variety

Alaska—Wilt resistant. Used for canning and early home garden. Blunt, straight, light-green, 3-in. pods. Plants 32-in. 60 days.

Hundredfold or Laxtonian—Exceptionally choice and prolific. Dark green, rather coarse vines, producing straight pointed, well-filled 2 1/2-in. pods. 62 days.

Laxton's Progress (fr)—Medium dark green vine, 16 to 18-in. Single pods almost an inch wide and 4 1/2 to 5-in. long, with 7 to 9 large peas. 62 days.

Little Marvel (fr)—Outstanding, dwarf. Fine quality, large yield. Single and double, dark green, 3-in. pods—blunt, plump, well filled with 7 to 8 medium sized, light green tender peas. 62 days.

Thomas Laxton (fr)—Medium height. Strong vine bears numerous dark green, blunt ended pods, 4 to 4 1/2-in. Retains flavor and sweetness. One of earliest. 57 days.

Later Varieties

Alderman or Dark-Podded Telephone (fr)—Large podded variety of the Telephone family. Excellent for home gardens, truckers, shipping to distant markets and for freezing; resistant to Fusarium wilt. Vine dark green, coarse. Pods single, very broad, plump, straight, dark green, pointed; contains 8 to 10 peas of highest quality. Seed large, wrinkled, light green. 74 days.

Everbearing—Long season, wilt resistant marrowy peas. Pods plump, blunt, straight, 32-in. vine. 76 days.

WHEN PLANTING PEAS REMEMBER . . .

Since only the seed of garden peas are used, the food yield is small compared to the space they take.

The first sowing of peas should be made early as possible, having in mind that the finer varieties, which have wrinkled seed, may decay if the soil remains cold and damp too long after they are sown. Smooth seeded peas will not decay so easily, but they are not of as high quality as the wrinkled kinds.

When spring comes late and summer follows quickly, only one crop of peas is likely to be successful. In new gardens, or old ones where peas have not been grown before, the seed will grow better

if inoculated with a bacterial culture which can be obtained for that purpose.

Plant food should be applied at the rate of 4 pounds to 100 feet of row, either mixed well with the soil before sowing, or spread in trenches on either side of the row, a little deeper than the seed are sown.

Where weather conditions are favorable to peas, it is possible to grow them in twin rows six inches apart; in the space between the rows the weeds are pulled, but the soil is not cultivated. In less favorable sections however, single rows, regularly cultivated, will be found more dependable.

PEPPERS

Need long growing season: start indoors 8 weeks before plants are wanted. Set plants 15" x 24" and feed liberally for bigger fruits.

Warm, mellow soil in sheltered location is best. Cultivate regularly, drawing soil up around stems. When plants are 7" to 8" tall, hoe in light dressing of commercial fertilizer. Do not plant hot peppers near sweet; they are apt to cross.

Sweet

California Wonder Improved—Number one quality peppers, about 4-in. long and 3½-in. diameter, very smooth, 3 and 4 lobed, glossy green, turning bright crimson when ripe. Remarkably thick walls, tender, sweet. 75 days.

Large Bell or Bull Nose—Very prolific. Fruits 3" to 3½" long and 3" thick. Broad end almost square. Flesh thick and sweet with mildly pungent ribs. Deep green when young and bright crimson when ripe. 60 days.

Pimento or Perfection—Best of the medium sized sweet peppers. Excellent for stuffing. Smooth, heart-shaped, about 3-in. long. 125 days.

World Beater—One of the best large peppers. Glossy-green, changes to bright red. Mild, very sweet, thick flesh. 75 days.

Hot


Long Red Cayenne—The hot favorite. For canning, pickling, drying. Pungent flavored fruit, tapering and twisted. 70 days.

PUMPKIN

Plant in middle of spring among corn; or in hills 8' apart each way. Drop 4 seeds to a hill. If planted in hills, cultivate the same as melons and cucumbers. For winter use gather before frost (leave stem 3" to 4" long) and store in warm, dry place.

Kentucky Field or Large Cheese—Dull orange, large ribbed fruit. Coarse, deep yellow flesh, good flavor. 120 days.

King of the Mammoth—Largest of all pumpkins. Valuable for stock feeding and exhibition. Globular, slightly ribbed, flattened, weigh 60 to 90-lb. Flesh solid, yellow-orange, coarse, but good quality. 120 days.



Fresh tempting crisp radishes! Usually the first food your garden yields, plant a variety and sow them intermittently at 10 day intervals for season-long enjoyment. In our illustration above is a comparison of varieties: (1) Chinese Rose Winter; (2) Long Black Spanish; (3) White Icicle; (4) Crimson Giant; (5) Early Scarlet Globe, and (6) French Breakfast.

Small Sugar or New England Pie—Desirable for pie or general use. Round, flat end fruit, deep orange. Thick, yellow-orange flesh. 118 days.

Striped Cushaw—For stock feed. Crook-necked, 11-lb., white and green striped, thick, coarse yellow meat. 112 days.

RADISH

Soil should be light, quick and rich to insure rapid growth. Slow growth makes the flavor too strong. Sow as early as ground can be worked, as radishes are very hardy. Make successive sowings up to hot weather. When in the third leaf, thin to give roots plenty of room. Pull promptly when mature. The secret of crisp, delicious radishes is quick growth, prompt picking.

Crimson Giant—Large round, 1 to 1½-in. Deep crimson roots. Very crisp and tender for its size. 28 days.

Early Scarlet Globe—Globular, slightly elongated, bright scarlet. 24 days.

Early Scarlet Turnip, White Tipped—Carmine red with white tip. Flesh white, crisp and mild. 26 days.

French Breakfast—Roots thicker toward bottom, 1½-in. long by ½ to ¾-in. Dull scarlet, white tipped. 25 days.

Long Scarlet—Long, straight, smooth.

4 to 5-in. long and ¾-in. thick at shoulder. Grows partly above ground. 30 days.

White Icicle—Tapering roots 5 to 5½-in., very white, mild flesh. 27 days.

Fall and Winter Varieties

Chinese Rose Winter or Scarlet China—Popular, very distinct winter sort. Good for late salads. Cylindrical blunt, smooth, bright rose-red. Flesh white, very firm and pungent. 52 days.

RUTABAGA

(See Turnip)

SALSIFY

Light, rich soil best and it must be stirred to a considerable depth. Sow in rows 18" apart. Cover seeds firmly with ½" of fine soil and thin plants later to 2" to 3" apart in the row. Cultivate the same as carrots.

Mammoth Sandwich Island—A palatable and nutritious vegetable when cooked. Flavor is remarkably similar to oysters. 120 days.

ALL PRICES IN THIS CATALOG ARE
SUBJECT TO CHANGE WITHOUT
NOTICE


PLANNING ON PAPER, SAVES TIME AND LABOR

That old remark, "To save headaches later, plan it on paper!" isn't a very good rhyme, but it's extra good sense. Once you've tried it, you'll never again plant without a carefully drawn plan!

The best procedure is to start with a very rough sketch. Try all your ideas and combinations during this rough sketch stage. Then, when you've got what you want, convert your rough sketch into a final plan, drawn to scale. A scale of one-quarter of an inch representing one foot works

very well, because by using 1/16 of an inch as three inches, almost any standard spacing of the rows can be shown in exact scale. Save this plan from year to year so you can remember where each crop was. This will enable you to rotate root crops, leaf crops and fruit crops.

With the plan complete, you are now ready to order your fertilizer, seeds, tools and insecticides. It is to your advantage to do this as early as you can. Late in the season many desirable varieties may be sold out.



5 Facts on Site and Soil

Even though you may not have any freedom of choice for the location of your garden, there is still much that you can do to make the most of your site and soil.

1—Locate the garden in an open spot that receives at least six hours of direct sunlight each day, away from the roots of trees that might rob the soil of moisture and fertility.

2—A rich sandy loam is the best garden soil, but if you have either heavy clay or light sand, the same materials will improve both—decayed vegetable matter—old rotted manure, peat moss, commercial humus or well-rotted leaves.

3—Don't apply lime unless it is really needed. Usually a soil that will grow good beets is all right. If beets do poorly and grow irregularly, you can add about 50 lbs. of hydrated lime or 100 lbs. of ground limestone to each 1,000 square feet of garden. If you have a pH tester, most flowers and vegetables will do well in a soil between 6.0 and 7.0.

4—Do supply plant food. Before digging or plowing the garden, apply 4 lbs. of balanced fertilizer over every 100 sq. ft. of garden. Divide fertilizer into two lots, sowing one with the wind and the other across the wind. Or, better yet, use a fertilizer spreader.

5—Don't plant in wet ground. No soil is right for gardening that can't pass the "mud pie" test. To make a mud pie test, pick up a handful of soil and squeeze it slightly. If it balls or packs together and won't crumble when you apply light pressure, it is too wet to work.

Planting the Seed

Place a stake at each end of the row and stretch a line tightly between them. **Don't try to make rows without a line or straight edge.**

Make the furrow for the seed with a hoe. **Fine seed** (onion, lettuce, cabbage, etc.) should not be planted more than 1/2" deep. **Medium seeds** (okra, spinach, cucumber) 1" deep. In heavy soils, beans, squash, onion sets and peas need not more than 1" but the soil must be moist. In lighter soils, 2" is deep enough.

The old theory that seed should be planted deep enough to come in contact with soil moisture still holds, but in dry weather the soil should be watered thoroughly before planting so the moisture will be right at the surface. If the row is then covered with a board until the seed germinates, it will not be necessary to bury the seed even though the weather is dry. Tear the corner from the pocket. If seeds are very small, mix with three times their bulk of perfectly dry sand, then hold the packet over the row, tapping gently with your forefinger. This enables you to distribute the seed more evenly and avoid sowing too thickly.

Don't sow seed too thickly. To do so wastes both seed and labor as the crowded seedlings must later be thinned by hand to allow space for proper development. Also, poor growth and poor quality vegetables result if seed is sown too thick and not properly thinned. (This is true whether planting in seed flat, hotbed or in open ground.)

When to Sow

Seed catalogs and garden books usually offer you a list of definite planting dates. We'd like to do this, too, but experience has taught us that such dates are often dangerous. Weather variations from year to year are likely to make the most carefully compiled dates look foolish.


Here's a guide to planting time that doesn't rely on dates, but rather on Nature's own signs.

FULLY HARDY CROPS: Sow as soon as the ground can be worked in spring, or when the farmer plants oats. In some years crocuses and snowdrops may be in bloom at this time, but if the ground is ready sooner, plant anyway. These crops include lettuce, cabbage, broccoli, carrots, cauliflower, kale, kohlrabi, parsnips, radishes, rutabagas, spinach and turnips. Also round-seeded peas.

HARDY CROPS: When the daffodils and earliest tulips bloom, or when maple trees are in full flower, plant these: Beets, wrinkled peas, Swiss chard, and onion sets.

TENDER CROPS: When the Lilacs, Darwin Tulips and Apple Blossoms are in full bloom, plant these: Bush beans, sweet corn, pumpkins, and squash are included.

TROPICAL CROPS: When the petals on apple blossoms will have fallen and the tall late irises are in full bloom plant: Okra, Lima beans, Pole beans, muskmelons and cucumbers, and set out plants of tomatoes, peppers and eggplant. These can't stand frost and should not be planted until the weather is warm and settled.




SQUASH
Acorn




TOMATO
Jubilee




CABBAGE
Early Jersey Wakefield




TOMATO
Rutgers



KOHLRABI
White Vienna



TURNIP
Purple Top White Globe



PEA Laxton's Progress



SWEET CORN Country Gentleman

SPINACH

Plant seed in very rich soil in rows spaced 14" to 18" apart. Keep plants thinned out from 3" to 6" apart in the row. (Seed may also be sown broadcast.) Sown in fall for winter use and spring for early use.

Bloomsdale Savoy, Long Standing (fr)—A few days later than regular Bloomsdale Savoy. Holds from 12 to 14 days longer. 42 days.

Giant Nobel or Giant Thick Leaf—Large, vigorous, spreading plant, slow to form seed stalks. Heavy yielder. Large, thick, smooth, deep green leaves. 45 days.

New Zealand—Thrives in dry hot weather. Can be picked repeatedly all season. Not a true spinach, but similar when cooked. 70 days.

Viroflay—Very large, broad thick leaves, slightly crumpled. Old standard variety suitable for spring or fall sowing. Good for canning. 46 days.

SQUASH

Follow same planting and culture as for melons and cucumbers. Plant summer varieties 6 or 8 seeds in hill 3' to 4' apart each way and winter squash 8' apart. Plants bear longer if squash is picked off as soon as it is ready for use.

Summer Varieties

Early Prolific Straightneck (fr)—Earlier, smaller, and more productive than Giant Summer Straightneck, and more uniform. Brilliant yellow. Fine for home or market. 50 days.

Early White Bush Scallop—Fruits greenish when young, become white at maturity. 3-in. long, 7½ to 8½-in. wide. 53 days.

Giant Summer Crookneck—Prolific, bush type plant, curved neck fruits around 4 to 5-lb., 20 to 24-in. long. 4 to 5-in. diameter. 56 days.

Zucchini—Straight, cylindrical fruits, 3 to 4 lb., 3 to 5-in. through, 10 to 14-in. long. Mottled and striped green-creamy-gray. Delicate flavored flesh. 60 days.

Fall and Winter Varieties

Improved Green Hubbard (fr)—Most widely grown of any winter squash.

Round, warted, dark green with thick yellow flesh. Weight 12 to 14 lbs. 100 days.

Table Queen or Des Moines or Acorn (fr)—Acorn-shaped, green, deeply furrowed flesh rich yellow, dry, mealy, delicious. Convenient size for baking and serving in halves. 100 days.

SWISS CHARD

(See Beets, Leaf)

TOMATOES

Do best in sandy, well pulverized loam. Sow seed in hotbed or indoors. When plants are about 2" high, set out 3" apart, in boxes or pots—later transplant into the garden. Or keep in flats until weather is warm and settled, and then set plants out directly into the garden. Water around the roots of the plants when setting them out if ground is dry. Cultivate frequently until plants shade the ground. Remove all but the two or three strongest branches. Study methods of staking and training vines and adopt the one best suited to your situation.

Earliana—Open, spreading, medium small vines. Red fruits run to medium size. Thick; smooth fruit. 66 days.

Jubilee—Orange colored fruit. Juicy with few seeds. Weighs about 6 oz. Bears over a long season. 72 days.

June Pink—The earliest of the pink-fruited varieties. Plant open spreading and rather short. Medium size, flattened and smooth. Purplish pink. 69 days.

Marglobe—Moderately productive, with heavy foliage. Vigorous and resistant to wilt and rust. Fruits medium large, nearly round, smooth, and solid. Deep red. 77 days.

Ponderosa—One of the largest varieties. Spreading large vines. Solid, fine flavored, pink, with small seed cells. Somewhat rough and flat. Have a tendency to crack. 88 days.

Pritchard's Scarlet Topper—Medium to large round, with thick, firm flesh and small seed cavities. Brilliant red throughout, coloring right to top, without hard green spots. Free from acidity, one of the best home canners. Early.

Rutgers—Second early variety. Large

thick stems, vigorous foliage. Fruits similar to Marglobe but flatter at stem end. Bright red, with thick walls. Red, firm flesh, low acidity. 72 days.

Stone Improved—Medium late. Ripens evenly and is uniform. Fruits large, flattened but deep. Smooth, attractive, scarlet-red, of fine flavor. 86 days.

Stokesdale—An extremely important development. Smooth 7-oz. fruit, brilliant color, exceedingly solid flesh and small seed cavities. Matures in the second-early group, a full week earlier than Marglobe.

Small Fruited

Red and yellow varieties, shaped like miniature pears, plums, and cherries; very attractive for preserves.

TURNIP

For summer greens or roots, sow as early as radishes and lettuce. Then cut when plants are 6" high. Sow again in summer for fall and winter use. Turnips do best when most of their growth is made in autumn or early spring. Should be grown rapidly for best flavor and texture.

Amber Globe—Chiefly grown for stock. Tops large, cut leaved. Roots round, large, smooth, globe-shaped, light yellow with green top. Flesh, yellowish white, of good quality. 76 days.

Purple Top White Globe (fr)—Large, sweet tops. Smooth, globe-shaped roots, purple-red above, white below. Sweet tender, crisp, white flesh, 50 to 60 days.

White Egg—Cut leaved, medium sized, upright tops. Egg shaped roots, all white. Smooth grained. 55 to 60 days.


Foliage Turnip

Seven Top or Winter Greens—For greens or forage. Young shoots extremely tender. 50 days.

Shogoin or Japanese Foliage—Recently introduced and rapidly gaining popularity. 18 to 20-in. bright green tops, strap leaved. Roots are semi-round and white. Very mild. 70 days.

Rutabaga or Swede Turnip

American Purpletop—Hardy and productive. Tender firm, light yellow, sweet flesh. 88 days.

**2-4D ON FARM—INCREASES YIELDS, SAVES LABOR**

Whether your crop is in grasses, grain or row crops there is a 2-4D solution that will conquer weeds and mean more money to you at harvest time.

PASTURE AND TURF—Should be sprayed early in the spring to control susceptible weeds. Dosages can be regulated so that White Dutch and Ladino Clovers will not be permanently affected. Legumes' loss however must be expected. It is generally considered more economical to treat pastures at least twice during the season than to treat once and allow later weeds to seed.

When to Use 2-4D

2-4D FOR SMALL GRAINS—Wheat, Oats, Barley and Rye may be sprayed at any time after tillering (stooling) is complete, except during the "boot" and blossom stages.

FIELD CORN is most resistant when less than 6" high or more than 3' high. Spraying should be done during these resistant periods if possible. **CAUTION**—treatment at other periods may cause temporary effects such as leaf curl and stem bending or permanent effects such as twisting of the brace roots. After spraying do not cultivate until brittleness disappears.

Starting in Coldframes, Hotbeds, or Indoors

The gains you can make by "beating the weather" are well worth going after, particularly on **tomatoes, cabbage, peppers, cauliflower, broccoli, and kohlrabi.**

But remember that a plant which hasn't been treated right in the flat will not be a good plant in the garden. A transplant that has had to struggle against over or underheating, too much water or too little, etc., will not do as well as a direct-seeded plant or a purchased transplant that has had expert attention.

However, the right conditions for a successful indoor start are not difficult to achieve. Any gardener can do the trick by applying a reasonable amount of care and attention.

Don't begin too soon, unless you have a greenhouse or light hotbed and can give the seedlings plenty of room. For most vegetables, 6 to 7 weeks is time enough to allow between seeding and transplanting.

Fill shallow boxes (flats) with a mixture of $\frac{1}{3}$ good garden soil, $\frac{1}{3}$ clean sand and $\frac{1}{3}$ compost, leaf mold or other well-rooted organic matter. Make very shallow rows or furrows with the edge of a ruler or a wood lath, 3" apart. Sow seeds in these rows 1" apart in the row.

DON'T let your soil dry out, and don't let it be soggy. Spray lightly two or three times a day, using an atomizer or bulb sprinkler. When the best seedlings can be selected, thin out to stand 2" to 3" apart. Before transplanting into the garden, withhold water for 2 or 3 days.

Transplanting

Tomato, eggplant, and pepper plants are tender and should not be set out before danger of frost is past. **Cabbage, cauliflower, and kohlrabi** are less tender but it is not safe to set them out much before the frost-proof date.

Where care is needed

Use care in transplanting or you will injure the tender plants.

When soil is sufficiently moist so a ball of soil can be retained around each individual root there is less chance of injury or of air pockets being left around roots. Use a trowel. **(It is important that roots be kept in close contact with soil so they can get moisture.)**

When seedlings are to be transplanted without a ball of soil, long tap roots should be shortened, and the whole root system placed and "firmed in" so that it is well spread out, not bunched. Soil in which roots are placed must be finely pulverized.

When roots have been carefully placed in position, firm the soil around each plant enough to insure that roots are in contact with the soil, and that there are no air pockets.

Transplant in cool, cloudy weather or at evening or early morning.

As soon as the garden has been planted, water thoroughly but gently with a fine spray. This, by the way, is the only time we **sprinkle** a garden; once the plants are established, any watering should give the soil a good soaking.

Watering

Soak, don't sprinkle. Your garden needs water when the leaves look wilted in the sun and do not recover freshness over night.

Except for transplants, try to avoid watering the garden until it really needs water.

Don't wash away topsoil

When you do water, soak, don't sprinkle. Do a thorough job. The hose or sprinkler should be allowed to run on one spot until water stands on the surface.

The best way to do a thorough soaking job is to use a canvas hose that leaks all along its length, placed along a row at a time. Let the water run until the soil is saturated to a good depth. Then move hose to next row.

If an overhead sprinkler is used be sure it doesn't have too much force, or it will wash the soil away.

If you have only an ordinary hose (with out holes), remove nozzle and place a small board under the end of the hose to distribute water gently.

Water in the evening or early morning.

After watering, the soil should be moist to a depth of five to six inches. Check this with a spade to be sure.

A Program for Garden Sanitation

About 75% of the work and much of the damage caused by insects can be eliminated by a simple, regular program of sanitation. Preventive dusting or spraying is much easier than waging a losing battle against bugs when they appear. Usually, less than 30 minutes a week should be needed for a regular sanitation program for both flowers and vegetables.

CANTALOUPE
Rocky Ford

CORN, Golden
Cross Bantam

Hearts of Gold

CARROTS,
Imperator

CUCUMBER,

LETTUCE, Oak Leaf

COS LETTUCE, White Paris

Cultivation and Weeding

Frequent, shallow cultivation or hoeing is best. It requires less effort and gives better results. Never let the weeds get a start. They rob the plants of food and moisture.

Cultivate after each rain or soaking, as soon as soil is dry enough, and as often between as necessary to keep weeds under control.

1. "Destroy them young" should be the first principle in controlling weeds. Weeds rob the soil of moisture and food. Worst of all, if allowed to grow, they shade the crops that require six hours of full sunshine to grow normally. Plan to spend half an hour a day hoeing weeds and the average garden can be kept up without difficulty.

2. Keep the soil from caking or cracking because when rain comes, it cannot penetrate the hard surface and may run off and be lost. A prong cultivator will leave the surface loose and ready to absorb rain.

3. Air is vital to plant growth: stir the soil as soon as the ground is dry enough after a rain or after watering. This also saves moisture. Use the hoe and save the hose.

4. When cultivating stay as far away from the plants as you can to avoid packing the soil around the roots.

Harvesting

The big advantage the home gardener has over the commercial grower is that he can pick his vegetables one minute and have them in the kitchen the next. All vegetables are better if left on the plant until ready to serve. Sweet corn in particular loses sweetness every minute it is off the stalk. Pick only what vegetables you can use right away and not until you are ready to use them.

Most vegetables, particularly summer squash, sweet corn, cucumbers, carrots, beets, peas and string beans, should be used much younger than usually harvested by the commercial growers. Learn the "feel" of an ear of corn that is ready to pick. The tip of the ear will feel full and the silks should be turning brown.

Muskmelons do **not** get sweeter after picking. For full flavor leave them on the vine until a crack appears all around the point of attachment between the stem and melon. The free end should feel definitely soft when the melon is ready.

Avoid harvesting beans while the plants are wet with dew or rain, as moisture spreads disease.

Cover crops--after vegetables --to improve your soil

Save and improve your soil and plant food supply by growing cover crops. After a row of vegetables has been harvested (if you aren't planting a succession crop in this spot) sow some quick-growing plant that will take up any excess fertilizers and store them in its tissues. Plow under that plant just before the next crop goes in, and decay will release that plant food just in time to do the most good. Also, the rotting vegetable matter produces humus, without which good crops cannot be grown. Ask us for advice on cover crops for the garden.

Ask us also how to control root maggots that harm cabbage, Brussels sprouts, onions, radishes, and turnips—also how to guard against the carrot rust fly.

For insecticides always see the seedsman!

These Vegetables STORE Well

Beets, Carrots, Turnips, Winter Radishes—Do not wash. Pack in loose moist sand or fine moist soil. Store in unheated cellar, or in ventilated room away from heat.

Cabbage—Roughly trim heads, cut off roots. Store in temperature of 40 to 60°, with high humidity or cover heads with moist soil or sand.

Celery, Kale, Chinese Cabbage, Endive, Leeks—Store in trenches outdoors or in boxes of soil in basement. Outdoors must be covered with straw to prevent freezing.

Squash, Pumpkins—Harvest as they mature, leaving 3 or 4" of stem. Cure for a few days at 80 to 85°. Store in dry place.

Peas, Beans—May be picked off plants or the whole plant pulled and placed in dry airy place to cure. After thoroughly dried, shell, clean, sort and store in jars or cans in cool, dry, dark place.

Onions—Pull as soon as most of the tops fall over. Place in racks or spread out on dry wooden floors—or hang in dry airy place. Store in dry well-ventilated place at a temperature just above freezing.

Parsnips, Salsify, Horseradish—Not injured by freezing, and may be left in the garden, or stored in moist soil or sand in cool building.

Potatoes—Should be kept in slatted bins for ventilation and left uncovered. Protect from strong light. Keep longer at 36 to 40°, but cook better if stored at higher temperature.

Sweet Potatoes—Dig as they mature or after first killing frost. Sort them as dug, and place in crates. Cure for two weeks at 80 to 85°F. before storing. Best storage temperature 50 to 55°.

ENDIVE, Full Heart

ONION SETS

SQUASH,
White Bush Scallop


RADISH
Early Scarlet Globe

OKRA, Perkins Mammoth

BUSH BEANS,
Tendergreen

PEPPER,
Long Red Cayenne

PEAS
Alderman
(dark podded, Tendergreen)



DEPENDABLE FARM SEEDS

ALFALFA—The king of all field crops and natural soil builders. We carry a full range of varieties.

COW PEAS—The triple-purpose crop, good for table use, stock feed, and soil improvement. Adapted to practically every soil. Food value is exceptionally high. Be sure to inoculate.

HEGARI—Heavy yield of green forage. Also heavy producer of grain. The juicy sweet stalks and leaves relished by livestock. Drought-resistant.

LESPEDEZA—Produces plenty of high quality hay; also good soil builder—particularly when inoculated. Stands dry, hot weather. Our selection includes Korean and other varieties.

MILLET—Its quick growth makes it particularly desirable for hay and pasture especially in times of drought.

PEANUTS—One of the most profitable crops for light, loamy or sandy soil.

RAPE, Dwarf Essex—Excellent green food for all livestock, including hogs and chickens. An acre of good Rape will pasture 20 hogs for two months.

SHALLU (Egyptian Wheat)—Also known as Chicken Corn. Good for hogs, too.

SOY BEANS—The crop of many purposes. Excellent for hay, ensilage, grain, and soil improvement.

SUNFLOWER, Mammoth Russian—Enormous heads, from 12 to 20 in. across. As poultry feed mixed with other grains it has no equal.

VETCH—A great producer for hay, pasture, or silage. Good cover crop and soil builder. May be sown spring or fall, is not particular as to soil, and needs only moderate moisture.

VELVET BEANS—Fine forage crop and a good soil builder, too. Grows rapidly. Excellent for planting in corn or in fruit groves. (Be sure to inoculate.)

CLOVER

Lack of space prevents listing all our offerings of Clover. We carry an adequate range of varieties. Consult us as to the best choice for your own particular needs.

GRASSES

Alta Fescue—New all-purpose, all-location grass. An Improved Tall Fescue. Highest yielding grass for pasture, hay, silage. Grows on wet or dry, acid or alkali soil. Takes a year to establish, but lasts 20 years or more.

Bermuda, Hulled—The highest grade of Bermuda, with the hard, almost watertight hulls removed. Quick growing.

Bermuda, Unhulled—Valuable for lawns, golf courses, or wherever a thick, heavy sod is desired.

Carpet Grass—Excellent permanent pasture as its creeping growth lets it stand close grazing. Needs moisture.

Dallis Grass—Germinates slowly and needs plenty of moisture at the start—but comes closer to giving you year-round pasture than any other grass.

Kentucky Blue Grass—Produces a close, thick turf. Stays green until late in fall. Roots are deep; plants very hardy.

Red Top—Valuable for most soils. A good permanent grass. Should be grazed close. Grows successfully on alkali lands where other grasses fail.

Sudan Grass—One of the greatest summer grazing crops. Also fine for green feed. Keep a small plot near the barn to cut and feed green to cows or horses.

BUXTON WHITE'S Adapted Corn Hybrids



Having pioneered corn hybrids in this section, we are recognized as headquarters for the best adapted strains. Years of experience have taught us just what can be done with hybrid corn in our area. We offer the hybrids that are *right at home* on your farm—the ones that have proved *consistently good year after year*. They opened the way for tremendous gains in production and profits for growers in the Albemarle. Let them work for you. Ask for free descriptive folders. Place your order now!

Field and Grass Seed Per Acre And Bushel Weight

	Lbs. per Bu.	Lbs. per Acre
Alfalfa	60	15 to 20
Barley	48	96
Brome Grass	14	15 to 20
Buckwheat	50	50
Clover, Alsike	60	8 to 10
Clover, Medium Red	60	10 to 12
Clover, Mammoth Red	60	8 to 12
Clover, Sweet	60	12 to 15
Clover, White	60	5 to 8
Cow Peas, broadcast	60	60 to 90
Flax, broadcast	56	25 to 30
Grass, Kentucky Blue	14	20 to 30
Grass, Orchard	14	22
Kaffir Corn, broadcast	56	40 to 50
Millet, for hay	50	50
Millet, for seed	50	30
Oats	32	64 to 96
Rape, broadcast	50	6 to 8
Reed's Canary Grass	32	4 to 6
Rye, broadcast	56	56 to 84
Sorghum, for fodder	50	50 to 60
Soy Beans, broadcast	60	30 to 45
Soy Beans, in drills	60	60 to 90
Sudan Grass, broadcast	40	20 to 25
Sudan Grass, in drills	40	8 to 10
Timothy	45	10 to 12
Vetches, broadcast	60	50 to 60
Wheat	60	90

PLANTING BY THE MOON



1950 Moon Phases and Positions

Many gardeners like to govern their planting by the phases of the moon. For them, we show here all the necessary information generally shown by more voluminous arrangements. As seedsmen,

we cannot vouch for the effectiveness of this method, but we are glad to provide this complete and up-to-date chart for those who want it.

Signs of the Zodiac and Their Influence

♈ **ARIES:** Tends to dryness, barrenness. Fairly good for cultivating, spraying and weeding.

♉ **TAURUS:** Fairly productive. A good sign for planting root crops particularly potatoes and bulbous plants.

♊ **GEMINI:** Dry and barren. Not good for any kind of planting or transplanting. Kill noxious growths.

♋ **CANCER:** Moist, very fruitful, most productive of the Zodiac. Planting and transplanting should yield good crops. Irrigate, bud, graft, transplant.

♌ **LEO:** Most dry and barren sign. Use only to kill weeds, destroy roots, etc.

♍ **VIRGO:** Moist but barren. Not recommended for planting or transplanting; good for cultivating and destroying.

♎ **LIBRA:** Fairly fruitful. Seed for hay, corn, fodder, etc. Produces vigorous pulp growth, reasonable amount of grain. Good for flowers.

♏ **SCORPIO:** Next to Cancer in productiveness. Irrigate but do not dig potatoes.

♐ **SAGITTARIUS:** Generally considered barren but used by many for onions, seeding for hay, destroying weeds, etc.

♑ **CAPRICORN:** Earthly, fairly productive. Similar to Taurus but drier. Bulbous flowers, potatoes, tubers, root crops.

♒ **AQUARIUS:** Somewhat barren. Good only for cultivation and extermination of pests.

♓ **PISCES:** Similar to Cancer so use for same purposes. Very productive. Do not dig potatoes.

When to Plant

The tables at right show when the moon enters each sign of the Zodiac. It also shows the moon's changes.

Under each month, we show first the time at which the moon enters each SIGN (day of the month and hour of the day, Central Standard Time). Then we show the moon CHANGES (day and hour) for each month.

ALL

● 1st QUARTER MOON, INCREASING

—During 1st Quarter of Moon plant the following: Asparagus, Broccoli, Brussels Sprouts, Cabbage, Cauliflower, Celery, Corn, Cucumbers, Endive, Kohlrabi, Leeks, Lettuce, Spinach, Barley, Oats, Rye, Wheat.

☾ 2nd QUARTER, MOON INCREASING

—During 2nd Quarter of Moon plant the following: Beans, Egg Plant, Melons, Peas, Peppers, Pumpkins, Squash, Tomatoes, flowers, and cereals.

When possible, plant seed while the Moon is in the fruitful signs of Cancer,

Scorpio or Pisces. The next best signs are Taurus, Libra and Capricorn.

☾ 3rd QUARTER, MOON DECREASING

—During 3rd Quarter of Moon plant the following: Beets, Carrots, Chicory, Parsnips, Potatoes, Radishes, Rutabagas, Onions, Turnips, Tubers.

☾ 4th QUARTER, MOON DECREASING

—In 4th or Last Quarter of the Moon turn sod, pull weeds, and destroy noxious growths, especially when Moon is in barren signs, Gemini, Leo, Virgo or Aquarius.

JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE
1 ♊ .0:00a 3 ♋ .0:53a 5 ♌ .7:55a 7 ♍ .1:05p 9 ♎ .5:08p 11 ♏ .8:28p 13 ♐ .1:16p 16 ♑ .2:08a 18 ♒ .6:10a 20 ♓ .0:44p 22 ♈ .10:39p 25 ♉ .11:09a 27 ♊ .11:40p 30 ♋ .9:46a	1 ♌ .4:32p 3 ♍ .8:36p 5 ♎ .11:20p 8 ♏ .1:51a 10 ♐ .4:53p 12 ♑ .8:47p 14 ♒ .2:00p 16 ♓ .9:13p 19 ♈ .7:04a 21 ♉ .7:11p 24 ♊ .8:01a 26 ♋ .7:02p	1 ♌ .2:25a 3 ♍ .6:21a 5 ♎ .7:59a 7 ♏ .8:57p 9 ♐ .10:40a 11 ♑ .2:09p 13 ♒ .7:53p 16 ♓ .4:03a 18 ♈ .2:21p 21 ♉ .2:33a 23 ♊ .3:28p 26 ♋ .3:13a 28 ♌ .00:00p 30 ♍ .4:59p	1 ♎ .6:40p 3 ♏ .6:35p 5 ♐ .6:38p 7 ♑ .8:30p 10 ♒ .1:28a 12 ♓ .9:41a 14 ♈ .8:32p 17 ♉ .9:00a 19 ♊ .9:54p 22 ♋ .9:59a 24 ♌ .7:55p 27 ♍ .2:25a 29 ♎ .5:21a	1 ♍ .5:35a 3 ♎ .4:52a 5 ♏ .5:13a 7 ♐ .8:28a 9 ♑ .3:35p 12 ♒ .2:19a 14 ♓ .2:59p 17 ♈ .3:51a 19 ♉ .3:49p 22 ♊ .2:04a 24 ♋ .9:47a 26 ♌ .2:24p 28 ♍ .4:00p 30 ♎ .3:42p	1 ♏ .3:28p 3 ♐ .5:18p 5 ♑ .11:00p 8 ♒ .8:48a 10 ♓ .9:20p 13 ♈ .10:04a 15 ♉ .9:44p 18 ♊ .7:35a 20 ♋ .3:31p 22 ♌ .9:07p 25 ♍ .0:17a 27 ♎ .1:25a 29 ♏ .1:50a
Changes ☾ .4.1:48a ☾ 11.4:31a ● 18.2:00a ☾ 25.10:39p	Changes ☾ 2.4:16p ☾ 9.0:32p ● 16.4:53p ☾ 24.7:52p	Changes ☾ 4.4:34a ☾ 10.8:38p ● 18.9:20a ☾ 26.2:09p	Changes ☾ 2.2:49p ☾ 9.5:42a ● 17.2:25a ☾ 25.4:40a	Changes ☾ 1.11:19p ☾ 8.4:32p ● 16.6:54p ☾ 24.3:28p ☾ 31.6:43a	Changes ☾ 7.5:35a ● 15.9:53a ☾ 22.11:12p ☾ 29.1:58p
JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1 ♎ .3:19a 3 ♏ .6:04a 5 ♐ .4:24a 8 ♑ .4:13a 10 ♒ .5:02p 13 ♓ .4:34a 15 ♈ .1:52p 17 ♉ .9:06p 20 ♊ .2:33a 22 ♋ .6:27a 24 ♌ .8:46a 26 ♍ .10:39a 28 ♎ .0:56p 30 ♏ .5:19p	2 ♌ .1:02a 4 ♍ .0:07p 7 ♎ .0:44a 9 ♏ .0:26p 11 ♐ .9:35p 14 ♑ .4:02a 16 ♒ .8:31a 18 ♓ .11:48p 20 ♈ .2:35p 22 ♉ .5:22p 24 ♊ .8:54p 27 ♋ .2:02a 29 ♌ .9:46a 31 ♍ .8:19p	3 ♊ .8:46a 5 ♋ .8:54p 8 ♌ .6:34a 10 ♍ .0:54p 12 ♎ .4:26p 14 ♏ .6:27p 16 ♐ .8:12p 18 ♑ .10:49p 21 ♒ .3:00a 23 ♓ .9:10a 25 ♈ .5:31p 28 ♉ .4:09a 30 ♊ .4:26p	3 ♓ .4:57a 5 ♈ .3:38p 7 ♉ .10:53p 10 ♊ .2:29a 12 ♋ .3:30a 14 ♌ .3:44a 16 ♍ .4:55a 18 ♎ .8:27a 20 ♏ .2:52p 22 ♐ .11:59p 25 ♑ .11:03p 27 ♒ .11:21p 30 ♓ .0:06p	1 ♌ .11:37p 4 ♍ .8:20a 6 ♎ .1:12p 8 ♏ .2:26p 10 ♐ .1:49p 12 ♑ .1:27p 14 ♒ .3:16p 16 ♓ .8:38p 19 ♈ .5:37a 21 ♉ .5:08p 24 ♊ .5:37a 26 ♋ .6:12p 29 ♌ .6:02a	1 ♍ .3:53p 3 ♎ .10:28p 6 ♏ .1:19a 8 ♐ .1:16a 10 ♑ .0:15a 12 ♒ .0:35a 14 ♓ .4:10a 16 ♈ .0:01p 18 ♉ .11:10p 21 ♊ .11:50p 24 ♋ .0:47a 26 ♌ .11:45p 28 ♍ .9:40p 31 ♎ .5:20a
Changes ☾ 6.8:53p ● 14.11:05p ☾ 22.4:50a ☾ 28.10:17p	Changes 5 ☾ 1.1:56p 13 ● 10:48a 20 ☾ 9:35a 27 ☾ 8:51a	Changes 4 ☾ 7:53a 11 ● 9:29p 18 ☾ 2:54p 25 ☾ 10:21p	Changes 4 ☾ 1:53a 11 ● 7:33a 17 ☾ 10:18p 25 ☾ 2:46p	Changes 2 ☾ 7:00p 9 ● 5:25p 16 ☾ 9:06a 24 ☾ 9:14a	Changes 2 ☾ 10:22a 9 ● 3:28a 15 ☾ 11:56p 24 ☾ 4:23a

VEGETABLE GARDEN PLANTING GUIDE

Seed
Required
for 50 ft.
of row

Distance
Between
Rows
(inches)

Distance
Apart
In Row
(inches)

Depth
to
Plant
(inches)

Approx.
Yield
Per 50 ft.
of row

Seed
Required
for 50 ft.
of row

Distance
Between
Rows
(inches)

Distance
Apart
In Row
(inches)


Depth
to
Plant
(inches)

Approx.
Yield
Per 50 ft.
of row


ARTICHOKE	1/8 oz.	48	48	1/4	
ASPARAGUS	1/2 oz.	24	20	1/2	25 lbs.
BEANS, BUSH	1/2 lb.	24	4	1 1/2	20 qts.
BEANS, LIMA	1/2 lb.	24	3	1	32 qts.
BEANS, POLE	1/2 lb.	36	8	1 1/2	30 qts.
BEANS, POLE LIMA	1/2 lb.	48	8	1 1/2	1 1/4 bu.
BEETS, TABLE	1/2 oz.	24	3	1/2	1 1/4 bu.
BEETS, MANGEL	1/2 oz.	28	4	1	
BROCCOLI	1/8 oz.	24	24	1/2	25 head
BRUSSELS SPROUTS	1/8 oz.	24	18	1/2	15 qts.
CABBAGE	1/4 oz.	24	12-24	1/2	35 head
CHINESE CABBAGE	1/2 oz.	24	12	1/2	40 head
CARROTS	1/4 oz.	16	3	1/2	24 qts.
CAULIFLOWER	1/4 oz.	24	20	1/2	25 head
CELERY	1/8 oz.	24	6	1/4	100 stalk
COLLARDS	1/4 oz.	30	18	1/2	3 bu.
CORN, SWEET	4 oz.	36	9	1	100 ear
CORN, POP	3 oz.	34	8	1	
CUCUMBER	1/2 oz.	48	36	1/2	100 fruit
DILL	1/4 oz.	18	4	1/2	
EGG PLANT	1/8 oz.	36	24	1/2	75 fruit
ENDIVE	1/2 oz.	18	12	1/2	50 fruit
KALE	1/2 oz.	32	22	1/2	50 plant
KOHLRABI	1/4 oz.	24	6	1/2	1 bu.

LETTUCE	1/4 oz.	18	12	1/4	50 head
MUSKMELON	1/2 oz.	60	48	3/4	50 fruit
MUSTARD	1/4 oz.	24	9	1/2	1 bu.
OKRA	1 oz.	36	15	1	450 pods
ONION	1/4 oz.	18	4	3/4	1 bu.
ONION SETS	1 pt.	12	2	1	60 bun.
PARSLEY	1/4 oz.	12	6	1/2	45 bun.
PARSNIPS	1/2 oz.	18	4	1/2	1 bu.
PEAS	3/4 lb.	24	2	1	1 bu.
PEPPERS	1/8 oz.	30	20	1/2	300 fruit
PUMPKIN	2 oz.	96	60	3/4	25 fruit
RADISH	1/2 oz.	12	2	1/2	50 bun.
RHUBARB	1/2 oz.	48	48		100 stem
RUTABAGA	1/8 oz.	24	6	1/2	1 bu.
SALSIFY	1/2 oz.	18	2	1/2	300 roots
SPINACH	3/4 oz.	18	5	3/4	1 1/2 bu.
SPINACH, N.Z.	1/2 oz.	36	18	1	50 lbs.
SQUASH, BUSH	1/4 oz.	48	48	1	60 fruit
SQUASH, WINTER	1/4 oz.	72	72	1	35 fruit
SWISS CHARD	1/2 oz.	18	15	1	25 lbs.
TOMATO	1/8 oz.	40	36	1/2	2 bu.
TURNIP (roots)	1/4 oz.	18	4	1/4	1 bu.
TURNIP (greens)	1/2 oz.	12	4	1/4	1 1/2 bu.
WATERMELON	1/2 oz.	96	96	3/4	20 fruit


BEANS, Improved Golden Wax

PEAS, Little Marvel (Top)
Early Thos. Laxton (Bottom)


BEETS, Crosby's Improved Egyptian



BEANS, Fordhook Bush Lima



BEANS, Plentiful

EGG PLANT
Black Beauty

BEATING THESE INSECTS IS EASY WITH KNOW-HOW

Ever since the first garden was planted, the fight between gardeners and insects has gone merrily along.

But nowadays that fight is growing easier, year by year. Just reasonably good strategy is all the gardener needs to win.

To make the job even easier, we present here a highly valuable anti-bug weapon. This is our series of natural color portraits of the common garden enemies (at the right).

To Beat Them, KNOW THEM!

These unique pictures have just one purpose—to help you identify the pests in your own garden.

Once you know exactly which insect you are fighting, the job is easy. There's a proper insecticide for every one of them.

That's where our color pictures are so extremely useful. When you have these life-like portraits before you, identification is easier and more certain than ever!

Ask Us for the Remedy!

Insects are spread over the season and in different stages of life from the egg, the larva to the bug itself. Their methods of attack vary in two ways either as chewers or suckers. The wide variety of harmful insects in their varied stages of life require in some cases vastly different chemicals to meet the immediate requirements.

To link up each bug with the insecticide that will handle him, JUST ASK US. We keep very close watch on all new developments. We know exactly which of the new formulas have proved themselves . . . and what they can do. This practical knowledge is at your service, whenever you need it!

So—with this weapon at hand, let's work together. You identify 'em! We'll prescribe for 'em! And from then on, Mr. Bug will have a pretty bad time of it.

For Insecticides SEE THE SEEDSMAN!


You can buy insecticides in many types of stores.

But there's only one type of store where the necessary KNOW-HOW goes along with the merchandise.


A good seedsman isn't only a merchant. He's a garden doctor, always on the job to help you make your home more beautiful, more fruitful. He KNOWS!

Therefore, plain common sense says,

**"FOR INSECTICIDES
SEE THE SEEDSMAN!"**



PORTRAIT GALLERY OF GARDEN INSECTS



FREEZING

VEGETABLES

HOW

WHEN

WHERE

Freezing vegetables to retain their garden-fresh flavor and texture for winter use is being done successfully by increasing tens of thousands of homemakers each year. Varieties suitable for freezing are indicated by "fr" in the vegetable seed listings of our Garden Annual. Plan your garden to include them.

Select your vegetables as to family likes and dislikes and the number of meals you plan to serve. Each package should contain a "one meal portion" for the whole family. Balance your freezer space accordingly to assure a variety of choices



AT-A-GLANCE QUICK FREEZING GUIDE

VEGETABLE	PREPARATION	SCALDING TIME
ASPARAGUS	Freeze within 2 hrs. after picking. Cut in 6" spears for quart packages or 1" pieces. Wash well. Iron utensils should be avoided.	3 min.
BEANS, Green and Wax	Sort for tenderness, crispness medium size and quality. Wash in cold water, snip off ends. Break into 1" pieces or slice lengthwise. Leave small beans whole.	2 min.
BEANS, Lima	Use green tender easily opened pods. Shell, wash, sort for size and color. Keep picking to freezing time within 2 hrs.	Young beans 1½ to 2½ min. Mature white 2½ to 3 min.
BEETS	Choose tender, medium size, young 2" beets. Top thoroughly, peel. Dice or ¼" slices.	2½ min.
BROCCOLI	Select for compactness, dark green color and tenderness. Let stand in salt water ½ hour to kill insects. Wash well, trim off waste, split stalks and heads long way in 1" pieces.	Small stalks 3 min. Large stalks 4 min.
CARROTS	Coreless, medium length carrots are best. Top, wash, scrape. Dice or ¼" slices, leave small ones whole.	3 min.
CAULIFLOWER	Use smooth, firm heads. Trim off waste. Break into 1" pieces.	3 min.
EGG PLANT	Wash, peel, slice ½" thick. Prepare one scalding at a time to avoid discoloring. Cool in 3 teaspoons citric acid powder crystals to one quart of cold water. After blanching use freezer paper between slices.	4 min.
PEAS	Select tender firm pods. Avoid using immature, wrinkled and bleached pods. Wash, shell, sort for quality, removing large starchy peas. Wash. Keep picking to freezing time within two hours.	45 to 60 sec.
SQUASH, Winter	Use firm flesh squash, acorn, green hubbard or other hard rind variety. Cut, remove seeds. Bake or steam until done. Scoop from shell. Mash. Set pan in ice water to cool quickly. Do not season.	None
SQUASH, Summer	Best type is young with small seeds, tender skin. Cut into table use sized cubes after washing well. Cook as though for table use without seasoning and minimum of water. Set pan in ice water. Freeze quickly.	None
SWEET CORN on Cob	Select as though for immediate table use eliminating flavorless immature and over mature toughkerneled ears. Remove silk and husk, trim waste. Use 6 ears per quart in scalding. Set rack in ice water. Drain corn completely. Wrap individually, seal ends of wrapper. Freeze promptly.	Scald according to ear diameter 1½" ear—7 min. 2" ear—9 min. Bigger—11 min.
SWEET CORN Cut Kernels	After scalding, slice corn from cob. Rinse well in cold water to remove inedible cob hulls. Drain quickly and thoroughly. Freeze promptly.	See above
TURNIPS	Medium size, tender, perfect, non-pithy turnips are best. Top, wash well and peel. Wash and dice in ½" cubes.	2½ min.

SCALDING and COOLING

Because the scalding period is so short it is best to handle only one pound at a time. Use one gallon of water per pound. Scalding time counts the second you have immersed your collander, wire basket, or cheesecloth in the boiling water. If the steam method is used, increase scalding time one-half.

Cool in a pan of iced or very cold water for the same time as the scalding period and drain well.

HINTS ON VEGETABLE FREEZING

1. **Rapid handling** of your pack from your garden to package, prompt freezing and storing at a constant zero temperature will give your family some wonderful garden-fresh treats during the winter-months ahead.
2. Select and freeze only those vegetables that are high in quality. Freezing **does not improve** quality, it protects original appearance and flavor.
3. Process your vegetables as soon as possible after **early morning picking**, that's the way "professionals" do it. Select and pick your vegetables for

packing when they are ready for immediate table use.

4. Prepare your vegetables just as though they were to be cooked and served, removing all excessive and waste material, slicing or cubing as desired. Wash thoroughly in cold running water.

5. Date your packages at time of sealing and use those foods stored longest, first. Keeping an "inventory" of your frozen food, its location in the freezer and the date of freezing is an invaluable reminder and labor saver.



For BETTER YIELDS CHOOSE and USE Buxton White's **True-Bred** Vegetable Specials!

With justifiable pride we offer some of the best creations of exceptional merit that millions will be planting in future years. Plant them now and enjoy today the garden delights of tomorrow.

These outstanding "*True-Bred Specials*" have been selected for definite and marked superiority over all previous introductions of their kind. They represent the highest attainment of specialized plant breeders all over the world. You can plant them with confidence that they will put your garden at the head of the parade of new and better vegetables. Their perfection will surprise and enthuse you.

Bush Lima Beans

True-Bred STAYSGREEN

Similar to Henderson's Bush in plant and pod but distinguished by its freedom from white beans at all stages. The beans retain their green color even in the dry stage. Pods are dark green, thick walled, 3 in. long, containing three, sometimes four, green beans. Plants

grow about 18 in. tall, with equal spread and many bearing branches that produce yields in excess of other baby limas. A very attractive and valuable small seeded type for freezing, canning and fresh market. 65 days.

Pkt. 15c; 1/2 lb. 35c; 1 lb. 60c; 5 lbs. \$2.30; 10 lbs. \$4.25—postpaid.

Green Bush Beans

True-Bred VICTORY

Sensational new bush bean with extra long, 7 in. and more, flat pods, almost straight, tender, entirely stringless and of high quality up to maturity. The white seeds are fine as dried beans for winter use. Heavy yields are produced over an unusually long bearing season; a few plantings will furnish continuous supply. Ideal for home or market gardening where a long, flat heavy yielding bean is desired. 48 days.

Pkt. 15c; 1/2 lb. 35c; 1 lb. 65c;
5 lbs. \$2.45; 10 lbs. \$4.55—postpaid.

Cabbage

True-Bred SUPER MARKET

An improved early strain of the Copenhagen type, which under normal conditions will mature practically all of its crop in about 60 days after transplanting, ahead of Early Jersey Wakefield. The heads are very uniform, round as a ball, medium size, 6 in. across; about 3 1/2 lbs., very firm and solid, on short stems; sparse outer leaves and attractive green color. The neat compact growth stands close setting. The most profitable early market variety, also popular with home gardeners.

Pkt. 15c; 1/2 oz. 25c; 1 oz. 40c;
1/4 lb. \$1.10; 1 lb. \$3.75—postpaid

Hybrid Sweet Corn

True-Bred CHIEF MANTEO

A new, early midseason hybrid yellow sweet corn, desirable for home and market. Vigorous, well foilaged, stiff-stalked plants grow about 7 ft. high, with very few suckers. Large, tapering ears, 7 to 8 in. long, are well covered with husk and filled out to the tip with 12 to 16 rows of bright yellow kernels of good depth and exceptional quality. This hybrid is wilt-resistant and drought-tolerant. 82 days.

Pkt. 15c; 1/2 lb. 35c; 1 lbs. 65c; 5 lbs.
\$2.75; 10 lbs. \$5.25—postpaid.

Buxton White

• THE LIVE SEED HOUSE



Seed Company

ELIZABETH CITY, N.C.

BUXTON WHITE'S famous True-Bred Vegetable Specials

Collard

True-Bred CAROLINA HEADING

An extremely hardy, "duck legged" collard with the heading characteristic of a cabbage and unexcelled collard flavor. Closely webbed, compact, rich green slightly savoyed leaves; large head; late seeding. Transplant in July and August for best results. Highly recommended over other strains for tonnage, uniformity and quality. 80 days.

Pkt. 10c; oz. 25c; $\frac{1}{4}$ lb. 80c; lb. \$2.50, postpaid.

Cucumber

True-Bred

LUCKY STRIKE GREEN

The most desirable cucumber yet introduced for productivity, appearance and slicing texture. Beautiful, uniformly straight fruits, up to 12 in. long and $2\frac{1}{2}$ in. thick, cylindrical, tapering at ends, with small seed area, and intense dark green color that is held after picking longer than any other variety. The vines are vigorous and resistant to disease. One customer reports having sold over \$46 worth after supplying family from one packet of seed. 60 days. Pkt. 10c; oz. 30c; $\frac{1}{4}$ lb. 85c; lb. \$2.75; postpaid.

Muskmelon

True-Bred

HARD SHELL DELICIOUS

A large fruited melon of excellent flavor, especially valuable for its ability to stand much rough handling. The thick-oval fruits are deeply ribbed, well netted over greenish yellow hard rind; weight from 5 to 8 lbs. and over. Flesh bright salmon, thick, sweet, delicious quality. Ripens in about 90 days.


Pkt. 10c; oz. 30c; $\frac{1}{4}$ lb. 85c; lb. \$2.75, postpaid.

Watermelon

Wilt-Resistant Garrihawk

The most valuable melon introduction of recent times, a Garrison and Hawkesbury cross with the good qualities of both and generally better than either parent, resulting from eleven years of selection. Nearly 100% wilt-resistant, it grows well on old land where other varieties fail. Hybrid vigor gives it strong growth and large leaves, protecting the melons from sun scald; high resistance to melon diseases. It has the shape, striped coloring, bright red meat, flavor and quality of Garrison; brown seed, tough rind and shipping ability of Hawkesbury; runs even from stem to blossom end, with little tendency toward bottlenecks. Seeds have strong germination making it easier to get an early stand. For more and nicer melons be sure to try Garrihawk this year. 40 to 60 lbs. 90 days.

Pkt. 25c; oz. 50c; $\frac{1}{4}$ lb. \$1.50; lb. \$5.00, postpaid.




Colossal Pepper

Pepper

True-Bred COLOSSAL

The ideal pepper. Enormous fruits, 4 to 5 in. broad and fully as long, rich dark green, turning to scarlet when ripe. Thick walled, mild and sweet flesh. Bears an immense crop, frequently 6 fruits to a cluster on vigorous growth with heavy foliage. 75 days.

Pkt. 15c; $\frac{1}{2}$ oz. 40c; 1 oz. 75c; $\frac{1}{4}$ lb. \$2.00; 1 lb. \$7.50—postpaid.



Evenripe Supreme Tomato

Tomato

True-Bred EVENRIPE SUPREME

The last word in an all-purpose tomato. Globe shaped, slightly flattened, scarlet-red, thick inner and outer walls of solid meat, very small seed cavities, ripens from inside out. Exceptionally fine flavor, low acidity. High productivity over a long bearing season. Abundant foliage protects fruits from sun-scald. Resistant to Fusarium wilt. 80 days.

Pkt. 15c; $\frac{1}{2}$ oz. 40c; oz. 75c; $\frac{1}{4}$ lb. \$2.25; lb. \$8.00, postpaid.

Other True-Bred Specials

.... all at 10c per packet

In addition to the standard varieties previously listed, we wish to recommend the items on this page as particularly adapted to this section—each is popular with local planters. For our complete offerings consult the price list. Space will not permit description of all. For larger quantities, see the price list. Special bulk quotations to market gardeners. Prices subject to change without notice. Some items are still scarce this year. Place your order early for best values.

YARD LONG OR ASPARAGUS POLE BEAN—Grown mostly as a curiosity. Long, slender, round pods, 12 to 20 in. long; tender when young. 75 days.

TRUE-BRED CELESTIAL IMPROVED POLE LIMA BEAN—A finer Pole "Butter Bean." Larger than Sieva, bearing pods in clusters over long season. Surest and heaviest cropper. 75 days.

TRUE-BRED PROLIFIC BUSH LIMA BEAN—Superior to other "Baby Limas" or "Butter Beans." Very early and prolific. Beans flat, larger and thicker than Henderson's; excellent quality. 65 days.

CHALLENGER POLE LIMA BEAN—A "potato" lima. Vigorous, hardy, very productive. Seed roundish, thick and fine flavored. 85 days.

GIANT GREEN-SEEDED POLE LIMA BEAN—Vigorous vine, and abundance of extra long pods, filled with very large green beans of finest quality. 85 days.

BUXTON WHITE'S famous True-Bred Vegetable Specials

FERRY'S ROUND DUTCH CABBAGE—Splendid for home, most popular for market. Heads almost ball-shaped; 7 to 8 in. diameter, 6 in. deep, 4½ lbs. Firm, hardy and of high quality. 70 days.

NEW CELTUCE—Combines the uses and flavor of celery and lettuce; leaves for salad, stalks desirable raw or cooked, mild, tender and pleasing. Easily and quickly grown, it is good, interesting and healthful, four times the Vitamin C of head lettuce. Make succession plantings. 90 days.


NORTH CAROLINA SHORT STEM COLLARD—Very hardy, with large spreading leaves and short stem. Withstands drought in summer and cold in winter better than other sorts. 80 days.

TRUE-BRED GENUINE HANOVER KALE—"Old fashioned" Hanover Salad, the local favorite. Smooth-leaved, cold-proof hardiness. When cut in the fall, plants live over for second, spring crop. Seed stock bred exclusively by us. 60 days.


SMOOTH SPRING KALE—Hardy, quick-growing, smooth-leaved. Sow at intervals of 10 days to keep a young and tender supply. 30 days.

SLOBOLT LETTUCE—New strain of Grand Rapids selected for its late seed bolting. Best loose leaved variety, curled, crisp, light green leaves, especially tender and sweet. Early, disease resistant. 45 days.

NORFOLK MARKET CORN—Extensively grown, main crop roasting ear corn. Large, attractive, 9-in. ears, fairly deep grains, tender and milky at proper stage. Hardier and can be planted earlier than sweet corns. Makes a good yield of feeding corn if not used for roasting ears. 80 days.



Norfolk Market Corn



Rocky Ford Junior Cantaloupe

BLAND'S EXTRA EARLY CORN—Best of the earliest white varieties for market gardeners. Ears 6 in. long, with 12 rows of pearly white grains. Height 5 ft. Plant in rich ground. 65 days.

EXTRA EARLY ADAMS CORN—Popular white corn for earliest market. Ears 5 to 6 in. long, 12 rows of broad, rather shallow grains. Should be heavily fertilized. 66 days.

TRUE - BRED BOTTOMLY MUSKMELON—An early money maker. Heavily netted, ribbed, oblong; green flesh, very sweet. Prolific and unusually disease resistant. 80 days.

LONG JOHN MUSKMELON—Popular, oblong shape, very distinct ribs and heavy netting; often 12 in. length. Flesh green, edged gold; good quality. 85 days.

PRIDE OF WISCONSIN MUSKMELON—Oval fruits about 3¾ lbs., with faint ribbing, covered with coarse netting. Thick, orange flesh, small seed cavity, sweet and fine flavor. 85 days.

ROCKY FORD JUNIOR MUSKMELON—A splendid melon, considerably larger than Rocky Ford. Heavy netting, distinct ribs; flesh deep green, edged with salmon, delicious sweetness. Resistant to "blight." 80 days.

TRUE-BRED CAROLINA DELIGHT WATERMELON—Our most popular introduction is a long striped melon with rich red, solid flesh and tough rind; does not sunburn. Produces fine quality; sweet melons of 40, to even 50 lbs. in about 85 days; very prolific for its size.

BLACKLEE WILT-RESISTANT WATERMELON—New black seeded improvement over Leesburg, highly resistant to wilt. Long, blocky, dark green, tough rind, becoming a favorite even for distant shipping; flesh rich red, fine texture, solid, very sweet; vines vigorous, productive; 35 pounds. 85 days.

WILT - RESISTANT DIXIE QUEEN WATERMELON—Now you can grow Dixie Queen in wilt infested soils with this new highly resistant strain. A very prolific producer of superior quality melons, more uniform in size, shape and coloring, with deeper red, luscious flesh. The hardy, vigorous vines are less affected by adverse weather and furnish greater protection against sunburn. The seed are larger and more irregular in size. 85 days.


HAWKESBURY WILT - RESISTANT WATERMELON—Best wilt-resistant shipping variety. Irish Gray type, long, average about 35 lbs.; light green, fine veining, tough rind; medium red flesh, firm juicy sweet; highly productive. 85 days.

TRUE - BRED KLONDIKE R7 WATERMELON—For sweetness and texture, the finest of all and wilt-resistant. Vigorous and prolific; fruits medium size, 25 lbs., oblong; dark green rind, very thin, easily cracked; flesh deep red of supreme quality. 80 days.

MAMMOTH MELTING SUGAR "CABBAGE" PEAS—Tender, fleshy, double-purpose pea; it may be used as a shelled pea or the edible pods may be broken and cooked like snapbeans. Picked when seeds begin to form the pods are stringless, sweet and rich flavored. Requires support.

TRUE-BRED EARLY PROLIFIC SQUASH—Earliest and meatiest white bush summer squash, very prolific. The creamy-white fruits are thick through, no depression of stem end, smooth, only slightly scalloped. Fine quality and flavor. 50 days.

TRUE-BRED NECKLESS RUTABAGA—Roots are nearly globe-shaped, practically neckless, yellow with purple top; flesh yellow, firm and of excellent quality. Good keeper. 85 days.



Bennings Green Tinted Squash

Buxton White

THE LIVE SEED HOUSE



Seed Company

ELIZABETH CITY, N.C.

Spring 1950 Price List

White's True-Bred Seeds--Triple Protected and Dated

All prices quoted in this list are current values at time of publication and subject to change without notice. Some seed items are again scarce this season and a few will be exhausted early. To avoid disappointments, order early.

TERMS: As the prices are NET CASH, a remittance must accompany all orders. Packets and ounces, quarter pounds and pounds will be mailed postpaid, but all other prices are f. o. b. Elizabeth City, packing included. Postage, express and freight must be paid by the purchaser on larger quantities.

PARCEL POST: If you wish parcel post shipments of any items at these prices, except packets, ounces, quarter pounds and pounds, sufficient money must be added to pay postage. When more money is sent than the amount of postage, we will return same.

**WHITE'S
TRUE BRED
SEEDS**

We make no charge for packing and containers used in shipping.

NOTICE: WHITE'S SEEDS ARE TESTED and we know that they will grow before they are sent out. Even then they occasionally do not come up, due to causes over which we have no control, such as covering too deeply or not deeply enough; too little or too much moisture; cold weather, insects, or a crust through which the sprouts cannot penetrate, etc.; therefore, we give no warranty, express or implied, as to productiveness of any seeds, bulbs or plants we send out, and will not be in any way responsible for the crop. Our liability in all instances is limited to the purchase price of the seed.

All Vegetable Packets 10c each except where noted in catalog

	Oz.	1/4Lb.	Lb.
ASPARAGUS—			
Mary Washington20	.55	1.75

	Lb.	10 Lbs.	100 Lbs.
BEANS, BUSH, Green Pod—			
True-Bred Victory Stringless65	4.10	38.00
Stringless Black Valentine55	3.30	30.00
Bountiful, Early Six Weeks55	3.30	30.00
Tendergreen Stringless Gr. Pod60	3.70	34.00
Burpee's Stringless Green Pod55	3.30	30.00
Longgreen Stringless60	3.80	35.00
Tennessee Green Pod60	3.60	33.00

	Lb.	10 Lbs.	100 Lbs.
BEANS, BUSH, Wax Pod—			
Improved Golden Wax60	3.60	33.00
Sure Crop Stringless60	3.60	33.00

	Lb.	10 Lbs.	100 Lbs.
BEANS, Dry Shelled—			
White Pea or Navy40	2.30	20.00

	Lb.	10 Lbs.	100 Lbs.
BEANS, POLE, Green Pod—			
True-Bred Stringless Creaseback55	3.50	32.00
Ideal Market55	3.50	32.00
Ky. Wonder Old Homestead55	3.30	20.00
Nancy Davis, Striped Creaseback55	3.50	32.00
McCaslan Cornfield55	3.50	32.00
Yard Long or Asparagus75	5.30	50.00

	Lb.	10 Lbs.	100 Lbs.
BEANS, BUSH LIMA—			
True-Bred Staygreen55	3.30	30.00
True-Bred Prolific (Baby Lima)55	3.00	27.00
Henderson's No. 2 Bush (Butter Bean)55	2.80	25.00
Fordhook No. 242 (Potato Lima)60	3.80	35.00
Burpee's Improved Bush60	3.80	35.00
Wilson's Improved Bush60	3.80	35.00
Jackson's Wonder or Calico55	2.80	25.00

	Lb.	10 Lbs.	100 Lbs.
BEANS, POLE LIMA—			
True-Bred Celestial Improved55	3.30	30.00
Carolina Sieva (Butter Bean)55	2.80	25.00
King of the Garden60	3.80	35.00
Giant Green Seeded65	4.10	38.00
Florida Speckled Butter Bean55	3.00	27.00

	Oz.	1/4Lb.	Lb.
TABLE BEETS—			
Crosby's Egyptian15	.45	1.50
Early Wonder15	.45	1.50
Early Blood Turnip15	.45	1.50
Detroit Dark Red15	.45	1.50

	Oz.	1/4Lb.	Lb.
SWISS CHARD, Spinach Beet—			
Giant Lucullus15	.45	1.50

	Oz.	1/4Lb.	Lb.
STOCK BEETS, Mangel Wurzel—			
Mammoth Prize Long Red15	.40	1.25

	Oz.	1/4Lb.	Lb.
BROCCOLI—			
Italian Green Sprouting25	.75	2.50

	Oz.	1/4Lb.	Lb.
BRUSSELS SPROUTS—			
Half Dwarf Improved50	1.50	5.00

	Oz.	1/4Lb.	Lb.
CABBAGE—			
True-Bred Super Market40	1.10	3.75
Golden Acre30	1.00	3.50
Copenhagen Market30	.85	3.00
Early Jersey Wakefield30	.85	3.00
Charleston Wakefield30	.85	3.00
Early Dwarf Flat Dutch25	.75	2.50
Ferry's Round Dutch30	.85	3.00
Hollander or Danish Ball Head30	.90	3.00
Premium Late Flat Dutch25	.75	2.50
Perfection Drumhead Savoy30	.85	3.00
Mammoth Red Rock50	1.50	5.00
Chihili Chinese25	.75	2.50

	Oz.	1/4Lb.	Lb.
CARROTS—			
True-Bred Imperator20	.50	1.75
Red Cored Chantenay20	.45	1.50
Danvers Half Long20	.45	1.50
Improved Long Orange20	.45	1.50

	1/4Oz.	Oz.	1/4Lb.
CAULIFLOWER—			
Early Snowball85	2.75	9.50

	Oz.	1/4Lb.	Lb.
CELERY—			
Golden Self Blanching80	2.50	8.00

	Oz.	1/4Lb.	Lb.
COLLARD—			
True-Bred Carolina Heading25	.80	2.50
White or Cabbage15	.40	1.25
North Carolina Short Stem15	.40	1.25

	Lb.	10 Lbs.	100 Lbs.
GARDEN CORN—			
True-Bred Chief Manteo Hybrid70	4.80	45.00
Aristogold Bantam Evergreen75	5.30	50.00
Golden Cross Bantam60	3.90	36.00
Ioana Hybrid60	3.90	36.00
Hybrid Stowell's Evergreen70	4.80	45.00
Golden Bantam Improved50	2.70	24.00
Country Gentleman50	2.80	25.00
Stowell's Evergreen50	2.70	24.00
Bland's Extra Early45	2.30	20.00
Extra Early Adams45	2.10	18.00
Adams Improved Large Early45	2.10	18.00
Trucker's Favorite40	1.90	16.00
Norfolk Market40	1.90	16.00

	Lb.	10 Lbs.	110 Lbs.
POP CORN—			
Yellow Dynamite45	2.30	20.00
Baby Rice, Japanese Hulless45	2.30	20.00

	Oz.	1/4Lb.	Lb.
CUCUMBER—			
True-Bred Lucky Strike Green30	.85	2.75
True-Bred A & C20	.60	2.25
Straight Eight20	.60	2.25
Marketer25	.75	2.50
Early Fortune15	.50	1.75
Early White Spine15	.50	1.75
Improved Long Green20	.60	2.00
Chicago Pickling20	.60	2.00
West India Gherkin or Burr20	.76	2.50

	Oz.	1/4Lb.	Lb.
EGG PLANT—			
Black Beauty50	1.60	6.00
Florida High Bush50	1.60	6.00

	Oz.	1/4Lb.	Lb.
ENDIVE—			
Full Heart or Escarole15	.45	1.50
Green Curled Ruffec15	.45	1.50

	Oz.	1/4Lb.	Lb.
KALE OR BORECOLE—			
True-Bred Hanover Salad15	.35	1.25
Blue Curled Scotch15	.45	1.50
Dwarf Green Curled Scotch15	.45	1.50
Early Curled Siberian15	.35	1.25
Smooth or Spring Kale10	.15	.50

	Oz.	1/4Lb.	Lb.
LETTUCE—			
New Celtuce50	1.50	5.00
Genuine Kentucky Bibb30	.80	2.75
Big Boston20	.50	1.75
Great Lakes40	1.40	5.00
Iceberg25	.75	2.50
Imperial No. 847 and No. 4435	.95	3.25
Early Curled Simpson20	.50	1.75
Siebolt35	1.00	3.50
White Paris Cos or Romaine20	.50	1.75

	Oz.	1/4Lb.	Lb.
MUSKMELON or CANTALOUPE—			
True-Bred Hard Shell Delicious30	.85	2.75
Texas Resistant No. 130	.85	2.75
Pride of Wisconsin25	.75	2.50
Gold Lined Rocky Ford20	.60	2.00
True-Bred Bottomly25	.75	2.50
Long John25	.75	2.50
Improved Rocky Ford Junior25	.75	2.50
Hale's Best, Jumbo Strain20	.60	2.00
Hearts of Gold, Hoodoo25	.75	2.50
Improved Perfecto25	.75	2.50
Banana25	.75	2.50
Honey Ball25	.75	2.50
Honey Dew25	.75	2.50

KOHL RABI—	Oz.	¼Lb.	Lb.
Early Vienna30	.95	3.50
WATERMELON—	Oz.	¼Lb.	Lb.
True-Bred Luscious35	1.00	3.50
True-Bred Carolina Delight30	.85	3.00
Florida Giant Cannon Ball20	.60	2.00
Dixie Queen20	.60	2.00
Stone Mountain15	.45	1.50
Tom Watson, Cut Red15	.45	1.50
Wonder or Imp, Kleckley Sweet15	.45	1.50
Wilt-Resistant Garrihawk50	1.50	5.00
Blacklee Wilt Resistant20	.60	2.00
Wilt-Resistant Dixie Queen25	.75	2.50
Hawkesbury Wilt Resistance20	.60	2.00
Klondike R-7 Wilt Resistance30	.85	3.00
MUSTARD—	Oz.	¼Lb.	Lb.
Chinese Broad Leaf15	.40	1.25
Florida Broad Leaf15	.40	1.25
So. Giant Curled Longstanding15	.40	1.25
Tendergreen, Mustard Spinach15	.30	1.00
Mixed Salad Combination15	.30	.90
OKRA OR GUMBO—	Oz.	¼Lb.	Lb.
True-Bred Clemson Spineless15	.45	1.50
Dwarf Green Prolific15	.40	1.25
White Velvet15	.40	1.25
Perkins Mammoth Long Pod15	.40	1.25
ONIONS—	Oz.	¼Lb.	Lb.
Prizetaker, Spanish King35	1.00	3.75
Riverside Sweet Spanish50	1.50	5.00
Ebenezer or Japanese35	1.00	3.50
Yellow Globe Danvers35	1.00	3.50
Yellow Bermuda40	1.25	4.00
Red Wethersfield40	1.25	4.00
Silverskin, White Portugal40	1.25	4.00
Crystal White Wax40	1.25	4.00
PARSLEY—	Oz.	¼Lb.	Lb.
Moss Curled, Triple Curled15	.45	1.50
PARSNIP—	Oz.	¼Lb.	Lb.
Hollow Crown, Guernsey15	.45	1.50
PEAS—	Lb.	10 Lbs.	100 Lbs.
Early Alaska45	2.00	17.00
Laxonian Dark Podded50	2.50	22.00
Laxton's Progress50	2.50	22.00
Little Marvel50	2.70	24.00
Thomas Laxton Dark Podded50	2.50	22.00
Tall Telephone Dark Podded50	2.70	24.00
Everbearing50	2.70	24.00
Mam. Melting Sugar, Cabbage Pea50	3.10	28.00
PEPPER—	Oz.	¼Lb.	Lb.
True-Bred Colossal75	2.00	7.50
California Wonder65	1.90	7.00
Pimento85	2.00	7.50
World Beater, Ruby Giant55	1.75	6.00
Bull Nose, Large Sweet Bell45	1.40	5.00
Long Red Cayenne45	1.40	5.00
Small Red Chili45	1.40	5.00
Small Red Cherry55	1.75	6.00
PUMPKIN—	Oz.	¼Lb.	Lb.
Kentucky Field, Large Cheese15	.40	1.25
Small Sugar, New England Pie15	.40	1.25
King of the Mammoths20	.60	2.00
Striped Cushaw Crookneck15	.45	1.50
SALSIFY—	Oz.	¼Lb.	Lb.
Mammoth Sandwich Island40	1.20	4.00
SPINACH—	Oz.	¼Lb.	Lb.
Bloomsdale Savoy Long Standing10	.25	.70
Nobel Giant-Leaved10	.25	.70
Viroflay10	.25	.70
New Zealand Summer15	.35	1.00
RADISH—	Oz.	¼Lb.	Lb.
Crimson Giant15	.30	.90
Early Scarlet Globe15	.30	.90
Early Scarlet Turnip White Tip15	.30	.90
French Breakfast15	.30	.90
Long Scarlet, Short Top15	.30	.90
White Icicle15	.30	.90
Long Black Spanish Winter15	.40	1.25
Rose China Winter15	.40	1.25
SQUASH OR CLIMBING—	Oz.	¼Lb.	Lb.
True-Bred Climbing White Bush20	.50	1.75
Early White Bush, Patty Pan15	.45	1.50
Bennings Green Tinted Bush15	.45	1.50
Early Summer Crookneck15	.45	1.50
Early Prolific Straightneck15	.45	1.50
Cocozelle, Bush Italian Marrow15	.45	1.50
Black Zucchini15	.45	1.50
Improved Green Hubbard20	.60	2.00
Table Queen, Des Moines Acorn15	.45	1.50
TOMATO—	Oz.	¼Lb.	Lb.
True-Bred Evenripe Supreme75	2.20	8.00
Pan American Wilt Immune75	2.20	8.00
Certified Stokesdale60	1.75	6.00
Beak O'Day Wilt Resistant60	1.75	6.00
Rutger's Wilt Resistant Certified50	1.50	5.00
Mariglobe Wilt Resistant Certified50	1.50	5.00
Pritchard Scarlet Topper50	1.50	5.00
Stone40	1.15	4.00
June Pink65	2.00	7.00
Jubilee Orange	1.00	3.50	12.00
Brimmer	1.00	3.50	12.00
Ponderosa, Beefsteak	1.00	3.00	10.00
Oxheart	1.25	4.00	15.00
Small Fruited Mixed75	2.50	9.00

TURNIPS—	Oz.	¼Lb.	Lb.
Early Purple Top Strap Leaved10	.30	1.00
Purple Top White Milan15	.40	1.25
Purple Top White Globe15	.40	1.25
White Egg10	.30	1.00
Long White Cowhorn10	.30	1.00
Amber Globe10	.30	1.00
Purple Top Yellow Aberdeen10	.30	1.00
Seven Top10	.25	.75
Shogoin, Japanese Folage10	.30	1.00
RUTABAGA OR SWEDE—	Oz.	¼Lb.	Lb.
White French, Breadstone15	.40	1.25
American Purple Top Yellow15	.40	1.25
True-Bred Neckless Purple Top15	.45	1.50

VEGETABLE PLANTS AND ROOTS

	Not Prepaid			
	Doz.	25	100	1000
Asparagus Roots60	1.00	3.00	25.00
Cabbage Plants35	3.00
Collard Plants35	3.00
Egg Plant30	.50	1.50	12.00
Horse Radish Roots45	.75	2.50	18.00
Lettuce Plants50	4.50
Onion Plants40	3.50
Pepper Plants25	.40	1.25	9.50
Rhubarb Roots, ea. 25c	2.25	4.25	15.00	
Sweet Potato Plants60	5.00
Strawberry Plants45	.75	2.50	15.00
Tomato Plants25	.40	1.00	6.00
Jerusalem Artichoke				
Qt. 25c; Gal. 75c; Pk. \$1.40; Bu. \$4.50.				

TRUE-BRED FLOWER SEED IN BULK

NASTURTIUM—	Oz.	¼Lb.	Lb.
Double Glorious Gleam Hybrids25	.90	3.25
Double Gleam in Separate Colors30	1.00	3.50
Single Dwarf Mixed20	.65	2.25
Single Tall Mixed20	.65	2.25
SWEET PEAS	Oz.	¼Lb.	Lb.
Early Flowering Spencer Mixed35	1.20	4.00
Ruffled Giant Spencer Mixed30	1.00	3.50
Giant Summer Flowing Spencer25	.75	2.50
Named varieties: Ambition, lavender; Monty; Flagship, blue; Gigantic, white; Mollie; Grand Slam, scarlet; Vista; Orange Flare; Pinkie, rose; Red Boy; Reflection, blue; Welcome, scarlet; Superb Spencer Mixture.			
Perennial Sweet Peas (Lathyrus)	1.50	5.00	18.00
ZINNIAS—	¼Oz.	½Oz.	Oz.
Giants of California Mixed35	.65	1.25
Dahlia Flowered Giants35	.65	1.25
Canary Bird, yellow; Crimson Monarch; Dream, lavender; Exquisite, light rose; Oriole, orange; Polar Bear, white; Will Rogers, scarlet; and mixed.			
Lilliput or Pompom Dwarf			
Mixed and Pastel Mixture35	.65	1.25

TRUE-BRED FLOWERING BULBS

GLADIOLI—No. 1 first size	
Named varieties and Rainbow Mixture of these varieties, 3 for 30c; 90c dozen; \$6.00 per 100. Choice Mixed, all colors grown as a mixture, 3 for 25c; 75c dozen; \$4.00 per 100.	
CALADIUMS—	
Fancy-leaved Caladium, Rainbow Mixture 30c each; 3 for 85c; \$3.00 per dozen.	
Elephant's Ear (Caladium Esculentum) Mammoth Bulbs, 7 to 9 inches circumference 35c each; 3 for \$1.00; \$3.50 per dozen.	
TUBEROSES—	
Double Dwarf Pearl, large bulbs, 15c each; 3 for 40c; \$1.25 per dozen; \$7.50 per 100.	
DAHLIAS—Strong Root Divisions	
Outstanding named varieties, 60c each; 3 for \$1.50; 6 for \$2.90; \$5.75 per dozen.	
CANNAS—Strong 2-3 Eye Divisions	
The best named varieties, 25c each; 3 for 60c; 6 for \$1.10; \$2.00 per dozen.	

Seed Disinfections

Diseases carried on the seed often reduce germination and cause a poor stand. Destroy these diseases by treating with Semesan disinfections.

Semesan for all small seeds. Use 1 oz. for 15 lbs. 1/3 oz. 20c; 2 oz. 60c; 12 oz. \$2.40; 4 lbs. \$11.00.

Semesan Bel. Apply to seed potatoes either as a dry powder or as a liquid dip. Use 1 oz. for 3 bushels. 2 oz. 50c; lb. \$2.00; 4 lbs. \$6.33.

20% Ceresan. A dust disinfectant for Cotton, Flax, Millets, Peas, Sorghums and Narcissus. Use 2 to 3 oz. per bushel of seeds. 1½ lbs. \$1.25; 4½ lbs. \$3.50; 25 lbs. \$16.09.

New Improved Ceresan. A low cost dust disinfectant for Wheat, Oats and Barley. Use ½ to 1½ ozs. per bushel. 4 oz. 45c; lb. \$1.00; 4 lbs. \$3.40; 40 lbs. \$28.75.

Arasan. A dust disinfectant for vegetable seeds and peanuts. Use from 2 to 4 ounces for 100 lbs. of seed. ¾ oz. 25c; 8 oz. 80c; 4 lbs. \$5.16.

Spergon

Prevents seed decay and lamping off. Just mix one bushel of seed with from 1 to 4 oz. of Spergon. Non-injurious if used in excess. 1 oz. 25c; 5 oz. \$1.00; lb. \$2.25.

WHITE'S
Re-Cleaned
and Tested
FIELD
SEEDS



F. O. B. Elizabeth City, N. C.
Not Prepaid



FIELD CORNS—	Peck	1 Bu.	2 Bu.	Bg.
Registered Lathams Double	1.50	5.00		9.75
Improved Golden Dent	1.25	4.00		7.75
Jarvis Golden Prolific	1.25	4.00		7.75

HYBRID CORNS — Approved for this area — Per Bushel				
White Hybrids	Flat Kernels	Small & Reg. Round	Large Round	
Funk's G-515W	11.60	9.25	8.25	
Funk's G-527W	11.60	9.25	8.25	
Dixie 17	10.00	8.25	7.25	
Kentucky 203	10.00	8.25	7.25	

Yellow Hybrids			
Funk's G-135	10.60	8.25	7.25
Funk's G-145	10.60	8.25	7.25
Funk's G-711	10.60	8.25	7.25
Funk's G-714	10.60	8.25	7.25
Funk's G-717	10.60	8.25	7.25
N. C. 27	10.00	8.00	7.00
N. C. 26	10.00	8.00	7.00

COTTON SEED—	Peck	1 Bu.	2 Bu.	Bg.
Coker's 100 Wilt	1.00	3.50		10.50

SOY BEANS—	Peck	1 Bu.	2 Bu.	Bg.
Roanoke	1.00	3.50		6.50
Ogden	1.00	3.50		6.50
Haberlandt-38 (Herman)	1.00	3.50		6.50
Hollybrook Early	1.00	3.50		6.50
Wood's Yellow	1.00	3.50		6.50
Tokio	1.10	3.75		7.00

COW PEAS—	Peck	1 Bu.	2 Bu.	Bg.
Blackeye Ramshorn	3.75	12.75		25.00
Gray Crowder or Blue Goose	3.50	12.00		23.00
Large Black	3.50	12.50		24.00
Mixed Cow Peas	1.50	5.00		9.50

VELVET BEANS—	Peck	1 Bu.	2 Bu.	Bg.
Early Speckled 90-day	2.75	8.00		15.50

LESPEDAZA—	Lb.	25 Lbs.	100 Lbs.
Kobe25	4.25	16.00
Korean20	2.75	10.00
Sericea Perennial Scarified35	8.00	30.00

CLOVER SEED—	Lb.	25 Lbs.	100 Lbs.
Alfalfa, Kansas Grown75	16.75	65.00
Alsike Clover55	12.00	46.00
Red Clover70	15.50	60.00
White Dutch Clover	1.25	28.75	110.00
Ladino White Clover	2.25	55.00	215.00
White Sweet Clover40	8.50	32.00
Crimson Clover40	8.50	32.00

GRASS SEED—	Lb.	25 Lbs.	100 Lbs.
Atlas (Kentucky 31) Fescue90	21.25	80.00
Carpet Grass50	10.50	40.00
Dallis Grass Paspalum65	14.25	55.00
Bermuda Grass60	13.00	50.00
Red Top or Herd's Grass75	17.50	68.00
Kentucky Blue Grass85	19.25	75.00
Orchard Grass55	11.75	45.00
Italian Rye Grass, Domestic30	5.50	20.00
Perennial Rye Grass35	6.50	24.00
Timothy45	9.50	36.00
Sudan Grass25	4.50	16.00

SEED OATS—	Peck	1 Bu.	3 Bu.	Bg.
Columbia Spring55	1.65		4.80
Fulgrain60	1.85		5.40
Victorgrain60	1.85		5.40

SEED PEANUTS—	Lb.	25 Lbs.	100 Lbs.
Jumbo Running35	6.75	25.00
Virginia Bunch35	6.75	25.00

SORGHUM, CANE, Etc.—	Lb.	25-Lbs.	100 Lbs.
Martin's Combine Milo20	3.00	11.00
Caproc Combine Milo20	3.00	11.00
Hegari, Certified20	3.00	11.00
Sugar Drip Sorghum25	4.00	15.00
Broom Corn, Early Japanese30	5.25	20.00

MILLETS—	Lb.	25 Lbs.	100 Lbs.
Tennessee Golden or German20	3.50	12.00
Pearl or Cattail30	5.50	20.00

VETCH and WINTER PEAS—	Lb.	25 Lbs.	100 Lbs.
Hairy Vetch35	7.50	28.00
Austrian Winter Peas20	3.50	12.00

MISCELLANEOUS—	Lb.	25 Lbs.	100 Lbs.
Buckwheat, Japanese15	3.00	11.00
Dwarf Essex Rape30	5.25	19.00
Crotalaria Giant Striata30	6.00	22.00
Crotalaria Spectabilis35	6.75	25.00
Mammoth Russian Sunflower35	6.75	25.00

LAWN and PASTURE MIXTURES—	Lb.	10 Lbs.	100 Lbs.
Evergreen Mixed Lawn Grass80	7.50	70.00
Sunny South Lawn Grass75	7.00	65.00
Shady Nook Lawn Mixture90	8.50	80.00
Emerald Lawn Grass Mixture65	6.00	55.00
Permanent Pasture Mixture55	4.70	45.00
Southern Meadow Mixture55	4.70	45.00

INOCULATE ALL LEGUME SEEDS WITH

NITRAGIN

OVER FORTY YEARS OF SERVICE

ORDER STRICTLY BY GROUP LETTER

A. Alfalfa; Sweet, Bur, Hubam Clovers. 1 Bu. Size, 50c; 100 lb. size, 70c.

B. Red, Alsike, Crimson, White Clovers. 1 Bu. size, 50c; 100 lb. size, 70c.

C. All vetches: Austrian, Garden and Sweet Peas. 100 lb. size, 50c; 1200 lb. size \$5.70.

D. All Garden Beans, except Limas. 1 Bu. size 50c.

L. Lespedeza, all kinds. 100 lb. size, 50c.

E. Peanuts, Cowpeas, Velvet Beans, Lima Beans, Kudzu, Crotalaria, Alyce Clover, Beggarweed. 2 Bu., 30c; 5 Bu., 50c.

C. Soy Beans, all varieties. 2 Bu., 30c; 5 Bu., 50c; 30 Bu. \$2.95.

Sp. Special garden size for all garden peas, sweet peas, garden beans, lima beans and lupines. 8 lb. size, 15c.

SEED IRISH POTATOES—	Gal.	Peck	Bu.	100 Lb. Bag
Irish Cobbler Cert. Maine60	.95	3.25	5.00
Irish Cobbler Select Maine55	.90	2.90	4.50
Irish Cobbler, P.E.I. Cert.55	.85	2.75	4.25
Cobbler B Size, P.E.I. Cert.50	.80	2.65	4.00
Red Bliss Certified Maine60	1.00	3.35	5.25
F. O. B. Elizabeth City, N. C.				

ONION SETS—	Qt.	Gal.	Peck	Bushel
White Silverskin23	.70	1.25	3.75
Yellow Ebenezer25	.65	1.10	3.50
Red Wethersfield25	.70	1.25	3.75
White Multiplier35	.85	1.40	4.50

Spray Materials

DDT 5% Oil Spray—Pt. 45c; qt. 75c; gal. \$1.75.

DDT 10% Powder—2 oz. pkg. 25c; 3 oz. cone 50c; 8 oz. 95c.

DDT 25% Spray Concentrate—1½ oz. 35c; 8 oz. 90c; 1 qt. \$1.80; 1 gal. \$5.00.

DDT 50% Wettable Dust—Lb. 90c; 4 lbs. \$2.30.

D-X Rotenone-Pyrenthrum Spray with 5% DDT—1½ oz. 50c; ½ pt. \$1.75; qt. \$5.25; gal. \$13.50.

Arsenate of Lead—1-lb. 60c; 4-lbs. \$1.80; 48-lb. case \$19.25.

Rotenone .75 Dust—Lb. 45c; 4-lbs. \$1.00; 25-lbs. \$5.00.

Sabadilla Dust—Lb. 45c; 5 lbs. \$1.50; 10 lbs. \$2.75.

Bordeaux Mixture—Lb. 45c; 4 lbs. \$1.10; 48-lb. case \$12.00.

Dry Lime Sulphur—Lb. 50c; 5 lbs. \$1.75; 25 lbs. \$4.00.

Scalecide—Qt. \$1.05; gal. \$2.50; 5 gal. \$8.25; 15 gal. \$19.00; 30 gal. \$30.50.

Emo-Nik Oil Spray—4½ oz. 45c; pt. 80c; qt. \$1.20; gal. \$3.30.

Volck Oil Spray—4 oz. 40c; pt. 80c; qt. \$1.35.

Pan Peach Spray—Lb. 40c; 4 lbs. \$1.25; 8 lbs. \$2.00.

Paris Green—¼ lb. 25c; lb. 65c; 5 lbs. \$3.00.

Black Leaf 40—(Nicotine Sulphate)—Oz. 36c; 5-ozs. \$1.05; lb. \$2.50; 2-lbs. \$4.25; 5-lbs. \$7.90.

Red Arrow Garden Spray—Oz. 35c; 4-ozs. \$1.00; pint \$2.85; quart \$5.00.

Propylene Dichloride Emulsion—Qt. \$1.00; gal. \$3.25; 5 gals. \$15.00.

Tri-Ogen—Economy kit 6 to 10 roses, \$1.35; small kit 12 to 20 roses, \$2.25; medium kit, 50 to 80 roses, \$6.00.

Tobacco Dust—Lb. 10c; 5-lbs. 40c; 10-lbs. 70c; 100-lbs. \$5.00.

Dusting Sulphur—5-lbs. 50c; 10-lbs. 80c; 25-lbs. \$1.75; 100-lbs. \$6.00.

Wettable Sulphur—2-lbs. 45c; 5-lbs. 85c; 10-lbs. \$1.50.

Carbon Bisulphide—Lb. 60c; 5-lbs. \$2.25.

MISCELLANEOUS MATERIALS

Grafting Wax—½ lb. 55c; lb. 85c.

Zotox Crab Grass Killer—8-ozs. \$1.00; 1-lb. \$1.50; 2-lbs. \$2.50; 5-lbs. \$4.50.

Cro-Tox Crow Repellant—½ pint 60c; pint \$1.00; quart \$1.75.

K-R-O, Kills Rats Only—2-ozs. 75c; ready mixed can 35c; large size \$1.00.

Mice Seed, Exterminates Mice—Pkg. 25c.

Fraim's Tree Wound Dressing—pint 75c; quart \$1.25.

Staleymone, New Plant Growth Substance—8-ozs. 50c; 1-lb. \$1.00; 5-lbs. \$2.50.

Plant Foods

Vigoro Complete Plant Food—Lb. pkg. 15c; 5-lb. 50c; 10-lb. 90c; 25-lb. bag \$1.60; 100-lb. \$4.25. Tablets per box 15c.

Brimm Garden Fertilizer 5-10-5—5-lbs. 25c; 10-lbs. 45c; 25-lbs. 90c; 50-lbs. \$1.60; 100-lbs. \$2.75.

Vigoro Azalea and Camellia Special—5 lbs. 55c; 25 lbs. \$1.80; 100 lbs. \$5.50.

Sheep Manure, Wizard Brand Pulverized—5-lbs. 45c; 10-lbs. 65c; 25 lbs. \$1.10; 50-lbs. \$2.00; 100-lbs. \$3.75.

Bone Meal Raw—5-lbs. 50c; 10-lbs. 90c; 25-lbs. \$1.75; 50-lbs. \$2.75; 100-lbs. \$5.00.

Dried Blood Meal—5-lbs. 85c; 10-lbs. \$1.50; 25-lbs. \$3.00; 100-lbs. \$10.00.

Cotton Seed Meal—5 lbs. 40c; 10 lbs. 70c; 25 lbs. \$1.50; 100 lbs. \$4.50.

Nitrate of Soda—5-lbs. 30c; 10-lbs. 50c; 25-lbs. \$1.00; 100-lbs. \$3.50.

Aluminum Sulphate—5-lbs. 50c; 10-lbs. 85c; 25-lbs. \$1.25; 100-lbs. \$4.25.

Super Phosphate 20%—5 lbs. 25c; 10-lbs. 40c; 25-lbs. 75c; 100-lbs. \$2.00.

Hydrated Lime—10-lbs. 25c; 50-lbs. 85c; 100-lbs. \$1.60.


Peat Moss Granulated—Bu. \$1.00; ½ bale \$2.75; Bale \$4.75.

HY-GRO—The soluble plant food and starter solution in concentrated form, analysis 13-26-13, with growth hormones and mineral plant nutrients added — clean, odorless, safe and highly economical. Fertilizes plants while you water them. Grows finer house plants, better garden flowers, more luxuriant lawns, increases vegetable yields. Contains all the elements needed for strong, healthy plant growth—so quick and easy to apply. 3-oz. 25c; 20-oz. \$1.00; 10-lbs. \$4.00.

BUXTON WHITE'S BABY CHICKS True-Bred Bloodtested

U. S. - N. C. Approved—Pullorum Clean

Pave the way to bigger poultry profits with these big, healthy, vigorous chicks—backed by many years of flock improvement work. Bred to live, grow, lay and pay. Bloodtested for elimination of disease. Avoid disappointment by placing your order NOW! Delivery when wanted.



Barred Rocks New Hampshires Rhode Island Reds
Rock-New Hampshire Crosses White Leghorns

DELIVERED PRICES

(All Breeds, 100% Live Delivery Guaranteed)

25 Chicks	\$ 4.00	100 Chicks	\$15.00
50 Chicks	7.75	500 Chicks	72.50
	1000 Chicks		\$140.00

TURKEY POULTS: Broad Breasted Bronze and Beltsville White 85c ea.
DUCKLINGS: White Pekin 35c each.

POULTRY SUPPLIES

Our complete line of poultry supplies and appliances includes every need of the successful chicken raiser. Coal, wood, oil and electric brooders, drinking fountains, feeders and miscellaneous equipment. Pratt's, Dr. Hess, Russell's, Barkers', Dr. Salisbury's and other Poultry Preparations. Staf-O-Life and Chesterfield Feeds and all sort of Feed Ingredients and Supplements.

DAIRY SUPPLIES

We supply every item of dairy equipment and supplies. Milk Pails, Kettles, Shipping Cans, Strainers and Discs, Milk Bottles, Caps and Crates, Dairy Brushes, Washing Powders, Disinfectants, Cattle Sprays, Medicines, Staf-O-Life and Chesterfield Dairy Rations and Feed Stuffs of all kind.

BEE SUPPLIES

We are distributors of the famous Root Bee Supplies furnishing every need of the beekeeper for quality equipment. Complete Root Catalog free upon request.

PET SUPPLIES

While we stock Canary Birds, Parrakeets, Goldfish, and other pets only during the fall and winter months, we keep a complete stock of pet requirements throughout the year. Bird Cages and Stands, Fish Aquariums and Fittings, Dog and Cat equipment, French's Supplies for Caged Birds and Pets, Sergeant's Dog Medicines, Disinfectants, Shampoos, Dog Bedding, and various Foods for Caged Birds, Wild Birds, Pigeons, Rabbits, Dogs, etc. Free upon request, Bird Book and Dog Book.

BUXTON WHITE'S Complete Nursery Service

GROW MORE OF YOUR OWN

FRUITS * NUTS * BERRIES

Acclimated Plants from our local Albemarle Gardens and Whitehall Farm—Inspected and certified by the State Department of Agriculture.



Grimes Golden and Stayman Apples

APPLE TREES

	Each	Doz.
2 to 3 ft.	\$.90	\$ 9.00
3 to 4 ft.	1.25	12.50
4 to 6 ft.	1.75	17.50
Jumbo Bearing Size	2.75	27.50

Lodi. Medium to large, light yellow. June.

Early Harvest. Medium size, yellow. June.

Carolina Red June. Medium size, red. June.

Anoka. New, early red striped, good size. June.

Yellow Delicious. Large, yellow, sweet, good keeper. Fall.

Grimes Golden. Medium size, rich yellow, fine flavor. Fall.

Red Delicious. Large, bright red, fine grained, sweet. Fall-winter.

Stayman Winesap. Large, red firm, crisp, juicy, sprightly. Fall-winter.

Winesap. Medium to large, red firm, juicy, subacid, good keeper. Winter.

Quintuplet (5-in-1) Apple

Ideal for small home owners with little space for fruits; furnish shade; highly ornamental; five different kinds of reds and yellows, summer to winter. Includes: Anoka, Grimes Golden, Red Delicious, Yellow Delicious, and Stayman Winesap.

QUICK FRUITING—the ideal tree for limited space or small grounds. Budded or grafted to produce multiple varieties on one tree, in a chain of ripening from early to late.

Price: 5 to 6 ft., only \$3.50 each

APRICOTS AND NECTARINES Prices same as for Plums.

Moorpark Apricot. Largest orange-yellow, sweet, juicy. Aug.

Sure Crop Nectarine. Finest, large, roundish, white, firm, tender, free.

PEACH TREES

	Each	Doz.
2 to 3 ft.	\$.75	\$ 7.50
3 to 4 ft.	1.25	12.50
4 to 6 ft.	1.75	17.50
Jumbo Bearing Size	2.50	25.00

Dixigem. Promising new yellow freestone, ripening ahead of Golden Jubilee. Early July.

Golden Jubilee. Medium to large, fine quality, yellow, free. July.

Hiley Belle. Medium, white, free, excellent flavor. July.


Southland. Finest new freezing yellow, free, of excellent quality and appearance. July.

Hale Haven. Most promising new, large, yellow, free, ripens two weeks earlier than Elberta. July.

Belle of Georgia. Large, white, free, top quality. July.

Elberta. Large, rich yellow, free, juicy, famous commercial. Aug.

Heath Cling. Large, late white, cling, favorite pickling. Sept.



Southland Peach

PLUM TREES

	Each	Doz.
2 to 3 ft.	\$1.50	\$15.00
3 to 4 ft.	1.75	17.50
4 to 6 ft.	2.25	22.50
Jumbo Bearing Size	3.50	35.00

Red June. Medium, red, yellow flesh, early, good quality.

Abundance. Medium roundish, yellow crimson, subacid. July.

Burbank. Large, dark red, yellow flesh, rich flavor. July.

Shropshire Damson. Large, dark purple, firm, juicy, sprightly. Late.

ORIENTAL PERSIMMONS

	Each	Doz.
3 to 4 ft.	\$2.25	\$22.50
4 to 5 ft.	2.75	27.50

Tane-Nashi. Large, yellow, changing to orange-red, fine, seedless, prolific.


PEAR TREES

	Each	Doz.
2 to 3 ft.	\$1.50	\$15.00
3 to 4 ft.	2.00	20.00
4 to 6 ft.	2.50	25.00
Jumbo Bearing Size	3.50	35.00

Keiffer. Large, productive, yellow, firm, juicy, excellent cooking. Oct.

Bartlett. Large, yellow, buttery, juicy, highly flavored. Aug.-Sept.

Seckel. Small, juicy sweet, aromatic. Aug.-Sept.



Montmorency Cherry

CHERRY TREES

	Each	Doz.
2 to 3 ft.	\$1.50	\$15.00
3 to 4 ft.	2.00	20.00
4 to 6 ft.	2.50	25.00
Jumbo Bearing Size	3.50	35.00

Early Richmond. Medium, red juicy, acid, fine for cooking. May.

Montmorency. Large, rich red, best of sour varieties. June.

Black Tartarian. Very large, purplish, tender, rich, sweet. May.

Governor Wood. Large, heart-shaped, yellow, juicy sweet. May.

Hansen's Bush. Ornamental shrub, delightful plum-shaped purple fruit, bears first year.

FIG BUSHES

	Each	Doz.
18 to 24 inch	\$1.25	\$12.50
2 to 3 ft.	1.50	15.00
3 to 4 ft.	1.75	17.50

Brown Turkey. Medium, purplish-brown, old favorite, prolific, hardy.

Everbearing. Large, yellow shaded bronze, sweet. Mid-summer until Fall.

PECAN TREES

	Each	Doz.
2 to 3 ft.	\$2.75	\$27.50
3 to 4 ft.	3.75	37.50
4 to 5 ft.	4.75	47.50
5 to 6 ft.	5.75	57.50

Stuart. Large, plump, fine flavor, medium thin shell. Most dependable.

Mahan. New giant, paper-shell, early bearing Pecan. Largest size, thinnest shell, excellent quality.

OTHER NUT TREES

	Each	Doz.
2 to 3 ft.	\$3.00	\$30.00
3 to 4 ft.	4.00	40.00
4 to 5 ft.	5.00	50.00

Thomas Black Walnut. Largest, improved, best quality.

English Walnut. Large, uniform, thin-shell, highest quality.

Chinese Chestnut. Blight resistant, large, fruits early, fine quality.

Hazelnut (Filbert). Decorative shrub, useful for edible nuts.

GRAPE VINES

Bunch Class, 2-year — Each 60c; Doz. \$6.00.

Fredonia. Earliest, good black, clusters medium, berries large.

Lutie. Very sweet, tender flesh, thin skin, red, large bunches. Mid-season.

Concord. Large black standby, solid, juicy, delicious flavor.

Niagara. Large, old reliable white, quality much like Concord.

Muscadine Class, 2-year — Each \$1.25; Doz. \$12.50.

Scuppernong. Large, clustered bronze, juicy, musky sweet. Well known.

James. Large, blue-black clusters, meaty, medium quality. Late.

Thomas. Sweetest, reddish purple, tender, pleasing flavor, very prolific.

THE BRAMBLES

No. 1 plants—Each 25c; Doz. \$2.50; 100 \$15.00

Eldorado Blackberry. Large, black clusters, juicy sweet, no core.

Lucretia Dewberry. Large, prolific, sweet, black, early, luscious.

Boysenberry. Very large, delicious, prolific, almost seedless.

Latham Raspberry. Large, red, productive, luscious favorite.

Indian Summer Raspberry. Everbearing large red, vigorous, high quality.

BLUEBERRIES

The aristocrat—prized for giant, delicious fruit and ornamental beauty. Assorted varieties. 12 to 18 inches—\$1.25 each; \$12.50 doz.; 18 to 24 in.—\$1.75 each; \$17.50 doz.

STRAWBERRY PLANTS

Spring Fruiting — 25, 75c; 100 \$2.50; 1000 \$15.00.

Blakemore. Earliest, vigorous productive, solid, fine shipper.

Fairfax. Early, best quality, large firm, beautiful, productive.

Catskill. Best midseason, sure, heavy cropper, big, firm, attractive.

Massey. Best late, outstanding quality and size, beautiful, firm. Everbearing—25, \$1.25; 100, \$4.00; 1,000, \$25.00.

Streamliner. Sensational new everbearer. Large, firm, sweet. Replacing older everbearers because of superiority.

ORNAMENTAL AND SHADE TREES

Nothing is more inviting than the shade of a tree in summer, nor more attractive than the breath-taking beauty when covered in full bloom or autumn-tinted foliage. Trees are the framework of the home setting.

Catalpa Bungei. Umbrella-shaped, small tree, large leaves. 4 to 5 ft. \$3.50.

Cherry, Japanese Flowering. Large, double, dark pink flowers in spring. 3 to 4 ft. \$4.00.

Cherry, Japanese Weeping. Drooping branches, profuse pink flowers. 6 ft. \$12.50.

Crab Apple. Hopa, double flowering, bright, rose-red, hardy. 3 to 4 ft. \$2.00.

Crape Myrtle. See Flowering Shrubs.

Dogwood, White Flowering. Showy in early spring. Red berries. 2 to 3 ft. \$1.50; 3 to 4 ft. \$2.00; 4 to 5 ft. \$2.50.

Dogwood, Pink-Flowering. Similar to white, beautiful pink blossoms. 2 to 3 ft. \$3.00; 3 to 4 ft. \$4.00; 4 to 5 ft. \$5.00.

Elm, Chinese. Fast grower, small leaves, early spring to late fall. 5 to 6 ft. \$2.50; 6 to 8 ft. \$3.00.

Linden, American. Large leaves, rapid growing tree. 5 to 6 ft. \$2.50; 6 to 8 ft. \$3.50.

Magnolia Grandiflora. Southern Magnolia, evergreen large glossy leaves, beautiful waxy white flowers, 2 to 3 ft. \$5.00; 3 to 4 ft. \$6.00; 4 to 5 ft. \$7.50.

Magnolia, Oriental. Purplish-red tulip-flowers before foliage appears. 2 to 3 ft. \$5.00; 3 to 4 ft. \$7.50.

Maple, Norway. Compact rounded head, most popular for street and lawn. 5 to 6 ft. \$3.00; 6 to 8 ft. \$3.50.

Maple, Scarlet. Large tree, scarlet flowers, brilliant foliage in fall. 5 to 6 ft. \$3.00; 6 to 8 ft. \$3.50.

Maple, Silver. Large, rapid grower, green leaves silvery white beneath. 5 to 6 ft. \$3.00; 6 to 8 ft. \$3.50.

Mimosa. Irregular, spreading tree, ferny leaves, feathery pink flowers. 3 to 4 ft. \$2.00; 4 to 5 ft. \$2.50.

Oak, Water. Rare native, similar to Willow Oak, broader leaves. 5 to 6 ft. \$3.00; 6 to 8 ft. \$4.00 each.

Peach, Double Flowering. Red or white, roselike flowers, envelop limbs. 2 to 3 ft. \$1.50; 3 to 4 ft. \$2.00; 4 to 6 ft. \$2.50.

Plum, Red Leaved. Small tree, purplish foliage, pink flowers. 2 to 3 ft. \$1.50; 3 to 4 ft. \$2.25.

Poplar Lombardy. Tall, slender, rapid grower, effective screen. 4 to 5 ft. 75c; 6 to 8 ft. \$1.25.

Red Bud or Judas Tree. Rosy-purple flowers cover branches before leaves. 3 to 4 ft. \$1.50; 4 to 5 ft. \$2.25.

Sycamore or Plane Tree. Large, fast growing tree, trunk mottled 5 to 6 ft. \$2.50; 6 to 8 ft. \$3.50.

Tulip Tree. Tall, quick growing, large yellow tulip-shaped flowers. 4 to 5 ft. \$2.00; 5 to 6 ft. \$3.00.

Willow, Pussy. Small tree, gray catkins in early spring. 4 to 5 ft. \$2.00; 6 to 8 ft. \$3.00.

Willow, Weeping. Large tree, drooping branches, small leaves. 4 to 5 ft. \$2.00; 6 to 8 ft. \$3.00.

Larger sizes of many trees can be quoted on request.

CONIFEROUS EVERGREENS

Some locations around the grounds just call for conifers in some form—upright, medium, round and spreading. They lend richness and dignity as no other class can. The varieties we offer are tried and adapted, giving good results in suitable locations. Most of these plants need almost full sun, but some sorts do very well in partial shade.

Arborvitae, American. Broadly pyramidal, tall, vigorous, dark green. 18 to 24 in. \$2.25; 2 to 3 ft. \$3.50.

Arborvitae, Berckman Golden. Compact dense, conical, golden, dwarf. 12 to 15 in. \$3.00; 15 to 18 in. \$4.00.

Arborvitae, Globe. Dwarf, compact, natural globe shape, light green. 15 to 18 in. \$3.50; 18 to 24 in. \$4.50.

Arborvitae, Pyramidal. Narrow pyramid, medium, vigorous, bright green. 18 to 24 in. \$3.00; 2 to 3 ft. \$4.00.

Cunninghamia, China Fir. Tall, fast, broad, dark green lance foliage. 2 to 3 ft. \$4.00; 3 to 4 ft. \$5.00.

Hemlock, Canadian. Hardy, strong grower, beautifully shaped, graceful evergreen tree of wide adaptation. 18 to 24 in. \$3.50; 2 to 3 ft. \$4.50.

Juniper, Greek. Compact, low broad conical, spiny bush-green foliage. 15 to 18 in. \$3.00; 18 to 24 in. \$4.00.

Juniper, Irish. Erect, dense column, medium growth, blue-green. 18 to 24 in. \$2.75; 2 to 3 ft. \$3.50.

(Continued on next page)

CONIFEROUS EVERGREENS (Continued)

Juniper, Pfitzer. Broad, spreading, silvery green, feathery, hardy. 15 to 18 in. \$3.00; 18 to 24 in. \$4.00.

Juniper, Silver Cedar. Tall, slender Cedar, foliage soft glaucous blue. 2 to 3 ft. \$3.50; 3 to 4 ft. \$5.00.

Japanese Plum-Yew. Beautiful, upright evergreen, long dark green leaves. 18 to 24 in. \$3.50; 24 to 30 in. \$5.00.

Retinospora, Moss Cypress. Medium, compact when pruned. Fleece silver-blue. 18 to 24 in. \$3.00; 2 to 3 ft. \$4.00.

Retinospora, Plume Cypress. Medium dense conical, feathery, light green. 18 to 24 in. \$2.50; 2 to 3 ft. \$3.50.

Spruce, Norway. Large, symmetrical pyramid, rich, dark green foliage. 18 to 24 in. \$2.75; 2 to 3 ft. \$3.50.

Yew, Hick's. Distinctly columnar, very compact, dark green, hardy. 18 to 24 in. \$5.00; 2 to 3 ft. \$7.50.

Yew, Spreading Japanese. Bushy, upright, spreading, rich green, hardy. 15 to 18 in. \$4.00; 18 to 24 in. \$5.00.

Yew, Upright Japanese. Tree-form, broad, hardy, tolerant, dark green. 15 to 18 in. \$4.00; 18 to 24 in. \$5.00.

Large sizes and other varieties quoted upon request.

BROAD-LEAF EVERGREENS

We are, indeed, fortunate in the wealth of these plant materials, so well suited to this section. Not only the evergreen foliage, affording contrast in color, shape and size, but the gorgeous display of blossoms and berries available the year around makes them the most prized of plant possessions. Some lend themselves to formal pruning, almost all stand shearing well, and many are attractive to wild birds.

Abelia Grandiflora. Glossy foliage, pinkish white flowers all summer. 18 to 24 in. \$1.50; 2 to 3 ft. \$2.50; 3 to 4 ft. \$3.50.

Aucuba Japonica. Long glossy leaves, large scarlet berries, shade loving. 18 to 24 in. \$3.00; 2 to 3 ft. \$4.00.

Azalea, Kurume Varieties. Dwarf, extremely floriferous, most showy, hardy, comparatively easy to grow in acid soil; use lots of leaf mold or peat moss.

Coral Bells. Coral-pink, free flowering, dainty, small leaves.

Hexe. Large flowers, crimson-red, compact plants.

Hinodegiri. Most popular, profuse, brilliant scarlet, dwarf.

Salmon Beauty. Large, hose-in-one, salmon-pink flowers.

Snow. Large, pure white, profuse flowers, glossy green foliage.

6 to 8 in. \$1.50; 8 to 10 in. \$2.00; 10 to 12 in. \$3.00.

Azalea, Indica Varieties. Tall growers—large flowers. The famed Indian Azaleas which grow to the apex of perfection in the gardens of the lower South. Not hardy in the North.

Elegans. Tall, early, large, light pink.

Formosa. Free blooming, rose-purple, early, good foliage.

Fielder's White. Pure white, profuse, vigorous, early flowering.

Phoenicia. Like Formosa, but brighter and later blooming.

President Clay. Most satisfactory red; fast compact growth. 12 to 15 in. \$1.50; 15 to 18 in. \$2.00; 18 to 24 in. \$3.00.

Berberry Julianne. Green leaves, scarlet in winter, purplish berries, prickly. 18 to 24 in. \$3.00; 2 to 3 ft. \$4.00.

Boxwood, Old English. Dwarf, compact, slow growing, shiny green aristocratic. 5 to 6 in. 75c; 6 to 8 in. \$1.50; 8 to 10 in. \$2.50.

Boxwood, American. Upright open, more rapid growth to large bush. 12 to 15 in. \$2.00; 15 to 18 in. \$3.00; 18 to 24 in. \$5.00.

Camellia Japonica. Pre-eminent ornamental of the South, enjoying a new wave of popularity, especially valued for off-season bloom. Glossy foliage, double waxy flowers in red, pink, white and variegated.

Alba Plena. Four inch snow-white, all-season bloomer.

Enrico Bettoni. Very large, semi-double, translucent pink.

Herme. Large, peony type, pink and red variegated white edge.

Jarvis Red. Very popular, blood red, semi-double, with golden stamens.

Pope Pius IX. Very double, scarlet, good compact.

Pink Perfection. Very double, dainty, shell-pink, bloom young.

Prince Albert. Varying pink and white peony form, rapid pyramidal growth.

Professor C. S. Sargent. Very double, peony form, bright scarlet, free bloomer.

Sarah Frost. Full double, medium, profuse, rose-red, dependable.

Tricolor. Semi-double, variegated pink, red, white, changeable.

6 to 12 in. \$1.00; 12 to 15 in. \$2.00; 15 to 18 in. \$3.00; 18 to 24 in. \$4.00; 24 to 30 in. \$5.00.

These are only a few of over a hundred varieties in our collection. Other sizes and varieties quoted upon request.

Camellia Sasanqua. Handsome fall-blooming evergreens, very profuse bloomer when flowers are scarce, pinks and whites, singles to doubles, very hardy and rapid grower. 15 to 18 in. \$2.00; 18 to 24 in. \$3.00; 2 to 3 ft. \$4.00.

Cotoneaster Horizontalis. Spreading, pinkish flowers, red berries. 12 to 18 in. \$2.00; 18 to 24 in. \$3.00.

Eleagnus Fruitlandi. Silvery leaves, fragrant white flowers, pink berries. 18 to 24 in. \$3.00; 2 to 3 ft. \$4.50.

Euonymus Patens. Medium growth, bright green, white flowers, red berries. 18 to 24 in. \$2.25; 2 to 3 ft. \$3.00.

Gardenia, Cape Jasmine. Large waxy white blooms, very fragrant, glossy. 15 to 18 in. \$1.50; 18 to 24 in. \$2.50; 2 to 3 ft. \$3.50.

Holly, American. Native Christmas Holly, spiny, glossy leaves, red berries. 2 to 3 ft. \$4.50; 3 to 4 ft. \$6.00.

Holly, Burford's. Compact, globose, glossy leaves without spines, red berries. 18 to 24 in. \$4.50; 2 to 3 ft. \$6.00.

Holly, Chinese. Bushy, oblong leaves, three-pointed at apex, red berries. 18 to 24 in. \$4.50; 2 to 3 ft. \$6.00.

Holly, English. Dark glossy leaves, distinct spines, red berries. 18 to 24 in. \$4.50; 2 to 3 ft. \$6.00.

Holly, Japanese. Dwarf, slow growth, hardy, small round leaves, black berries. 15 to 18 in. \$3.50; 18 to 24 in. \$5.00.

Holly, Yaupon. Bushy, dark roundish leaves, waxy red berries, native. 18-24 in. \$3.50; 2-3 ft. \$4.50.

Laurel, English. Shrub, large dark green, shiny leaves. 2 to 3 ft. \$3.50; 3 to 4 ft. \$5.00.

Ligustrum, Japanese. Large shrub, dark shining, white flowers, black berries. 2-3 ft. \$2.00; 3-4 ft. \$2.50.

Ligustrum, Lucidum. Wax - leaf Privet, glossy dark green, compact, black berries. 18 to 24 in. \$2.50; 2 to 3 ft. \$3.50.

Mahonia, Oregon Holly - Grape. Low, holly-like leaves, yellow flowers, blue berries. 15 to 18 in. \$2.50; 18 to 24 in. \$3.50.

Nandina Domestica. Foliage turns red in fall, white flowers, red berry clusters. 15 to 18 in. \$2.50; 18 to 24 in. \$3.50.

Photina Serrulata. Evergreen, new growth in vivid red, white flowers. 15 to 18 in. \$2.50; 18 to 24 in. \$3.50.

Pittosporum Tobria. Compact, dark green clustered leaves, fragrant flowers. 15 to 18 in. \$2.50; 18 to 24 in. \$3.50.

Pyracantha Lalandi. Firethorn, tall, open, white flowers, orange berries. 18 to 24 in. \$2.50; 2 to 3 ft. \$4.00.

Pyracantha Formosana. Dwarfish, spreading, masses of bright red berries. 18 to 24 in. \$2.50; 2 to 3 ft. \$4.00.

Vilburnum, Leather-Leaf. Large, wrinkled leaves, white flowers, red berries. 18 to 24 in. \$3.00; 2 to 3 ft. \$4.00.

FLOWERING SHRUBS

Color, fragrance, hardiness and quick results unite to make these plants indispensable in every well-planned landscape, whether small or large. By careful study, one may have beauty of foliage, flowers, or fruit practically all year, lending an interest which can be gained only by this class of plants.

Almond, Pink Flowering. Low growing, double pink flowers, early spring. 18 to 24 in. \$1.00; 2 to 3 ft. \$1.50.

Althea, Rose of Sharon. Tall shrub, double pink, red, purple, white flowers. 2 to 3 ft. \$1.00; 3 to 4 ft. \$1.50.

Barberry, Japanese. Low; prickly bush, yellow flowers, red berries, 18 to 24 in. \$1.00; 2 to 3 ft. \$1.25.

Barberry, Red Leaf. Red foliage if planted in the sun, red berries, fall. 18 to 24 in. \$1.00; 2 to 3 ft. \$1.25.

Beautyberry, Callicarpa. Native; conspicuous clusters lilac berries, fall. 18 to 24 in. 75c; 2 to 3 ft. \$1.00.

Butterfly Bush. Summer lilac; strong grower, long arching spikes purplish flowers, June until frost, fragrant. Six varieties. 18 to 24 in. \$1.00; 2 to 3 ft. \$1.25.

Crape Myrtle. Southern favorite; large shrub, crape-like flowers, summer. 18 to 24 in. \$1.00; 2 to 3 ft. \$1.50; 3 to 4 ft. \$2.50.

Deutzia, Pride of Rochester. Tall; double white tinted pink, late spring. 2 to 3 ft. \$1.00; 3 to 4 ft. \$1.25.

Forsythia, Goldenbell. Erect, spreading, abundant yellow flowers, early. 2 to 3 ft. \$1.00; 3 to 4 ft. \$1.25.

Honeysuckle, Bush. Medium; fragrant pink flowers, spring, red berries. 2 to 3 ft. \$1.00; 3 to 4 ft. \$1.25.

Hydrangea, Hill of Snow. Low, large heads, white flowers, summer. 18 to 24 in. \$1.00; 2 to 3 ft. \$1.50.

Hydrangea, French Varieties. Dwarf; immense heads, blue or pink flowers. 18 to 24 in. \$1.50; 2 to 3 ft. \$2.00.

Jasmine, Winter. Small, spreading; bright yellow flowers before foliage. 18 to 24 in. \$1.00; 2 to 3 ft. \$1.50.

Kerria, Double Flowers. Medium, bushy; yellow pompom masses, green twigs. 18 to 24 in. \$1.00; 2 to 3 ft. \$1.25.

Lilac, Common. Tall, vigorous; fragrant large panicles, lilac or white. 18 to 24 in. \$1.00; 2 to 3 ft. \$1.50.

Lilac, French Hybrids. Better bloomers, named varieties, pink, red, white, purple. 18 to 24 in. \$1.50; 2 to 3 ft. \$2.00.

Mock Orange. Tall; profusion single white flowers, very fragrant, spring. 2 to 3 ft. \$1.00; 3 to 4 ft. \$1.50.

Pomegranate. Large, vigorous;

double orange-red flowers, large reddish fruit. 18 to 24 in. \$1.50; 2 to 3 ft. \$2.00.

Quince, Flowering. Low; brilliant scarlet flowers before leaves, spicy. 18 to 24 in. \$1.00; 2 to 3 ft. \$1.50.

Scotch Broom. Green branches, small leaves, showy yellow pea-flowers. 18 to 24 in. \$1.50; 2 to 3 ft. \$2.00.

Snowball, Japanese. Upright, bushy; many white "snowballs" in June. 18 to 24 in. \$1.00; 2 to 3 ft. \$1.50.

Spirea, Anthony Waterer. Dwarf, bushy; bright rose corycombs, all summer. 15 to 18 in. 75c; 18 to 24 in. \$1.00.

Spirea, Bridal Wreath. Upright; small double white flowers along stems. 18 to 24 in. 75c; 2 to 3 ft. \$1.

Spirea, Thunberg. Low, innumerable small white flowers, ferny leaves. 18 to 24 in. 75c; 2 to 3 ft. \$1.00.



Spirea, Van Houtte. Graceful, drooping; round white clusters, profuse. 2 to 3 ft. 75c; 3 to 4 ft. \$1.

Sweet Shrub. Low; unusually fragrant, chocolate double flowers, summer. 18 to 24 in. \$1.00; 2 to 3 ft. \$1.25.

Tamarix, African. Straggly, upright; feathery foliage, pink flowerspikes. 2 to 3 ft. \$1.00; 3 to 4 ft. \$1.50.

Viburnum, Double-File. Flat-topped white flower clusters along branches. 18 to 24 in. \$1.50; 2 to 3 ft. \$2.00.

Weigela, Eva Rathke. Small; rich red bell-shaped flowers, late spring. 18 to 24 in. \$1.00; 2 to 3 ft. \$1.50.

Weigela, Rosea. Medium; showy, free-blooming pink, last to flower. 2 to 3 ft. \$1.00; 3 to 4 ft. \$1.50.

Weigela, Snow. Medium; bell-shaped white flowers, late spring. 2 to 3 ft. \$1.00; 3 to 4 ft. \$1.50.

Winterberry. Deciduous holly; red berries cover branches long after leaves fall. 2 to 3 ft. \$1.50; 3 to 4 ft. \$2.00.

HEDGE PLANTS

The friendly way to fence; adds character and beauty to the homegrounds; less costly than fencing; trimming costs less than painting.

Privet, Amur River. Erect, hardy, dark, lustrous green, prunes easily. 1-year \$15.00 per 100; 2-year \$20.00 per 100.

Other hedge plants, adapted to a variety of uses for highly ornamental effects, are listed below and prices will be quoted upon request:

Abelia	Japanese Holly
Japanese Barberry	American Holly
Red-Leaf Barberry	Yaupon
Tree Boxwood	Wax-Leaf Ligustrum
Old English Box	Wax Myrtle
Flowering Quince	English Laurel
Chinese Holly	Japanese Yew

VINES AND CREEPERS

There are the draperies Mother Nature has provided to cover arbors, fences, and to conceal unsightly spots; on porches they can furnish shade and privacy.

Bittersweet, American. Vigorous; yellow flowers, red and orange berries. 2-year plants 75c.

Clematis, Virgin's-Bower. Profusion of white fragrant flowers, early fall. 2-year plants 50c.

Honeysuckle, Hall's. Very fragrant white and yellow flowers, summer. 2-year plants 50c.

Ivy, English. Most popular evergreen vine, large, glossy green leaves. 2-year plants 50c.

Periwinkle, Minor. Evergreen trailer, ground cover, window boxes, blue flowers. Clumps 25c each; \$2.50 a dozen.

Spurge, Japanese. Hardy, dark green ground cover. Best in shade. Clumps 25c; each; \$2.50 a dozen.

Wisteria, Chinese. Rampant clinging; large drooping flower clusters, blue or white. 4-year plants \$1.50.

ROSE BUSHES

Grown and loved from olden times, the Rose is a part of life itself. The well-cared rose garden is not only a thing of beauty, but unsurpassed as a source of magnificent blooms for house decoration, from early summer until frost. We offer dependable, time-tested varieties most likely to succeed in this section. Only a few of our many varieties are mentioned here. Ask for complete listing, including the best new patented introductions.

Monthly Blooming, top-grade, 2-year field grown \$1 each; \$10 doz.

Reds

Christopher Stone. Popular velvety crimson, fragrant.

E. G. Hill. Deep, rich glowing red, very double, fragrant, lasting.

Etoile de Hollande. World's favorite, brilliant red, large, fragrant.

Poinsettia. Vigorous, glowing fire-red, perfect long buds.

Red Radiance. Most dependable, deep, rose-red, prolific bloomer.

Pinks

Briarcliff. Large, long pointed buds, deep rose pink, lasting.

Editor McFarland. Dark pink, bud pointed, lasting, fragrant, fine.

Mrs. Chas. Bell. Shell-pink Radiance, shadings of salmon.

(Roses Continued Next Page)

ROSES (Continued)

Pink Radiance. Brilliant cameo pink, large vigorous, fragrant.

Whites

Caledonia. Large, purest white, perfectly formed, lasting.

Frau Karl Druschki. Very large, snow-white, buds pink stained.

Kaiserin A. Victoria. Creamy buds open showy white, hardy.

Konigin Luise. Vigorous, very large, high centered white.

Yellow

Golden Dawn. Large sunflower. Yellow, flushed old-rose.

Luxemburg. Long, pointed, deep golden yellow, very fragrant.

Mrs. P. S. DUPONT. Yellow-gold, pointed, medium size, elegant.

Sunburst. Long pointed bud of variable cadmium yellow.

Two-Tone

Betty Uprichard. Delicate salmon-pink, reverse carmine, fragrant.

Condessa de Sastago. Golden yellow, brilliant red combination.

Edith Nellie Perkins. Outside Chinese red, inside salmon-pink.

President Hoover. Cerise - pink, flame scarlet and yellow-gold.

Talisman. Orange, yellow, copper and rose-red, beautiful blend.

Polyantha

Cecile Brunner. 'Sweetheart' blush, shaded salmon-pink, miniature.

CLIMBERS AND RAMBLERS

Dr. W. Van Fleet. Vigorous; dainty flowers of cameo-pink.

Etoile de Hollande. Fine red flowers, like bush type.

Mrs. P. S. DuPont. Climbing sport from the yellow bush DuPont.

Paul's Scarlet Climber. Clusters of brilliant fiery scarlet.

Red Radiance. Large blooms, identical with bush.

Silver Moon. Large, single, pure white, prominent yellow stamens.

Talisman. Similar to bush type with even larger flowers.

PERENNIAL PLANTS AND ROOTS

Make Rainbows of dull, somber situations. While space will not permit a comprehensive

sive listing here, we can supply practically any varieties desired upon request.

Prices except as noted, strong plants 40c each; \$4.00 per doz.

Alyssum saxatile compactum. "Basket of Gold," bright yellow, early.

Aquilegia, Columbine, long-spurred Hybrids, range of color.

Asclepias, Orange Butterfly Plant. Brilliant orange, abundant flowers, clusters.

Aster nova-anglia. Wood's Aster, quantities purplish-blue flowers, fall.

Baptisia. False Indigo, Lupin-like, indigo blue spikes splendid for cutting.

Campanula, Canterbury Bells, large bell-flowers, mixed colors, May.

Candytuft, Iberis sempervirens, white flower clusters, ideal edging.

Carnation, Grenadin. Hardy, beautiful, bloom entire season.

Chrysanthemums. Cushion Type "Azaleamum," dense, compact mound, covered by multitude of bloom, early to late, separate colors and mixed.

Chrysanthemums, Hardy Korean. Beautiful, vigorous outdoor Mums, a fall-flowering garden sensation remarkably frost resistant, free-blooming, long-lasting, singles and doubles, separate colors and mixed.

Coreopsis. Sunburst. Georgeous double, brilliant golden-yellow, floriferous.

Daisy, Bellis. Double English Daisy Mixed, \$1.00 per doz; \$5.00 per 100. **Shasta.** Flowers large white, yellow center, all summer.

Dianthus, Sweet William. An old garden favorite in mixed colors.

Dicentra, Bleeding Heart. Graceful heart-shaped pink flower recemes. 75c.

Digitalis, Foxglove. Tall spikes, purple, pink or white, midseason.

Funkia, Blue, Plantainlily. Lily-like flowers in terminal racemes, shade.

Gaillardia. Monarch Strain. Robust, giant size, varied colorings.

Hemerocallis, Day Lilies. Greatly improved in size, season of bloom and color range, all shades of yellows, oranges, pinks and reds. Per-

fectly hardy, thrives in sun or shade, rich or poor, dry or damp soil. Grows anywhere, under any conditions, with practically no care. Beautiful for mass color or cut flowers, from spring to fall. Our list is too large for description here. Ask for information.

Hibiscus, Mallow Marvels. Striking, brilliant single red flowers, summer.

Hollyhocks, Double Mixed. Great spikes of bloom are "Towers of Beauty."

Iris, Bearded German. More of these "Poor Man's Orchids" should be planted; easy to grow, rapid increase. New Iris aristocrats are truly gorgeous flowers in wide variance of form and color, grand for cutting. Descriptive list of varieties on request, or mixed as quoted.

Iris, Kaempferi, Japanese. Larger, later, flat-topped; damp locations. A superb combination of the finest mixed.

Liatris. Gayfeather. Long, narrow spikes of unusual purple flowers.

Physostegia, False Dragonhead. Showy, bright, shell-pink spikes, lipped flowers.

Peonies, Double. The rival of the rose, unsurpassed for beauty and showiness; immense, fragrant flowers lovely for cutting.

Edulis Superba. Mauve pink, early.

Felix Crousse. Brilliant crimson, midseason.

Festiva Maxima. Best white, flecked crimson. 3 to 5 eye divisions \$1.00 each; \$10.00 per doz. Mixed colors, 75c each; \$7.50 per doz.

Phlox, Tall Hardy Summer. Heavy heads of large florets, marvelous colors. Splendid selection of varieties and in mixture. **Dwarf Sublanta,** Moss Pink. Low, spreading mat, bloom covered.

Primula, English Primrose. Cow slip. Pale yellow flower clusters.

Pyrethrum, Painted Daisy. Attractive daisies of various colors.

Tritoma, Red Hot Poker, Graceful, loose spikes in gay colors.

Veronica, Speedwell. Long spikes of violet-blue flowers, summer.

BUXTON WHITE'S Outstanding Collection Offers

COLOR PARADE OF FLOWERING SHRUBS

Nature has lavishly endowed these plants with color and charm. Massed or otherwise, they afford an abundance of delightful flowers, for outdoors or in, from spring to fall, with a minimum of care. No home is complete without them. 1 each Althea, Deutzia, Forsythia, Lilac, Mock Orange, Pomegranate, Flowering Quince, Van Houtte Spirea, Sweet Shrub, Pink Weigela, totaling 10 of the most popular shrubs.

Catalog price, \$10.00; very special at \$7.50.

DIXIE DOZEN ROSE COLLECTION

Modern Roses run the gamut of color and form. For practically every color known in the finest everblooming roses, here is our choice for continued, reliable performance in the South. We do not believe you can find a better dozen anywhere. 1 each E. G. Hill, Etoile de Hollande, Red Radiance, Betty Uprichard, Mrs. Chas. Bell, Pink Radiance, K. A. Victoria, Caledonia, Luxemburg, Sunburst, President Hoover, Talisman.

A real \$12.00 value, for \$10.00.

AZALEA-BED COLLECTION

No other plant can equal the Azalea for breath-taking masses of color. In suitable setting, it is a thing of extraordinary beauty. You have admired their wonderful display every spring! now have them for your own. Our choice of 6 fine, compact Kurume Azaleas, each variety labeled. List price, \$9.00; special offer for \$7.50

HOME-GARDEN BERRY COMBINATION


10 each Eldorado Blackberry, Boysenberry, Latham Raspberry. 25 each Blakemore, Fairfax, Catskill and Massey Strawberry.

130 in all, first class plants, for \$8.25.

LAWN WEEDS


AND HOW TO GET RID OF THEM

COMMON LAWN WEEDS



CRABGRASS

BROAD
LEAVED
PLANTAIN



YELLOW FOXTAIL




COMMON
CHICKWEED



QUACKGRASS



DANDELION



LAWN
PENNYWORT



GROUND IVY



HEAL ALL



YARROW

NARROW
LEAVED
PLANTAIN



CRABGRASS CAN BE CONQUERED

In areas where crabgrass and similar weeds are persistent in lawns the timing of the treatment is important. Crabgrass germinates in the spring and does not survive winter temperatures. Early spring treatments tend to kill the crabgrass seedlings as they germinate. Close mowing favors the growth of crabgrass—Bluegrass should be cut no shorter than two inches if crabgrass is a problem. Fertilizing and seeding the vacant spots in the lawn left by weeds should be a regular part of your weed killing program.

A

THESE 2-4D's ARE IMPORTANT TOO

The regular use of 2-4D will keep down all of the broadleaved weeds, without danger of poisoning animals, children or of damaging equipment with corrosive sprays. In using 2-4D around flowers and vegetables, however, be extremely careful not to allow the spray to drift onto these, as most garden plants are as easy to kill with this material as the weeds.

Here are some other points: use a coarse instead of a fine spray. Don't store it around your seeds or plants. Do not apply in the proximity of cotton, fruit or ornamentals, it may injure susceptible plants.

WEEDS ARE GRASS ROBBERS!

Their root systems thrust laterally through the grass roots and steal moisture and valuable mineral salts needed by your lawn to insure hardy growth. Some weeds send out runners on the surface which take root, form new plants and proceed to take food from the grass, stunting it, shading newly germinated grass and ultimately discouraging growth. Tap roots (the central roots) are weed storage plants from which the lateral root system draws its reserve strength. Some weeds can be destroyed by merely spraying weed killing chemicals on the leaves; others require chemical injection at the tap root. Some folks report that the tap root injection of 2-4D is comparatively easy if one of those long spouted oil cans is used. Others require chemical treatment as well as physical removal by hand or with tools. Modern chemical weed killers are selective and formulated to do a specific job. **Tell us the weed you're going after and we can prescribe the remedy for you.** Successful weed removal means getting them early—before the flowering stage, go after them in the spring or early summer. Weeds should be two or more inches high before spraying however, otherwise the leaf is not broad enough to fully absorb the chemical and the tap root will revitalize them.

2-4D, HOW IT HELPS CONTROL

2-4D is a **selective** herbicide because it can be used to kill certain plants while the same dosage will not kill others. This selectivity is due to differences in plant susceptibility. It is comparatively slow acting and must penetrate to the inside of the plant tissue to do its work. When it is sprayed on broad leaved plants it first penetrates the outer layer of cells—then to the inner-layer where it is picked up by the leaf veins and circulated into stem and roots along with the fluid of the plant. With most weeds the killing cycle requires about two weeks. Reaction is noticeable when the leaves and stems twist and curl. When it has reached the roots, the cell breakdown makes them vulnerable to attack by the decay organisms always present in the soil. These organisms attack the weakened roots and complete decomposition of the weed.

SPRAY THESE!

Dandelions can be easily controlled with 2-4D. Their root systems are comparatively simple and being a medium-broad leaved plant the chemical has freedom to work quickly and effectively. It has been found that some regrowth of dandelions will occur if they are treated when the turf in general is suffering from drought. Lawn weeds are best gotten when they are green and actively growing. Other weeds which can be as effectively controlled as dandelions are the Common Plantain, Common Chickweed, Ground Ivy and the Pennywort.

Window Boxes

There's nothing finer than window and porch boxes to make a house look "lived in" and gay.

The necessary boxes may be bought ready-made, or constructed at home. Redwood or cypress are the best lasting materials, but ordinary yellow pine will do nicely if well painted. Paint at least two coats, and use brass screws instead of nails to join the boards.

Drainage of flower boxes is important. Use about two inches of coarse gravel at the bottom. Cover this with a layer of sand, and then with good, rich soil. **Fertilizing** may be done with liquid manure, but commercial plant tablets are even better, and much easier to apply.

Plants suitable for window boxes are quite numerous. Among the best are **Petunias**, **Nasturtium**, **Ageratum**, **Candytuft**, **dwarf Marigold**, **Corn-flower**, **Babysbreath**, **Love-in-a-mist**, **Verbena**, **Sweet Alyssum**, **Vinca**. **English Ivy** adds a nice touch, as do various ferns.

Good Points to Remember

Pinch 'em off! To make annual flower plants branch and grow more flowers, most of the plants should have the top of the stem pinched off when they are a few inches high. Remove only the end bud, about 1/4".

Divide your perennials. Most perennials must be divided every 3 or 4 years. Cut away all the dead roots and stalks, save the best portions, and start afresh.

Flower bed preparation. A good border needs a well prepared sub-soil. Dig deep and condition the **subsoil** just once, and you needn't bother about it again for many years. For this happy situation, break up heavy subsoil with sand, peat moss, humus, or lime. Top this off with fine loam. The double-dug bed will be higher than before, but will soon settle.

Formula for Pansy Growing

Pansies are not annuals but near-hardy perennials that need special culture. Cold frames, with glass sash and mats for winter protection are essential. Soil should be rich: up to one-third of soil can be well-rotted manure or sifted compost. Sow seed in August. Protect frame with shades made by tacking muslin or cheese cloth over window screens. Thin plants to stand 4" x 4". After first frosts, cover with glass and mats, and allow to freeze slowly. Remove mats in early spring and allow sun to warm frame. Move plants into permanent position when in full bloom. Keep faded flowers picked; they will stop blooming if any seeds are allowed to form. Growing good Pansies from seed is the test of a real gardener.

Two Interesting House Plants

The **Heavenly Blue Morning Glory** makes an excellent house plant for winter flowering if grown in a sunny window. Start new plants in late August, using 6" pots (they make heavy root growth). They can be trained up strings on either side of the window. **Lobelia** plants can be lifted just before frost, cut back, potted and will flower indoors in late winter.

5 "Where to Plant" Ideas


Flowers in the vegetable garden. To have plenty of cut flowers without disturbing your flower borders, **plant a few rows of flowers along the edge of your vegetable garden.** Or set them out between rows of early lettuce or radishes, where they can bloom after the vegetables have been used.

Annuals in the tulip bed. Just after the late tulips finish blooming, set out some annuals between the tulip plants. If you do this, you may safely leave the tulip bulbs in the ground for several years, or at least until they need separating.

Flowers for trellis or fence. Vines for quick cover here are quite numerous. For brilliant color effects, plant **Cardinal Climber**, **Scarlet Runner Bean**, **Cypress Vine**, or **Japanese Morning Glory**. Less colorful are the **Cup-and-Saucer Vine**, **Hyacinth Bean**, **Balloon Vine**, and **Heavenly Blue Morning Glory**. For heavy foliage effects, gourds are good.

For garage cover. Sometimes it is highly desirable to screen off the bare walls of the back-yard and garage. For quick results, the taller annuals, such as cosmos, hollyhocks and sunflowers are desirable. Any of the vines named in the last paragraph above are suitable, too.

Between drive and property line. This narrow strip is often a very nice place for a long flower border. A low effect may be had by plantings of balcony petunia, portulaca, and sweet alyssum. Or a hedge-like effect is easy to get with **Kochia**, **Four O'clocks**, **Zinnias**, or **Marigolds**.



SWEET PEA
Spencer, Rose Pink



RUSSELL LUPINES



PETUNIA
Rose of Heaven



NASTURTIUMS
Gleam Hybrids



PANSY
Swiss Giant

103 FLOWER SUGGESTIONS FOR PLANNERS

For Shady Locations

Most annuals need plenty of sunlight, but there are a few which do fairly well in the shade, or with partial sun. The following are worth a trial in shady spots:

Cornflower	Cleome
Nasturtium	Candytuft
Pansy	Larkspur
Vinca	Lupine
Coreopsis	Godetia
Nicotiana	Lobelia
English Daisy	Bleeding Heart

In the **vine group**, those which often prosper in fairly shady places are **Cardinal Climber**, **Cup-and-Saucer Vine**, and **Morning Glory**.

For Hot, Dry Locations

In spots where the sun beats down mercilessly all day long, many flowers can not prosper. But some of the annuals can do well, even in these difficult locations. Here's a good list:

Sweet Alyssum	Petunia
Ageratum	Phlox, Annual
Bachelor Button	Poppy, California
Cosmos	Portulaca
Dianthus	Scabiosa
Dimorphotheca	Zinnia
Gaillardia	Four O'Clock
Marigold	Salvia

Perennials for hot locations are less plentiful, but you can usually do well with **Babysbreath**, **Perennial Asters**, **Sedum Acre**, **Statice**, and **Blanket Flower** (Gaillardia).

Flowers for Poor Soil

Of course, the right answer to poor soil conditions is **"Improve the soil!"** But if you can't or don't want to do this, you can usually get fairly good results in poor soil with these:

Amaranthus	Marigold
Balsam	Nasturtium
California Poppy	Petunia
Calliopsis	Portulaca
Gaillardia	Sweet Sultan

These Need Successive Sowings

Some of the annuals which come into bloom quickly, keep blooming for only a little while. If you want them in bloom through the season, make several successive sowings at two to four week intervals. Flowers in this class include:

Calliopsis	Gypsophila
Candytuft	Larkspur
Cornflower	Mignonette
Forget-me-not	Poppy

For Late Gardens

Even in mid-summer, there's still time to start some of the annuals from seed and have lots of bloom before the season is over. The soil must be well prepared and fertilized. The proper flowers for such late planting are:

Babysbreath	Cosmos
Calendula	Portulaca
Cornflower	Shirley Poppy

Petunias and **Snapdragon** seedlings may be started late, too.

Most Dependable Annuals

As every experienced gardener knows, some annual flowers succeed under exactly the same growing conditions which let other flowers fail. There is quite a list of annuals which are highly dependable. Given proper soil and care, these "old reliables" are practically sure to produce good results:

Balsam	Marigold
Calendula	Nasturtium
California Poppy	Petunia
Calliopsis	Phlox
Cornflower	Pinks
Cosmos	Portulaca
Flowering tobacco	Salvia
Four O'clock	Scabiosa
Gaillardia	Shirley Poppy
Globe amaranth	Snow-on-the-mountain
Hollyhock	Sweet Alyssum
Larkspur	Zinnia

Annuals for Fragrance

We are often asked, "What annuals are really fragrant?" We recommend **Alyssum**, **Candytuft**, **Carnation**, **Mignonette**, **Gleam Nasturtiums**, **Petunia**, **Scabiosa**, **Stocks**, **Sweet Peas** and **Wallflower**.

For Winter Bouquets

Several flowers can be dried and used for winter decorations. The everlastings are best known but **Statice** and **Gypsophila** are also fine. **Celosia** will last a long time but is not as showy as the others.



MARIGOLD
Red Head



COREOPSIS
Double Sunburst



CENTAUREA
Imperialis



DIANTHUS
Single, Mixed



CARNATION
Chabaud's Enfants



MARIGOLD
Butterball

FLOWER SEEDS

The finest in the world

KEY TO SYMBOLS

The symbols below the name of each flower give you the following information.

(a)—Annual

(b)—Biennial

(hp)—Hardy Perennial

The Culture Number shown for each variety refers to the "How to Grow" information on page 33.

AGERATUM

(a) Culture I, 4-9"

Blue Cap—A new, very compact sort with rich blue flowers. Pkt. 15c.

Blue Perfection—A deep amethyst blue. Grows to 9 inches high.

Midget Blue—Small 4-inch plants are covered with azure blooms. Pkt. 25c.

ALYSSUM

(a) Culture II (hp) VI, 4-6"

Carpet of Snow (a)—Masses of tiny pure white flowers on 4-inch plants.

Violet Queen (a)—Deep violet highlighted by white in center. Pkt. 15c.

Saxatile (hp)—Dwarf perennial. Golden flowers in earliest spring. Pkt. 15c.

ANTIRRHINUM—Snapdragon

(a) Culture I, 1½-3'

Half-Dwarf, Large flowered—Heavy spikes on 2-foot plants. Mixed colors. Pkt. 15c.

Tall Giant, Large flowered—Large 3-foot spikes with huge flowers. Pkt. 15c.

Lemonade—Clear primrose-yellow. Long, strong stems. A double snapdragon which forms extra petals in each floret. Pkt. 50c.

Maximum—Tallest kind. All colors. Pkt. 25c.

Super-Majestic—Semi-tall to 2 feet. Large flowers, ideal for garden. Pkt. 25c.

Tetra—Rust resistant. Immense flowers in many fine colors. Produce many spikes. Mixed. 25c.

ANCHUSA

(a) Culture I, 2'

Blue Bird—Bushy plants with sprays of clear blue, white-eyed flowers. Pkt. 15c.

AQUILEGIA—Columbine

(hp) Culture VI, 2½"

Mrs. Scott Elliott's Long Spurred—Large colorful blooms. Pkt. 25c.

ARABIS—Rock Cress

(hp) Culture VI, 1'

Creeping plants with small flowers in early spring. Fine for edging. Pkt. 15c.

ARCTOTIS—Blue-Eyed African Daisy

(a) Culture I or II, 3'

Grandis—Two-inch daisies of pearly white with bluish center. Pkt. 15c.

ARMERIA—Thrift

(hp) Culture VI, 1½'

Dwarf rock plants with grassy foliage and globular flowerheads. Pkt. 15c.



ASTER—El Monte

AUBRIETIA—Purple

(hp) Culture VI, 6"

A creeper with large colorful flowers in early spring. Ideal with bulbs. Pkt. 25c.

ASTER

(a) Culture I, ½-2½'

American Branching—Four inch double flowers of compact form. Brilliant colors.

California Giants—Large double with curled petals. 3' plants. Pkt. 15c.

El Monte—A huge flower 8" across. Interlaced crimson petals. Pkt. 20c.


Giant Crego—Large 4-inch flowers with fluffy effect. All colors. Pkt. 15c.

Los Angeles—Huge flower with curled petals of shell pink. Feathery. Pkt. 20c.

Pompon—Early 18-inch plants. Many brilliant colors. Mixed Pkt. 20c.

Princess—Three-inch flowers are compact with a crested center. Mixed. 15c.

Queen of the Market—Early. Short plants. Compact double flowers. Mixed Pkt. 15c.



ASTER—California Light Blue

Sunshine—4" flowers. Loose row of petals, quilled center. Pkt. 25c.

BACHELOR'S BUTTONS—Centaurea, Cornflower

(a), Culture II or IV, 3'

Blue Boy—A fine, clear blue. Flowers are large. Colors intense. Pkt. 15c.

Pinkie—Lovely rose pink. Pkt. 15c.

Red Boy—Bright crimson. Pkt. 15c.

Snow Man—Snow white. Pkt. 15c.

Jubilee Gem—Dwarf, 1' plant. Large, frosty blue blooms. Pkt. 15c. Mixed—

All colors. Pkt. 15c.

Blanket Flower—See Gaillardia.

Balloon Vine—Love in a Puff

(a) Culture I, 1½-2½'

A clean, free-growing vine with small white flowers, and balloon-like seeds.

BALSAM—Lady Slipper

(a) Culture II, 1½-2'

Mixed—Double Camellia-like flowers all summer on bushy plants. Pkt. 15c.

Bellis Perennis—see Daisy, English.

Blue Lace Flower—see Didiscus.

Brachycome—see Daisy, Swan River.

Burning Bush—see Kochia.

Butterfly Flower—see Schizanthus.



CALENDULA—Sunset Shades

ALL FLOWER SEEDS

10c PER PACKET

UNLESS OTHERWISE NOTED

CALENDULA—Pot Marigold

(a) Culture II or IV, 1½'

Orange Shaggy—Large orange flowers with fringed overlapping petals.

Orange Quills—Mid-Orange, bright. Unusual petal habit, curves beneath blossom to meet underneath. Pkt. 25c.

Sunshine—Golden flowers, with drooping petals. Odorless. Pkt. 15c.

Pacific Beauty, Persimmon—Large, bright orange, double flowers. Pkt. 15c.

Sunset Shades—Large flowers in shades of yellow and orange. Pkt. 15c.

Mixed—Fine mixture of many colors and types. Good for cutting.

CALLIOPSIS—Tickseed

(a) Culture II or IV, 1-3'

Dwarf mixture—One-foot plants with many colors of yellow and red.

Tall mixture—A splendid range of colors on tall plants.


CAMPANULA—Canterbury Bells

(b) Culture VIII, 2'

Single—Large bell-shaped flowers in many colors. Graceful plants. Mixed.

Double—Fine double flowers in blue, pink and white shades. Mixed. Pkt. 15c.

Cup and Saucer—Bell-shaped. Saucer of petals at base. Mixed. Pkt. 15c.



CELOSIA

CANDYTUFT—Iberis

(a) Culture III, 1'

White Hyacinth—Large conical spikes of snowy flowers. Fine for edging.

Umbellata mixed—Umbrella-like flower clusters. Many fine colors.

CARDINAL CLIMBER—

Imp. Cypress Vine

(a) Culture III, 10-15'

Slender vine with bright green fern-like leaves. Bright red flowers. Pkt. 15c.

CARNATION

(a) Culture I or VIII, 18"

Chabaud's Giants—Large double flowers with sweet fragrance. All colors. Flower in six months. Pkt. 15c.

CASTOR BEAN—Ricin

(a) Culture III or VII, 10'

Zanzibariensis—Tall, strong plant for bold effect. Large lobed bright green leaves. Fine for backgrounds.

ALL



COSMOS—Sensation

CELOSIA—Cockscomb

(a) Culture I or III, 1-3'

Shades of Red—Low grower with large crested heads. Like rooster combs.

Feathered—Tall, feathery heads of flowers in red and yellow shades.

CHRYSANthemUM

(a) Culture II or IV, 1½'

Single Painted Daisy, mixed—Showy daisy-like flowers. Rings of red, yellow, on white, red or yellow flowers.

CENTAUREA—See Bachelor's Buttons

CLARKIA

(a) Culture II or IV, 2'

Double mixed—Large double flowers in many gorgeous colors. Graceful plant. Does well in light shade.

CLEOME—Spider Plant

(a) Culture II or IV, 3-4'

Pink Queen—A tall plant with many clear pink flowers. Neat foliage. Pkt. 15c.

COCKSCOMB—See Celosia

COREOPSIS

(hp) Culture VI, 2'

Sunburst—Large double flowers of rich golden color. Fine for cutting. Pkt. 15c.

COLUMBINE—See Aquilegia

CORN FLOWER—See

Bachelor's Button

COSMOS

(a) Culture II or IV, 3-4'

Dazzler—Wavy fluted petals of a velvety crimson-maroon. Pkt. 25c.

Orange Flare—Vivid orange flowers on long stems. For brilliant effect. Pkt. 15c.

Orange Ruffles—Semi-double flowers. Golden orange. Airy effect. Pkt. 25c.

Yellow Flare—Butter-yellow flowers. Similar to Orange Flare. Pkt. 15c.

Radiance—A bi-color! Beautiful, deep rose flowers have a rich crimson zone in center. Striking! Pkt. 25c.

Sensation mixed—Huge single flowers with wavy petals, many colors. Pkt. 15c.

CYNOGLOSSUM—Chinese

Forget-Me-Not

(a) Culture II, 15"

Firmament—Hundreds of tiny indigo blue flowers. Resemble Forget-me-nots. Bloom all summer. Pkt. 15c.

DAHLIA

(a) Culture I or II, 14"

Unwin's Ideal Bedding—Semi-double flowers on low bushes. Fine for beds or borders. Many colors. Pkt. 20c.

DAISY, AFRICAN—See Arctotis

DAISY, ENGLISH—Bellis Perennis

(hp) Culture VI, 8"

Low plants with colorful double daisies in early spring. For beds, edges. Pkt. 15c.

DAISY, SWAN RIVER—Brachycome

(a) Culture II, 10"

Mixed—Many colored small daisy-like flowers freely produced all summer. Pkt. 15c.

DELPHINIUM—Perennial Larkspur

(hp) Culture VI, 5'

Giant Pacific Hybrids—World famous strain of immense double flowers on tall stems. Many new colors. Pkt. 35c.

Shades of Blue—A fine mixture of large showy kinds in light and dark blue. Pkt. 35c.

DIANTHUS—Pinks

(a) Culture I or VIII, 1'

Double and Single mixed—Fine mixture of colorful, sweet-scented, garden pinks.

Gaiety—Fringed petals in a wide range of flower colors and shapes. Pkt. 15c.

Heddensis—New tetraploid hybrids! Larger flowers, longer stems, better growth. Many fine colors. Pkt. 15c.

DIDISCUS—Blue Lace Flower

(a) Culture I or II, 2½'

Coeruleus—Lacy heads of lavender and blue flowers. Lovely to cut.

DIGITALIS—See Foxglove

ESCHSCHOLTZIA—California Poppy

(a) Culture III, 1'

Large single poppy-like flowers in many showy colors. Fern-like leaves.

EVERLASTING FLOWERS

(a) Culture II, 1½-3'

Mixed—Contains such favorites as Strawflower and Globe Amaranth. Fine for dried bouquets and winter use.

FLOWERING FLAX—See Linum

EUPHORBIA—See Snow-On-The-Mountain

FOUR O'CLOCK—Mirabilis

(a) Culture III, 2'

Bushy plants covered with flowers of red, pink, white, violet, and yellow. Flowers close in bright sun. Pkt. 15c.

FOXGLOVE—Digitalis

(b) Culture VIII, 3'

Tall spikes of lovely thimble-shaped flowers of pink, rose, and purple. Blooms second year.

HOME GARDENING GUIDE

HOW TO GROW BETTER, BIGGER ROSES

Give roses the best location possible. They want: well-drained soil; at least a half-day's full sunlight (morning sunlight is not especially desirable); shelter and protection from prevailing winds. They should not be too close to large trees.

Prepare the rose beds in advance, if possible. Where the soil is good garden loam which has been under cultivation for some time and is well drained, so there is no standing moisture, the preparation is easy. Dig to twice the depth of a spade—about 24 inches. Mix thoroughly generous quantities of Manure and Bonemeal and two tablespoonfuls of Sulphate of Potash with soil in bottom of hole. Let stand and settle.

Summer Care

Giving your Roses close attention throughout the summer months can add a great deal to the enjoyment you get from them. Here are some of the things to be considered in growing the full-blooming beauties that are the pride of every gardener.

CULTIVATION—Throughout the summer, until September, roses should be cultivated regularly to destroy weeds and aerate the soil. The soil should never be allowed to bake. One method used to keep


a crust from forming is the application of a peat or terra-lite mulch. This also helps conserve moisture. After a heavy rain, it is advisable to hoe and rake rose beds just as soon as the soil has dried sufficiently.

WATERING—Any watering should be thorough. Sprinkling is actually bad for your roses since it brings feeding roots to the surface and causes burning. Water early in the morning, preferably. This way, foliage will be dry by nightfall, lessening the danger from mildew, a disease which likes the combination of cool nights and wet foliage. During extremely hot periods, it is a good idea to hose plants with a strong stream of water several times during the day.


DISBUDDING—Beautiful flowers for cutting may be had by disbudding. The central bud of a cluster is usually the best and by allowing only this bud to develop, you can enhance its beauty. This applies to Hybrid Teas and Hybrid Perpetuals. Polyanthas and landscape Roses need no disbudding. In cutting flowers, it is best to cut in early morning before petals start to unfold. Cut the stems two buds above the point where they branch from the main stem.




HELIANTHUS, Sun Gold




ZINNIA, Exquisite



AGERETUM, Midget Blue




PHLOX, Drummondii




MORNING GLORY, Cornell

How to Plant Perennials

The soil should be well worked and free of big lumps and air pockets. The average planting distance for perennials is one foot apart. Vigorous growers like peonies and mallows require as much as three feet apart. No. 1 plants (see below), such as iris, should be planted with the main root just below the surface of the ground. No. 2 plants, such as peonies should be planted with the tips of the buds at or just below the surface of the ground. No. 3 plants, in which the leaves spring from the crown, should be planted with this crown on the level of the dirt line. No. 4 plants, such as hollyhocks, should be planted with the root straight down and the bud just below the surface of the dirt. Spread roots out naturally. Bring the soil in contact with all roots and press firmly. If the plants are watered, water the roots and not the tops.



MARIGOLD, Mission Giant Yellowstone



How to Plant Shrubs

Keep roots covered with damp sack or something similar and do not let them become dry. Spade ground deeply, digging large holes with perpendicular sides. Cut off broken or bruised roots and cut back top one-third to one-half. Plant slightly deeper than they stood in nursery. Tamp soil firmly around roots and fill top of hole with several inches of loose earth to serve as mulch.

How to Prune and Plant Trees

With shade trees having a heavy top, at least one-third of the top should be removed. Prune to avoid crowding branches. Cut out some of the small branches, shorten back the side branches, but do not cut off the leader or main stem. Try to get well developed head, strong leader and branches at wide, not close, angles. Cut off all broken roots.

In choosing trees for the home grounds, study the house and the effect you want to produce. If the house appears tall or seems to stick up too much in the air, plant trees that will tower and spread over it, or trees that will shoot up tall and narrow and make it appear lower in contrast. If it is a low house it can be made to hug the ground or to appear higher by a judicious selection of trees.

PETUNIA, Radiance



HOW TO GROW

All flowers listed in
this Garden Annual

The numbers, I to VIII, found with every flower listing refer to the following culture notes which give directions for growing all of the flowers we list.

One of the important problems in the garden is that of maintaining a continuous show of bloom. This calls for the use of several different types of annuals, such as those that must be planted early to grow in cool weather (**Culture IV**) and those which bloom later in summer heat (**Culture I and II**). If some of the cool-weather annuals from **Group IV** are sown in mid-summer and kept well watered, they will grow slowly until the cooler days of fall start them into more active growth. These will produce late flowers. Quick-growing annuals from **Group II** may also be sown at intervals for a succession of bloom during the summer.

One way to lengthen the blooming period of annuals is to cut off all flowers as soon as they fade. Annuals complete their life span when seed is formed and frequently stop flowering as soon as the seed ripens. By preventing the seed from forming through removal of all old flowers, the plants are kept growing and blooming.

Culture I

These flowers need a long season and must be started indoors if a full blooming period is to be had. If early bloom is not important, they will bloom later in the summer when sown directly in the garden. Some gardeners sow both ways to obtain a succession of flowers. When starting seedlings indoors, select a place with plenty of light. North or shaded windows may be too dark for best results. Cold frames are generally very good. The seed is planted in small boxes (or flat) that have good drainage and will fit the space you are going to use. Fill them with a mixture of $\frac{1}{3}$ good soil, $\frac{1}{3}$ sand and $\frac{1}{3}$ humus such as peat. Press the soil down firmly and make small rows with the edge of a ruler or lath and slowly shake the seed from the packet into the rows. Sift a light covering of the soil mixture over the seed and moisten with a fine spray. Keep soil moist until the seeds have sprouted. Very fine seed such as that of petunias should be dusted carefully onto a smooth soil surface and covered with a pane of glass. Shade it with newspaper until the seeds sprout. These are best watered by setting the flat in a pan of water until the soil has become thoroughly dampened all the way through. When the seedlings have formed the second true leaves, transplant them into other flats so the plants are about $2\frac{1}{2}$ inches apart. This will give them room to grow to good size before being set out. Expose gradually to outside conditions and plant outside after the weather is warm and settled. When sown directly outdoors, follow directions under **Culture II**.

Culture II

These are the quicker-growing annuals that can be sown directly in the garden and will bloom in time to make a good display for

most of the summer. If wanted especially early, they should be started as directed under **Culture I**. Some flower seedlings are rather delicate. Extra care in preparing the seed bed will pay dividends in better plants.

Prepare soil with a liberal amount of mixed fertilizer and organic matter and dig it in. Rake the surface until it is smooth and pulverized. Sow the seed at a depth equal to three times the diameter of the seed. Fine seed can be spread on the surface and pressed in without covering.

Keep soil moist by light spraying until the seedlings have formed the first true leaves. When they are large enough to handle, they may be transplanted to other parts of the garden.

Culture III

These flowers do not transplant well. They should be planted where they are to bloom.

Sow as soon as the weather begins to warm in the spring. **Otherwise the culture is the same as II.** Sow seed thinly or remove the smaller plants after they are up. These can be handled as pot-grown plants as in **Culture VII**.

Culture IV

These flowers are unusually hardy annuals that can withstand very cool weather. They are often sown late in fall so they can start growing the first warm days of spring. If not sown in fall, they should be planted as early in the spring as possible. Fall sowing gets the seeding job out of the way before the spring rush.

Culture V

These flowers, while garden subjects, are also useful for winter-flowering house plants. **For garden use, handle as in Culture II.** For winter flowering indoors, plant fairly late in the season and transplant

into small pots as soon as they are large enough. Keep moving them to larger pots as roots fill the soil until they are finally in six-inch pots. Annuals in pots should have at least six hours of direct sunlight daily if they are to flower.

Culture VI

Perennials can be seeded at almost any time of the year. Best periods are early in the spring or in early summer when the rush of spring work is over. A cold frame or sheltered bed which can be shaded from the direct sun is best. Prepare soil thoroughly with plenty of organic matter. A loose, friable soil will produce a thick mat of roots so that the seedlings will transplant more easily. Perennial seedlings are rather weak growers needing extra care. In covering the drills in which the seeds are sown, use either pure, clean sand or a mixture of half sand and half peat. This prevents packing of the soil over the seeds. Always water with a fine spray.

As soon as the second leaves form, seedlings may be transplanted into their permanent position. Or, if more convenient, they may be left in the seed-bed until the following spring. Under this culture, only a few species will bloom the first year and they will not produce normal flowers until the following year. Planting earlier does increase the chances for flowers the first year. But, if it is more convenient, **Culture I may be used.**

Culture VII

These varieties need a longer growing season than can be given them outdoors. And because they do not transplant well, they must be started in pots and set out without disturbing the roots. **Otherwise Culture is the same as I.** The use of plant bands allows you to set the seedlings out without disturbing the roots. The bands soon rot away and the seedlings will grow as though started in the garden.

If clay pots are used, the excessive drying can be avoided by placing the pots in a flat and filling the space between them with damp peat or vermiculite. Be sure to keep this material moist or it will draw moisture from the pots.

Culture VIII

These flowers are biennials. They make a leafy growth the first year but do not flower. The leafy growth of the first year forms food for blooming the following year. The flowers appear the second year and then the plant dies.

This means that a continuous show from biennials must be provided by starting new plants every year to replace those that are flowering. Biennials are handled in the same way as perennials except that they are started early in the spring to allow the plant to store as much food as possible for the next year's bloom.

Many gardeners start biennials in the vegetable garden or special starting bed and then transplant the ones needed to the flower garden the following spring. During the winter, biennials should be given the same treatment as perennials.

PETUNIA—Fire Chief, 1950 Gold Medal Winner.
The first flower development to win the gold medal in eleven years! This "natural color" reproduction cannot do justice to the real life, fiery-red brilliance and beauty of Fire Chief. A wonderful addition to your garden. Be sure to ask us about it.



GAILLARDIA—Blanket Flower

(a) Culture II, (hp) VI, 2'

Single, Mixed (a)—Large daisy flowers in many brilliant colors. Pkt. 15c.

Double, Mixed (a)—Double flowers in wide range of showy colors. Pkt. 15c.

Picta (a)—Showy round flowers with tubular petals. Many brilliant colors. Pkt. 15c.

Monarch (hp)—Superb daisy type flowers in shades of red and yellow.

GILLIFLOWER—See Stocks

GLOBE AMARANTH—See

Everlasting Flowers

GOMPHRENA—See

Everlasting Flowers

GODETIA—Satin Flower

(a) Culture I or II, 2'

Double, Mixed—Azalea-like flowers of many colors on bushy plants.

GOURDS, ORNAMENTAL

(a) Culture III, 12'

Mixed—Large and small kinds that will be useful for drying and novelties.

GEUM

(hp) Culture VI, 1½'

Mrs. Bradshaw—Glowing Scarlet flowers. Bright green foliage. Pkt. 20c.

GYPHOPHILA—Baby's Breath

(a) Culture I, (hp) VI, 1½-3'

Annual White (a)—Open, bell-shaped blooms on branching stems give airy touch to garden or bouquet.

Annual Pink (a)—The small flowers are a rosy pink. Like above.

Perennial white (hp)—Large loose clusters of small flowers give misty effect.

HELIANTHUS—Sunflower

(a) Culture II, 6'

Sun Gold—Large double flowers of a brilliant golden yellow. Pkt. 15c.

HIBISCUS—Rose Mallow

(hp) Culture VI, 4'

Giant mixed—Huge bell-shaped flowers in white, pink, red. Tall plants for damp spots. Pkt. 15c.

HUNNEMANNIA—Mexican

Tulip Poppy

(a) Culture III, 1½'

Sunlite—Soft yellow double poppy type flower. Bluish fine cut leaves. Pkt. 15c.

HOLLYHOCK

(hp) Culture VI or VIII, 5'

Double mixed—Large double flowers on tall spikes. Bloom in midsummer. Excellent backgrounds. Pkt. 15c.

KOCHIA—Burning Bush or Summer Cypress

(a) Culture III, 2½'

Compact pyramid. Needs no trimming. Bright green foliage makes neat, quick hedge. Turns bright red in fall.

LARKSPUR—Annual Delphinium

(a) Culture II or IV, 3'

Blue Spire—Tall spikes of large double flowers in a lovely violet blue. Pkt. 15c.

White King—Pure glistening white spikes. Tall and stately. Pkt. 15c.

Pink Perfection—Lively light salmon pink. Glorious when cut. Pkt. 15c.

Regal—Rose color. Long, thick spikes with exceptionally large florets. Vigorous and early. Pkt. 25c.

Ruby—A genuine ruby red. A bright color in garden or bouquet. Pkt. 15c.

Giant Imperial mixed—A fine mixture of the above kinds and others. Pkt. 15c.

LATHYRUS LATIFOLIUS—See

Perennial Sweet Pea

LAVATERA—Annual Mallow

(a) Culture II, 2-3'

Loveliness—Large bowl shaped, rosy pink flowers all summer. Attractive bronzy foliage. Pkt. 15c.

LINUM—Flowering Flax

(a) Culture III, (hp), VI, 1-2'

Scarlet (a)—Bright red flowers in a constant succession all summer.

Perennial Blue (hp)—Low bushy plant blooming from spring to mid-summer. Small, clear blue flowers in profusion. Pkt. 25c.

LOBELIA

(a) Culture I or V, 4"

Crystal Palace—Compact border plant with myriads of tiny bright blue flowers. For all low use. Pkt. 25c.

LUPINE

(hp) Culture III or VII, 3'

Russell's Mixed—Finest of all the lupines! Brilliant colors in long, strong spikes of pea-shaped flowers. Pkt. 25c.

MALLOW, ANNUAL—See Lavatera

MALLOW, ROSE—See Hibiscus

MARIGOLDS

(a) Culture I or II,

Tall Types 1½-3'

Burpee Gold—Large carnation-like flowers in bright orange. Odorless foliage. Pkt. 15c.

Guinea Gold—Large round flowers in a rich gold. Very popular.

Yellow Supreme—Light yellow, large flowers of carnation form. Pkt. 15c.

Sunset Giants—Huge dahlia-flowered strain. Lemon and gold. Pkt. 15c.

Crown of Gold—Golden flowers with crested center and broad collar of petals. Odorless foliage. Pkt. 15c.

Double Dwarf Types ½-1'

Melody—Foot high plants with loads of orange ball-shaped flowers. Pkt. 15c.

Spry—Compact plants with showy yellow flowers bordered with mahogany. Pkt. 15c.

Sunkist—Compact plants with masses of golden orange blooms. Pkt. 15c.

Scarlet Glow—Compact, with bright red, 2" blooms. Reddest of all. Pkt. 15c.

Double French Hybrids mixed—Compact plants with flowers in yellow, orange, mahogany, and bronze. Pkt. 15c.


Single Dwarf Types, 1-1½'

Flash—Plants have many 1¾" flowers in tangerine and red shapes. Grows about 18". Pkt. 25c.

Naughty Marietta—Open 2½" flowers are rich gold with maroon at base of petals. Splendid for edging. Pkt. 25c.

Red Head—New! 1948 All-America Award. Crested center of gold edged maroon, petals deep changeable red. Pkt. 25c.

Royal Scot—Alternating stripes of red and gold. Very different. Pkt. 15c.




HANDY PLANTING GUIDE FOR FLOWER GARDEN PLANNERS

KEY—For classification of flowers by purpose, location, etc., see the second column below. The meaning of the key letters in this column is as follows:

- | | |
|------------------------------|-----------------------------------|
| A—For dry, hot locations | G—For their foliage |
| B—For a succession of blooms | H—Everlasting for winter bouquets |
| C—For shady locations | I—For their fragrance |
| D—For poor soil | J—For porch or window boxes |
| E—For edging | K—Climbing Vines |
| F—For the rock garden. | L—For backgrounds. |



	Height (Inches)	Suitable for	Average Days to Germinate	Approx. Time of Bloom	Shape of Plant
Ageratum	4-12	E F J	5-10	10 Wks.	bushy
Alyssum, Sweet	2-12	B C D E F I J	5-10	6 Wks.	spreading
Antirrhinum	12-60	C I L	20-25	3-4 Mos.	bushy
Aquilegia	18-36	C E F	15	3 Mos.	branchy
Balsam	14-20	A E	10-12	6 Mos.	erect
Calendula	12-36	D	10-14	12-14 Wks.	bushy
Campanula	18-24	F	8-15	10-12 Wks.	bushy
Candytuft	6-18	B F I	5-10	8-10 Wks.	bushy
Centaurea	18-36	A B C D E I J	5-20	3-4 Mos.	erect
Chrysanthemum	24-36	A E	5-20	8-10 Wks.	bushy
Celosia	12-36	D E H	20-25	10 Wks.	bushy
Cosmos	36-60	A	5-15	10-12 Wks.	bushy
Coreopsis	18-36	A B D	10-20	4-5 Mos.	bushy
Dahlia, Dwarf	14	F	10	3-4 Mos.	bushy
Delphinium	36-72	L	15-21	3-4 Mos.	tall
Digitalis	30-48	F	10-20	3-4 Mos.	erect
Dianthus	4-15	F I	5-10	12 Wks.	bushy
Eschscholtzia	10-12	C D F	5-12	12-15 Wks.	bushy

Four O'Clock	24-30	A D	5-10	3-4 Mos.	bushy
Gaillardia	18-30	D	15-20	2-3 Mos.	bushy
Godetia	12-24	C D	15-20	2 Mos.	erect
Gypsophila	18-36	B H	15-20	8-10 Wks.	branching
Helichrysum	24-36	H	5-10	3 Mos.	bushy
Hollyhock	48-84	L	5-20	10 Wks.	slender
Kochia	30-36	A B	15-18	Foliage	bushy
Larkspur, Annual	30-72	L	15-20	10-12 Wks.	tall
Lathyrus	60-72	I K	25-40	2-3 Mos.	vine
Lobelia	4-8	E J	10	10-12 Wks.	bushy
Marigold	8-36	B J	5-8	6-8 Wks.	bushy
Mignonette	10-12	B I		3-4 Mos.	erect
Moon Flower	12 ft. or more	I K	5-8	4-5 Mos.	vine
Morning Glory	12 ft. or more	A K	5-8	3-4 Mos.	vine
Nasturtium	12-36	D E F K	8-15	2-3 Mos.	bush. vine
Nigella	10-18	B F	10-15	10-12 Wks.	bushy
Nicotiana	30-48	I	20-25	10-12 Wks.	branchy
Pansy	4-8	C E F	10-15	10-12 Wks.	clump
Petunia	10-24	D E F J	18-20	10-12 Wks.	bushy
Phlox	10-18	A B C F I J	20-25	8-10 Wks.	bushy
Poppy	18-36	B	20	12-15 Wks.	erect
Portulaca	4-6	A D E F J	18-20	6 Wks.	spready
Salvia	12-42	A	15-25	3-4 Mos.	bushy
Scabiosa	18-30	I	18-20	2-3 Mos.	bushy
Stocks	12-24	I	5-15	12-14 Wks.	bushy
Schizanthus	18-36	C E	20-25	6-8 Wks.	bushy
Sweet Pea	36 or more	K	15-20	10-12 Wks.	vine
Sweet William	12-24	F	10	12 Wks.	bushy
Verbena	6-12	E F J	8-10	12 Wks.	spready
Wallflower	12-18	I	5-12	2-3 Mos.	bushy
Zinnia	12-36	A F	5-10	6-8 Wks.	bushy



CALENDULA, Orange Shaggy


DELPHINIUM, Pacific Hybrids



GAILLARDIA, Double Mixed



BACHELOR'S BUTTONS, Blue Boy



PINKS
(Dianthus)
HEDDENSIS,
Tetra Mixed

MIGNONETTE—Reseda

(a) Culture III, 1'

Low grower with tiny, white blooms that are very sweet scented.

MORNING GLORY—Ipomoea

(a) Culture III, V or VII, 12'

Blue Star—(All American Winner) Beautiful sky blue with five deep blue mid-ribs forming a star. Early flowering. Pkt. 25c.**Heavenly Blue**—Sky-blue flowers on a tall, neat climber. Flowers close in bright sun. Exquisite on fences. Pkt. 15c.**Pearly Gate**—A shining white form of Heavenly Blue. Pkt. 25c.**Scarlett O'Hara**—Large velvety scarlet flowers. Very showy. Pkt. 20c.**Mixed**—Many lovely shades.**Moss Rose**—See **Portulaca****Mourning Bride**—See **Scabiosa****NASTURTIUM**

(a) Culture III or V

Dwarf or Bush Kinds 1'**Golden Globe**—Semi-double flowers of bright gold. Pkt. 15c.**Scarlet Globe**—Fiery scarlet double flowers. Pkt. 15c.**Mahogany Gem**—Deep velvet mahogany red double flowers. Pkt. 15c.**Gem Mixed**—All colors. Pkt. 15c.**Single Mixed**—Complete mixture of all colors in the well-known single type.**Tall or Vine Kinds 3-10'****Golden Gleam**—Large golden flowers. Double and fragrant. Pkt. 15c.**Scarlet Gleam**—Fiery orange scarlet flowers. Double and fragrant. Pkt. 15c.**Salmon Gleam**—Delicate golden salmon double flowers. Pkt. 15c.**Glorious Gleam**—A mixture of all the lovely colors of the Gleam series. Pkt. 15c.**Tall Single Mixed**—The old single type in the tall growers. All colors.**NEMOPHILA—Baby Blue Eyes**


(a) Culture II, 6"

Many cup-shaped sky-blue flowers on low spreading plant. Pkt. 15c.

NICOTIANA—Flowering Tobacco

(a) Culture I or II, 2-3'

Long-tube starry flowers. Fragrant at night. White or light pink mixed.

PAINTED TONGUE—See **Salpiglossis****SALPIGLOSSIS****PANSY**

(a) Culture I, II or VIII, 8"

Swiss Giants—Large flowering strain with fine range of gorgeous colors. Best of the improved pansies. Pkt. 50c.**TUFTED PANSY**—See **Viola****PERIWINKLE**—See **Vinca****PETUNIA**

(a) Culture I or IV

Small Flowered, 10-14"**Balcony**—Trailing kinds for use in window boxes and bedding. White, red, rose, or blue. Each. Pkt. 20c.**Blue Bee**—A lovely violet blue. Pkt. 15c.**Cheerful**—Clear salmon pink with rose veining in throat. Compact. Pkt. 25c.**English Violet**—A fine purple-violet color. Spreading plant. Pkt. 20c.**Fire Chief**—Brilliant red. All American Gold Medal Winner for 1950. The first flower to win this award in eleven years! Pkt. 35c.**Flaming Velvet**—A velvety blood red. Best of its color. Pkt. 20c.**Glow**—Rich carmine red flowers on a compact plant. Brilliant. Pkt. 25c.**Martha Washington**—Ruffled flowers of pale pink, violet throat. Pkt. 25c.**Rose of Heaven**—Best of the rose colored strains made famous by Rosy Morn. Color is slightly deeper and more uniform. Compact. Pkt. 15c.**Silver Medal**—New 1949 All American Award. A lovely salmon. Good size flowers on compact plants. Pkt. 50c.**Large Flowered, 12-20"****America**—Double carnation-like flowers of a deep rose pink. Pkt. \$1.00.**Burgundy**—Huge single flowers of a rich wine red, white throat. Pkt. 25c.**Colossal Shades of Rose**—1948 All-American. Large plants have huge flowers of light and deep pink shades. Very double with many frilled and fringed petals. Pkt. \$1.00.**Glamour**—Huge ruffled blooms of a luscious salmon. Blooms early. Pkt. 25c.**Giants of California**—Huge flowers of many fine pastel tints. Pkt. 25c.**Little Giants mixed**—Compact plants with medium flowers in many new colors and shapes. Pkt. 20c.**Snow Storm**—Large plain glistening white flowers with creamy shading in throat. Very beautiful. Pkt. 50c.**Theodosia**—Large ruffled flowers of deep rose pink with golden throat. Very showy and lovely. Pkt. 25c.**PHLOX**

(a) Culture II, 8-12"

Lovely clusters of showy flowers on low plants from early spring on. Easily grown. Many splendid colors.

Separate colors, each, Pkt. 25c.**Mixed, Pkt. 15c.****PINKS**—See **Dianthus****PINCUSHION FLOWER**—See **Scabiosa****POPPY**

(a) Culture IV, (hp) VI, 1½-3'

Gartford—Pastel mixture. Long stemmed. Very rich. A most unusual giant flowering strain. Pkt. 35c.**Iceland mixed**—Excellent perennial for borders and rock gardens. Large colorful flowers from ferny foliage. Pkt. 15c.**Oriental Scarlet**—Huge red blooms in early summer from perennial root. Useful for bold color. Pkt. 15c.**Shirley, mixed**—The easily grown, lovely annual poppy. Many bright colors. Grows easily and self-sows.**POPPY, CALIFORNIA**—See **Eschscholtzia****POPPY, MEXICAN TULIP**—See **Hunnemannia****PORTULACA—Moss Rose**

(a) Culture, III or IV, 6"

Jewel—Huge crimson flowers. Much larger than old kinds. Pkt. 25c.**Single, mixed**—Many brilliant colors.**Double, mixed**—All double. Pkt. 15c.**POT MARIGOLD**—See **Calendula****RICINUS**—See **Castor Bean****SALVIA—Flowering Sage**

(a) Culture I, 2-3'

America or Globe of Fire—The well-known Scarlet Sage that is a blaze of vivid scarlet in summer. Pkt. 25c.**Blue Bedder**—Deep medium blue. Slender plant for airy effect. Use to lighten up thick heavy plantings. Pkt. 50c.**SALPIGLOSSIS—Painted Tongue**

(a) Culture III, 30"

Mixed—Large petunia-like flowers of rich velvety colors, veined with gold.**SCABIOSA—Mourning Bride, Pincushion Flower**

(a) Culture III or IV, 2'

Blue Moon—Large double flowers of deep lavender blue. Pkt. 15c.**Peace**—Round double flowers of pure white. Fine for cutting. Pkt. 15c.**Rosette**—Beautiful deep rose flowers with salmon shadings. Pkt. 15c.**Imperial Giants, mixed**—Large globe-shaped flowers in a wide range of red, white, coral, rose and blue. Pkt. 15c.**Mixed**—All colors of the old type.**SATIN FLOWER**—See **Godetia****SCARLET FLAX**—See **Linum****SCARLET SAGE**—See **Salvia****SCHIZANTHUS—Butterfly-Flower**

(a) Culture II or IV, 1½'

Mixed—Small flowers shaped like multi-colored butterflies. Delicate cut leaves. Free flowering. Pkt. 25c.**SEA LAVENDER—Statice**

(a) Culture I, 2'

Bonduelli—Bright yellow flowers. Useful when dried. Pkt. 20c.**Mixed**—Small tubular flowers in branching spikes. Many colors. Pkt. 20c.**Suworowii**—Bright rose flowers crowded on slender spikes. Pkt. 20c.**SPIDER PLANT**—See **Cleome****STRAW FLOWER**—See **Everlasting Flowers****SHASTA DAISY**

(hp) Culture VI, 2'

Alaska—Largest of the Shasta strains. Big, white flowers with yellow centers.**SNAP DRAGON**—See **Antirrhinum**

SNOW-ON-THE-MOUNTAIN—

Euphorbia

(a) Culture III, 2'

Bright green foliage edged with white. Effective for edging or contrast. Pkt. 15c.

STOCKS—Gilliflower

(a) Culture I or IV, 1-2'

Giant Imperial—Excellent double flowers on tall stems. Many bright colors. Pkt. 25c.

Beauty of Nice—Branching, with large double, fragrant flowers. Pkt. 15c.

Dwarf Ten Weeks—Low growing with strong spikes. Many fine colors.

SWEET PEAS

(a) Culture III, 3'

Early Spencer—Earliest of the many strains. Large colorful, fragrant blossoms. By variety or mixed. Pkt. 15c.

Late Spencer—Large fine flowers that flower in early summer. The standard ones for outdoor use. By colors or mixed. Pkt. 15c.

Margaret O'Brien—Salmon-coral diffused with an unusual luminous orange sheen. Pkt. 25c.

Ruffled Spencer—Wavy and ruffled petals give fine effect. Many fine colors or mixed. Pkt. 15c.

Perennial Sweet Pea—Large vine and large flowers. Useful on trellis or fence. Not fragrant. Blooms all season. New stems yearly. Pkt. 15c.

SWEET SULTAN

(a) Culture II or IV, 2½'

Mixed—Lovely colorful thistle shaped flowers. Easily grown.

SWEET WILLIAM—Dianthus Barbatius

(hp) Culture VI, 1½-2'

Double—Double flowers crown the heavy heads of many colors. Pkt. 15c.

Single—Lovely single pinks in large flat clusters. Fine for cutting.

THRIFT—See *Armeria*

TICKSEED—See *Calliopsis*

TITHONIA—Golden Flower of the Incas

(a) Culture I, 6'

Fireball—Single dahlia-like scarlet flowers on tall plants. Pkt. 15c.

TRITOMA—Red Hot Poker

(p) Culture VI, 3-4'

Pfitzer's Hybrids—Narrow tubular flower on tall spikes, orange red. Graceful grassy foliage. Not perennial under some conditions. Pkt. 15c.

VERBENA

(a) Culture I, 8"

Lavender Glory—Lavender with white eye. Large clusters. Fragrant. Pkt. 15c.

Mammoth White—Large heads of pure white. Useful for contrast. Fragrant. Pkt. 25c.

Scarlet—Flaming scarlet heads. Brilliant in beds. Pkt. 15c.

Blue Shades—Medium and dark blues in mammoth type. Pkt. 15c.

Mixed—Huge flower clusters, all colors. Ideal for beds and borders. Pkt. 15c.

VINCA—Periwinkle

(a) Culture III, 15"

Mixed—Colorful starry flowers on glossy-leaved, bushy plants. Does well in shade. Pkt. 15c.

VIOLA—Tufted Pansies

(hp) Culture VI, 6'

Mixed—Miniature pansies from neat plants. Flower all season. Many showy colors mixed. Pkt. 20c.

WALLFLOWER

(a) Culture I or V, 1½'

Mixed—Blood-red and yellow flowers. Resemble single stocks. Early and fragrant.

WILD FLOWER MIXTURE

(a) Culture II or III ½-3'

Old fashioned flowers in a fine mixture for all season flowering. Sow thinly and enjoy continuous flowers and delightful surprises. These are not wild flowers of the fields but a selection of garden flowers that gives a "wild" garden look when planted in a border. A good way to get acquainted with some of the unusual kinds of garden flowers.

ZINNIA

(a) Culture I or II

Small Types, 12-18"

Black Ruby—Compact, round little flowers of a deep velvety maroon. Lilliput type. Pkt. 15c.

Red Riding Hood—Deep scarlet flowers 1" across. Free flowering. Fine border plant of Lilliput type.

Lilliput pastels—Lovely soft colors in the miniature strain. Fine for borders or small bouquets.

Linearis—Single daisy-like type with small flowers in orange colors. Pkt. 15c.

Mexicana—Single and double flowers in varied and variegated colors.

Navajo mixed—Resemble Gaillardias in shape. Many colors in showy mixture. Medium size plants and flowers. Pkt. 15c.

Pumila Sunshine Tints—Dwarf plants with medium flowers in a wide range of soft colors. Pkt. 15c.

Scabious Flowered—Medium size flowers on a semi-tall plant. Resembles Scabiosa in shape. Bright colors mixed. Pkt. 15c.

Tom Thumb mixed—Lilliput type flowers on a very dwarf plant. For low borders and miniature displays. Pkt. 15c.

Fantasy—Medium tall plants with medium size flowers having shaggy petals.

Melody (orchid lavender), **Star Dust** (golden), **White Light** (white), **Wild-fire** (scarlet), and **Mixed**. Pkt. 15c.

Large Types, 2-2½'


Crown of Gold—Lovely golden shades with deep golden base to the petals. A large type resembling California Giants. Pkt. 15c.

Super Crown of Gold Pastels—New, improved, with many pastel colors overlying the golden base. Pkt. 15c.

Dahlia Flowered mixed—Huge flowers in a bewildering range of bright and pastel colors. Pkt. 15c.

Giants of California, mixed—Mammoth flowers in many striking colors. Largest of all. Pkt. 15c.

Will Rogers—Dahlia type with deep scarlet color. A striking and popular variety. Pkt. 15c.



How? When?

PLANT FEEDING

Where? Why?

As every gardener knows, good seed alone can't make a successful garden. No matter how good the seed, it needs proper feeding. Like any living thing, it must be nourished.

As seedsmen, we do everything in our power to bring you the finest of seeds. We select seeds with the right heritage, with the inborn qualities that are needed to win out in the battle every growing thing must fight.

But once our good seed is in your hands, the rest is up to you! So—in your plans to get the best possible results from our good seed, consider carefully the information on plant feeding which we give you here.

Actually, plant feeding nowadays is a rather simple, easy job. While plants need many different elements of food for best growth, all these elements can be provided by one complete balanced plant food such as Vigoro. Without odor or muss, the modern balanced plant food takes care of all the usual plant needs of the garden—and does it inexpensively.

As to the questions of "How, when, where and why"—most of the information you need can be told in a few words. The basic routine of plant feeding for the home garden and lawn is this:

For LAWNS:

Follow these 3 steps . . .

1. Check to see that grass is dry!
2. Apply evenly 3 pounds of complete plant food per 100 feet of area, either with a spreader or by hand.
3. Soak the plant food into the ground immediately after applying.

If water is not available merely work the plant food off blades of grass with back of rake. NOTE: If plant food is applied early, before growth starts, steps 1 and 3 do not apply. Early thaws and spring rains work the plant food into the soil.

For FLOWERS, VEGETABLES, BERRIES . . .

Apply complete plant food at the rate of 4 pounds per 100 square feet of area before seeding or setting plants. For established perennials apply around plants or along both sides of row early in Spring and at six to eight week intervals.

For TREES . . .

Make a series of holes 12 to 18 inches deep with a 2" soil auger or a pointed stick under the drip of the branches. Figure the plant food need per tree by measuring diameter four feet from the ground and allowing 3 pounds of complete plant food


per inch of diameter. Fill holes with a mixture of half plant food and half soil or sand. * * *

As to your choice of plant food: We recommend VIGORO because of its unexcelled balance and its long record of unfailing reliability.

Two more gardening aids by the makers of Vigoro

Gardeners in our area are getting a lot of help from two other gardening aids presented by Swift & Company, the makers of Vigoro.

These two gardening essentials are END-o-PEST and END-o-WEED. End-o-Pest provides all the protection most gardens need against chewing insects, sucking insects and fungus diseases. It comes ready to use in a dust gun applicator that's easy to refill with a refill cartridge. End-o-Pest is also available in large economical packages for use in standard dust guns. End-o-Weed is an improved selective lawn weed killer. It kills over 100 weeds, roots and all. And it is easy to apply with the new End-o-Weed Side Spray that applies diluted End-o-Weed to the side while you walk. No pumping . . . no wet feet. The Side Spray fits on an ordinary gallon glass jug. Ask us about these two great gardening aids. You'll find them a real help in making your gardening easier and more successful.



Year after year VIGORO develops humus in lawn soil




UNFED

VIGORO-FED

Vigoro helps develop vigorous root systems. Each year as part of the old roots decay, humus (organic matter) is formed in the soil—rich, fertile! Your soil becomes more capable of sustaining your lawn through all kinds of weather . . . a better storehouse for moisture and plant food.

What's more, the vigorous roots and the thick top growth that Vigoro helps produce actually tend to choke out weeds! For a lawn of lasting beauty, feed Vigoro regularly.



PLANT FOODS and SOIL CONDITIONERS

Whenever you buy plant foods, remember that the safe place to buy them is the seed store. As seedsmen, we know the plant feeding needs of our area. And our know-how is always at your service.

ALUMINUM SULPHATE—Used in creating acid soils needed for successful culture of Azaleas, Rhododendrons, etc.

BONE MEAL—All-purpose fertilizer, rich in nitrogen and phosphoric acid.

BLOSSOM-SET—Hormone spray. Prevents blossom-drop on Tomatoes, greatly increasing crop. Also causes high percentage of seedless fruit.

FRUITONE—The remarkable hormone spray that stops pre-harvest drop of fruit. Sprayed on flowers of tomatoes it makes a high percentage of the crop SEEDLESS! Also beneficial on beans and on flowers.

HY-GRO—Extra-highly concentrated plant food, quickly soluble in water. Excellent starter solution and all-around fertilizer.

HYPONEX PLANT FOOD—Can be used in dry or liquid form; teaspoonful makes 1 gallon. Contains Vitamin B1.

LIME (Hydrated)—Sweetens sour soil for lawns, and clover. Is used as a reducer and in combination of many insecticides; for whitewash, deodorizing.

NITRATE OF SODA—Very quick source of nitrogen. Hastens maturity of crops. Should not be applied until plants are well above ground.

PEAT MOSS—Fine winter protection for lawns; also as a mulch on strawberry, perennial beds, roses, evergreens, etc. When incorporated in the soil, it promotes growth and supplies humus.

PLANTABBS—Clean, white odorless plant food tablets for indoor or outdoor use.

ROOTONE—You can help cuttings to root faster by dripping them in this hormone powder before planting.

ROSETONE—New hormone product designed to reduce loss in transplanting rose bushes and to make them develop better root systems.

ROSE FOOD—A balanced combination of organic ingredients, selected for the particular "make-up" and sequence availability that roses need. Improves the color and size of your roses

HY-GRO SOLUBLE PLANT FOOD

(13-26-13)

**For flowers,
potted plants,
vegetables and lawns**

Brings a balanced diet right to the roots. Use according to directions on package for starter solution and transplanting. Easy to use.

3 oz. 30c—20 oz. \$1.00
—10 lb. \$4.50. Also in 25,
50 and 100-lb. sizes for
estates and larger growers.

**Ask for
FREE booklet**

A PRODUCT OF McCORMICK & CO.

SHEEP MANURE—An economical and effective balanced plant food. Weed-free and rapid in its action. Supplies an abundance of humus and all the essential plant-food elements.

SUPER PHOSPHATE—Aids plant nutrition and assists the plant to assimilate other ingredients. An efficient fertilizer element for lettuce, truck crops, cereal crops and alfalfa.

TERRA-LITE (VERMICULITE)—Use as mulch to protect plants during winter; doesn't mat down or become soggy. In Spring, work it around base of plants as soil conditioner. Unexcelled growing medium for flats; aids seed germination, speeds root development. Also excellent for storing root crops and bulbs.

TRANSPLANTONE—New Vitamin-Hormone stimulant effective in reducing transplant shock, and wilt of all kinds of plants or shrubs. Also effective in bringing about earlier maturity on tomatoes, lettuce, celery, peppers, tobacco and cabbage.

VIGORO—The complete plant food. Supplies all the elements growing things need from the soil. Because it offers such complete nourishment, Vigoro helps produce greater yields of finer flavored, more nutritious vegetables. Produces lovelier lawns and flowers. Clean and odorless.

PLANTABBS—Good for Everything That Grows

**A Rich Meal of Nitrogen,
Phosphates, Potash, Plus
Vitamin B¹**



Feed them PLANTABBS. If you don't get lovelier plants and flowers, and a greater yield of finer vegetables, you get your money back. PLANTABBS are clean, odorless, highly concentrated PLANT FOOD TABLETS which help produce sturdy stems, luxuriant leaves, strong roots and gorgeous blooms. 25c, 50c, \$1.00 and \$3.50 size boxes.



**Fulton's
PLANTABBS**

PLANT FOOD TABLETS PLUS B¹

HYPONEX PLANT FOOD



Simply dissolve and water your plants. Grows superior plants, flowers, vegetables, indoors or out, in poorest soil—even in sand or water (Hydroponics). Clean, odorless. Complete and balanced. Won't burn. Results sure. 1 oz. makes 6 gallons.

	Retail
1 oz. pkt. (packed 72 to case).....	10c
3 oz. can (packed 36 to case).....	25c
7 oz. can (packed 24 to case).....	50c
1 lb. can (packed 12 to case).....	\$1.00
10 lb. drum, makes 1,000 gals.....	8.00
25 lb. drum, makes 2,500 gals.....	15.00
50 lb. drum, makes 5,000 gals.....	25.00
100 lb. drum, makes 10,000 gals.....	40.00



**AMAZING NEW
GROWING MEDIUM**

Most talked about gardening product in years. Terra-Lite stores air and moisture for use by plants as needed. Has no equal for *starting seeds—rooting cuttings—building lawns—conditioning soil—mulching—storing bulbs* . . . countless other uses all through the year. Sensational results at low cost. 3 sizes. Buy a bag today. *Terra-Lite is a registered trademark.

LEGUME INOCULATION

Just as necessary for garden peas and beans, lima beans, sweet peas and lupines as for alfalfa, clover, etc. The nitrogen-gathering bacteria build up the soil, increase your yields. Inoculation is the cheapest form of crop insurance. Packages from the 15c garden size up to 5-bushel size.



ALFALFA (A)	SOYBEANS (S)
Sweet, Bur, Hubam	Size Retail
Clovers	2 bu. each.....\$.30
Size Retail	5 bu. each..... .50
1 bu. each...\$.50	25 bu. each..... 2.25
1/2 bu. each... 1.00	30 bu. each..... 2.95
	(6-5 bu. cans)
CLOVERS (B)	
Red, Alsike, Crimson, White and Ladino.	
1 bu. each...\$.50	
1/2 bu. each... 1.00	
LESPEDEZA (L)	
100 lb. size (Inoculates up to 100 lbs.)	
.....\$.50	
PEAS, VETCHES (C)	
ALL VARIETIES	
100 lb. size (Inoculates up to 100 lbs.)	
.....ea. \$.50	
LUPINES (All Varieties)	
100 lb. Size (Inoculates up to 100 lbs. seed)	
.....ea. \$.50	
GARDEN SIZE—Peas, Beans, Sweet Peas, Lupines, Lima Beans and Edible Soybeans.	
Enough for 8 lbs. seed—Price 15c each.	

INSECTICIDES & FUNGICIDES

"PRICES

Subject to change"

As is usual in seed catalogs, we must notify you that prices are subject to change without notice. We shall, of course, make every effort to maintain our listed prices.

GARDEN SUPPLY PRICES NOT PREPAID

While prices quoted on garden seed include our shipping costs, this is not the case on our other lines. So, when ordering garden supply items by mail, please remember shipping costs are EXTRA.

ANTROL ANT TRAPS—Kills both sweet and grease eating ants.

ARSENATE OF LEAD—Controls practically all leaf-eating or chewing insects.

BLACK LEAF 40—Nicotine Sulphate 40% solution for controlling aphids (plants lice), thrip and soft bodied sucking insects.

BLACK LEAF 40 MOSQUITO-FUMER—New outdoor mosquito killer. Effective "smoke aerosol" deadly to mosquitoes.

BULB PROTECT—Repels moles, mice, wards off fungus diseases from bulbs in ground.

CALCIUM ARSENATE—Cheap quick-acting poison for potato bugs; leaf-eating insects.

BORDEAUX MIXTURE—Standard copper insecticide for controlling black spot, mildew, blight, other fungus diseases.

CERESAN—Controls covered smut and stripe of barley, oat smuts, and bunt or stinking smut of wheat.

DU PONT FLORAL DUST—Contains methoxychlor, and rotenone. Especially recommended for rose disease control; protection against insects.

DURADUST—A ready-to-use dust for home gardens, contains 5% DDT and 9% metallic copper. Particularly effective on rose chafer, leaf hopper and corn ear worm.

D X SPRAY—Economical spray for both sucking and chewing insects. Harmless to human beings.

LIME SULPHUR, Liquid—A dormant spray material against scale of all kinds.

LIME SULPHUR, Dry—A dormant spray to kill scale or use as a summer spray for control of fungus disease.

MILDEW SPRAY—Strong liquid spray for control of mildew, leaf spot and black spot on rose bushes, flowers.

MO-GO—Kills moles and gophers. Just place in runs. Results guaranteed.

PARIS GREEN—For control of chewing insects, particularly potato bugs.

PESTMASTER—Rose Treatment—All in one package, a pre-mixed, ready-to-use treatment for the control of the chief rose insects and diseases.

PHYGON-XL FUNGICIDE—Controls all leaf blights and fruit rot of Tomatoes, black spot of Roses, apple scab and many other plant diseases caused by fungi. A seed protectant to be dusted on Beet, Tomato, Spinach, Swiss Chard, Peppers and other seeds, before planting to prevent seed decay and "damping-off."

ACME GARDEN DUSTS AND SPRAYS

ACME GARDEN GUARD

(.75% Rotenone)

Widest range of all insecticides for the garden

Acme Garden Guard controls the widest variety of chewing and sucking insects of any insecticide on the market today. Non-injurious to humans, pets and animals. Use as dust or spray to control aphids, been beetles, asparagus beetles, horn worm, tarnish plant bug, cabbage worms, currant worms, rose caterpillars, blister beetles and other common insects. 1 lb. sifter \$.45; 1 lb. pump gun, \$.60; also available in 4 lb. pkgs. and 50 lb. bags.




ACME 6% CHLORDANE DUST

Outdoors and indoors—for garden, lawn, house

For dusting in gardens and on lawns to control ants, cutworms, chinch bugs, chiggers, earwigs, slugs, snails, sowbugs, sod webworms, wireworms, white grubs, including Japanese beetle grubs, root infesting maggots and many others. In the home for cockroaches, silverfish, carpet beetles, crickets, etc.

1 lb. \$.50 4 lb. \$1.40



ACME ALL ROUND SPRAY



For roses, azaleas, other flowers, shrubs, vegetables and fruit trees. A new, modern, carefully formulated multi-purpose product designed to provide with one application the best available protection against both insects and fungi such as rose chafer, azalea flower spot, thrip, black spot, downy mildews, leaf spot, many rusts, Japanese beetle, leafhopper, flea beetle, aphids, cabbage worm and many others.

Suitable for dusting as well as spraying.
1 lb. Carton \$.95; 4 lb. Carton \$3.00.

ACME DURADUST No. 50



Contains 50% wettable DDT in micronized form. Controls codling moth, oriental fruit moth, leaf hopper, flea beetle, psyllid, potato bug, potato aphid, Japanese beetle, thrip, cabbage worm, rose chafer and many others. Use as a

spray, like Arsenate of Lead, or extend with inerts for dusting. Highest strength possible in quality processing. 1 lb. \$.75; 4 lbs., \$1.75; also available in 40 lb. bags.

ACME BORDEAUX MIXTURE



The most widely used copper fungicide for preventing fungous spores gaining a foothold on plant surfaces. Prevents losses caused by blight, rot, mildew, scab, anthracnose, etc. Recommended for vegetables, flowers and ornamentals. Contains copper sulphate and lime in equal proportion for maximum protection and minimum burn. 1 lb. carton \$.45; 4 lb. bag \$1.15.

ACME LIME SULFUR (Dry)



For use on fruit trees, rose bushes and nursery stock after leaves have fallen and before they appear in the spring to protect against scale, peach blight, leaf curl and twig borer. For summer spraying against scab, root, blotch, red spider and mites. 1 lb. \$.49; 5 lb. \$1.85.

ACME ARSENATE OF LEAD



The favorite arsenical insecticide for the control of most chewing insects damaging shade trees, vegetables, berry bushes, vines, etc. Has no superior for fluffiness and bulkiness. Safe to use on tender foliage.

1 lb. carton \$.60
4 lb. bag \$1.40

ACME TOMATO DUST



A general garden insecticide and fungicide with special emphasis on complete tomato protection. Controls early and late blight as well as horn worm, fruit worm and flea beetle on tomatoes as well as on cucumbers, beans, cabbage, potatoes and many flowers such as hollyhocks, asters, roses, azaleas, etc. 1 lb. sifter, \$.50; 4 lb. pkg., \$1.15; also available in 50 lb. bags.

THE COMPLETE DORMANT SPRAY



KILLS
SCALE
APHIS
RED
MITE

THE NON-POISONOUS GARDEN INSECT SPRAY



KILLS
MORE
GARDEN
INSECTS

Spray every fruit tree, As soon as insects appear in the garden, spray with D-X. Kills both sucking and chewing insects. Dilutes 1 to 600.

WEED-NO-MORE

MAGIC WEED KILLER

2, 4-D. Rids lawns of ugly weeds such as dandelion, plantain, chickweed, ragweed, poison ivy, poison oak and many others without injury to common lawn grasses. Just mix with water and spray. 8 oz. bottle covers average lawn. The handy applicator to fit a gallon or half-gallon jug simplifies the job. 8 oz. \$1.00; Qt. \$2.98; Applicator \$.39.



RABBIT SCAT—Keeps rabbits out of the garden, protects bushes and trees, repels birds from grape vines. A repellent, not a killer.

RED ARROW GARDEN SPRAY—Contains Pyrethrum, Rotenone, Soap. Harmless to animals.

RED ARROW DUST—Use as spray or wash for fruits, flowers, vegetables.

RED RIVER POTATO MIX—Contains 9.5% Wettable DDT, 15.1% Metallic Arsenic, 25.7% Metallic Copper. Controls all insects which eat the leaves, suck sap, irritate leaf surfaces of cause disease infection. Acts as a stomach poison and by contact. High copper content.

SCALECIDE—Reliable spray for scale and soft-bodied sucking insects.

SEMESAN—Effective in controlling damping-off, scab, hard rot, etc.

SEMESAN BEL—For use on potatoes. Controls many seed-borne diseases.

SNAROL—An insecticide bait to combat snails, cut worms, sow bugs, grasshoppers.

SPERGON SEED PROTECTANT—A powder to be applied to seed before planting to prevent "Damping-off," particularly in cold wet weather. Recommended for Peas, Beans, Lima Beans, Corn and other seeds, it is easy to apply to the seed and non-injurious to the user. NON-TOXIC.

SULPHUR, DUSTING—For controlling powdery mildew, blight, black spot, rust and most rose diseases.

SULPHUR, WETTABLE—An improved sulphur which can also be used as a liquid spray.

SYNKLOR CHLORDANE INSECTICIDE—Controls ants, chinch bugs, grasshoppers, Japanese Beetles and many other insects; roaches, ticks and wire worms.

Rabbit Scat

Now you can keep those pesty, nibbling rabbits out of your garden—with Rabbit Scat! Rabbit Scat is a repellent, not a killer, does not hurt soil, plants, animals or people. It lasts through a number of storms and stays effective.

Rabbit Scat protects your bushes and trees all year . . . repels pigeons from lawns and buildings . . . keeps birds away from grape vines. Scatter Rabbit Scat around the outside of the garden and the rabbits stay out.



6 oz., \$1.00; 1 lb., \$2.50.



ANTROL ANT TRAPS

Metal traps containing two types of material that attract and kill grease and sweet-eating ants.

Each15c



SNAROL
Cutworm Bait
Non-injurious to vegetation. Attracts and kills cutworms, snails, slugs, sow-bugs, earwigs.
1 lb., 35c;
2 1-2 lbs., 75c



Endo-Pest
3-WAY GARDEN DEFENSE
NO MIXING.. NO MUSS...

Controls most chewing insects, sucking insects and fungus diseases. Packed in cartridge-refillable dust guns or spout pouring cannisters. Use with confidence on edible fruits and vegetables. Made by Swift, maker of Vigoro, it's

ALL THE PROTECTION MOST GARDENS NEED!

STOP INSECTS

...use

DU PONT METHOXYCHLOR
50% WETTABLE POWDER

This new insecticide, because of its low toxicity to humans, can be used on vegetables right up to harvest time. Kills bean beetle, corn borer, potato beetle, Japanese beetle, flea beetle, cabbage worms and many others. Also safe for flowers.

Available in 8-oz. canister—75¢

DU PONT DDT
— 50% wettable powder. A highly effective form of DDT for insect control on many plants, lawns and around buildings.

1-lb. canister—75¢

PREVENT BLIGHTS

...use

DU PONT FUNGICIDE-A
— 65% Zinc Ethylene Bis Dithiocarbamate. New, better, safer disease control for vegetables and ornamentals. Stops early and late blight of tomatoes, potatoes; downy mildew of cucurbits. Stops various diseases on chrysanthemums, azaleas and camellias. (Not for roses.)

Available in 6-oz. canister—85¢

DU PONT "FERMATE"
—Controls rose black spot, powdery mildew, and rust. Many diseases of other flowers; fruit diseases such as apple scab.

8-oz. canister—75¢

DU PONT
REG. U. S. PAT. OFF.

BETTER THINGS FOR BETTER LIVING
... THROUGH CHEMISTRY

PESTMASTER



ROSE TREATMENT
Offers rose growers — in a single packaged formulation—a pre-mixed ready-to-use product for control of the chief rose insects and diseases.
1/2 lb. can \$1.00 1 lb. can \$1.75



FLOWER TREATMENT
A pre-mixed insecticide-fungicide combination for protection against rusts, leafspots, anthracnose, scab and the control of many chewing insects. 1/2 lb. can \$1.00

A PRODUCT OF
MICHIGAN CHEMICAL CORPORATION, SAINT LOUIS, MICHIGAN

HOW TO BEAT BUGS & BLIGHTS

on roses and other flowers—

USE DU PONT FLORAL DUST

You'll have more beautiful flowers when you use Floral Dust. Contains "Fermate" and sulfur for black spot, powdery mildew, rust, methoxychlor and rotenone for Japanese beetles, rose chafer, aphids, etc.

Available in 8-oz. dust gun—\$.79
1-lb. canister— 1.15
4-lb. canister— 3.50

on vegetables—

USE DU PONT VEGETABLE GARDEN DUST

Safe to use right up to harvest time. Contains methoxychlor and rotenone to control most insects. Contains Zinc Ethylene Bis-Dithiocarbamate for diseases such as early and late blight of tomatoes, potatoes. Safe on cucurbits for downy mildew.

Comes in 3 sizes—8-oz. dust gun—\$.79
1-lb. canister— 1.15
4-lb. canister— 3.50

DU PONT
REG. U. S. PAT. OFF.

BETTER THINGS FOR BETTER LIVING
... THROUGH CHEMISTRY

Which insecticide—when?

When you're in doubt about your choice of insecticides, ASK US! We generally know the right answer—and if we don't, we'll try our best to get it for you!



**RELIABLE
DEPENDABLE
PESTICIDES**

Black Leaf 40 kills aphids and similar sucking insects by contact and fumes. No burn. No stain. *Also delouses poultry.* Backed by 40 years of use. **Black Leaf Garden Dust** contains nicotine, pyrethrum, rotenone and a fungicide for insect and disease control. **Black Leaf Rotenone Dust** contains rotenone and sulphur blended on a special carrier material.

RED ARROW

GARDEN SPRAY

Non-poisonous. Kills most chewing and sucking insects quickly, safely. 1 oz. makes several gallons of spray.



1 oz..35¢; 4 oz..\$1.00; Pint..\$2.85

**Ask for free booklet
How to Fight Garden Insects**

RED ARROW

AGRICULTURAL

DUST

**¾%
ROTENONE!**



Non-poisonous—spray or wash. Kills bean beetles, cabbage worms, etc. Dust about every 10 days.

2 lb.....60c — 5 lb.....\$1.35

50 lb. drum (1% Rotenone) 22c per lb.

A PRODUCT OF McCORMICK & CO.



DEPENDABLE PEST CONTROLS FOR HOME AND GARDEN

A ORTHO Rose Dust—just the thing for you gardeners who prefer to dust. It comes in a handy, ready-to-use pump-gun containing the newly approved insecticide *lindane*, and DDT—plus the highly-effective fungicides sulfur and ferric dimethyl dithiocarbamate. A fine multi-purpose control of many chewing and sucking insects and plant diseases. Control these pests easily, economically and effectively — gives your Roses and many other flowers just about all the protection they need with ORTHO Rose Dust. ORTHO Rose Dust saves you extra time and labor. It does several jobs in one treatment—saves buying other specific materials. May be used all summer at 7 to 10 day intervals during the growing season. If you prefer to spray, ORTHO Rose Dust may be mixed with water.

OR 126—8 oz. duster.....\$1.00
OR 127—1 lb. refill..... 1.25

B FLORIDA VOLCK Paste Emulsion — a highly refined oil especially prepared for spraying fine foliage of such plants as Azaleas, Camellias, Citrus, Gardenias, Hibiscus, Certain Palms, Avocados, Mangos, Ligustrums and Pecans, and a host of other hardy out-of-door grown ornamentals, fruits, nuts and evergreen trees. FLORIDA VOLCK Paste Emulsion is an excellent, effective insecticide and spray carrier: It contains superior oil soluble emulsifiers and special wetting and spreading agents that cause the spray droplets to flatten out on the foliage and form a completely enveloping film that smothers the pests. It is economical... every droplet works. Order FLORIDA VOLCK Paste Emulsion now for your fine foliage plants.

OR 132—1 quart.....\$1.25
OR 133—1 gallon..... 2.85
OR 134—5 gallon..... 9.50

C ORTHO A-K Bait — very effective against Mole Crickets, Cutworms, Armyworms, Corn Budworms, Grasshoppers and Strawberry Root Weevil (*Brachyhinus*). Spread on seedbeds, lawns and around plants such as Camellias, Azaleas, Rhododendrons, and Primroses according to the directions on the label. ORTHO A-K Bait feeds them then kills them. 1 lb. covers 1000 square feet, 5 lbs. covers 5000 square feet. The balanced formulation of Chlordane, Toxaphene and selected bait makes this product of highest quality in performance.

OR 135—1 lb. package..... 40c
OR 136—5 lb. package.....\$1.35

D ISOTOX Garden Spray — Economical, modern multi-purpose spray containing the sensational new *lindane* insecticide. Effective general foliage spray against Aphids, Thrips, Beetles, Roses, Camellias, other flowers and shrubs against many chewing and sucking insects. Control Wireworms, many soil pests, also Earwigs, Lawn Moth, (Sod Webworm), Flies. Has very broad usage.

OR 111—4 oz.....\$ 1.00
OR 112—pint..... 2.95

E VOLCK Oil Spray—The finest oil spray on the market for control of Mealybugs, Scale Insects, Red Spiders, White Flies and certain other garden pests. Very effective killing action against many hard-to-kill sucking insects. Kills insect eggs by enveloping, wetting and smothering. VOLCK Oil Spray can be readily mixed with water and applied to plants with almost any type of sprayer. Also, it is an excellent spray carrier as it provides better contact with insects or plant surfaces and retards weathering off of residual materials applied. May also be used as a plant polish. VOLCK Oil Spray has been used successfully for over 20 years by gardeners and farmers throughout this country and in many foreign lands. It contains highly-refined oil *plus* emulsifiers and *special* spreading and wetting agents to insure maximum coverage of plants and pests. VOLCK Oil Spray is economical... every drop works.

OR 122— 4 oz. 35c
OR 123— 1 pint 70c
OR 124—31 oz.\$1.25
OR 125— 1 gallon 2.85

F TRIOX — Here's what you've been looking for to get rid of those weeds on driveways, curbs and gutters, paths, brick or gravelled walks, tile patios... or along fences and around the garage and similar structures. Kills weeds, poisons soil and prevents plant growth 1 to 2 years! Do away with slow, back-breaking hoeing and grubbing. Kill weeds the easier chemical way with TRIOX. Simply mix with water—apply with sprinkling can or sprayer. *Economical.*

OR 118—1 quart.....\$1.00
OR 119—1 gallon..... 3.50

TRD. MKS. ORTHO, VOLCK, ISOTOX, TRIOX,
REG. U. S. PAT. OFF.



CALIFORNIA SPRAY-CHEMICAL CORP.



NEW ANT KILLER

Controls all species. They do not have to eat it. Kills by contact; vapors ingestion. Gives complete clean-up within 24-hours. Ideal for home and gardens. Contains 5% CHLORDANE.

6-oz. sifter can.....35c
1-pound sifter can.....75c




NEW (all-in-one) FRUIT TREE SPRAY for the man with a few fruit trees

Nothing else needed. Controls all insects and diseases of fruit trees. Contains 2 toxicants, 2 fungicides. Highly concentrated. 3-ounces makes 5 gallons of spray.

1-pound can.....\$1.00
1-pound bag.....\$3.25

Niagara FARM AND GARDEN BRAND



POMO- GREEN

WITH NICOTINE

The leaf-green dust or spray for effective control of black spot, mildew, aphids, and many chewing insects on roses and other flowers.

1 Lb. Can \$1.00 5 Lb. Can \$3.85



KOLO

FRUIT TREE
DUST OR SPRAY

A highly efficient and safe insecticide-fungicide combination for home fruit growers. Apply as a dust or spray for protection against the most important insect and disease pests of peaches, apples, pears, plums.

1 Lb. Bag 55c 3 Lb. Bag \$1.35



SOILFUME CAPS (100% Ethylene Dibromide)

The newest and simplest method of fumigating soil against nematodes and wireworms. "Just drop a capsule." 100 capsules treat 100 sq. ft.

100-Capsule Bottle \$2.00
200-Capsule Bottle \$3.25

WEED KILLERS

Our weed killer department, as usual, is keeping right up with the times. And that's saying a good deal, nowadays, when miraculous developments in weed killing are coming so fast.

Ever since the new selective weed killers began to appear, we have kept in close touch with leading authorities on this work. Therefore, we KNOW the new weed killers thoroughly, and can safely advise you about their use.

For weeds that are not controlled by 2, 4-D, we have all the other good killers you need, including:

AMMATE WEED KILLER. Effective for control of poison ivy, ragweed, Canada Thistle, and other troublesome weeds.
NON-SELECTIVE WEED KILLER (Acme)—A quick acting arsenical product that destroys weeds and all other vegetation. The proper killer for weeds in drive ways, tennis courts, paths, and all areas which must be kept free of plant growth. Creates a sterile soil condition for a long period.

KILL Crab Grass

WITHOUT DESTROYING *Lawn Grass*

ZOTOX



Rid your lawn of unsightly Crab Grass and enjoy the beauty of smooth, luxuriant turf. ZOTOX kills Crab Grass in 3 to 5 days without destroying good lawn grasses. Easy to use—simply dilute with water and spray it on. A 16 Oz. bottle makes 10 gals. and treats 2000 sq. ft. or more. Tested and recommended by leading turf experts. Proved by years of success. Prices: 8 Oz. bottle \$1.00; 16 Oz. \$1.50; 32 Oz. \$2.50; 5 lbs. \$4.50.

WEED BURNERS

For some of the toughest weed problems, there's nothing better than a good weed burner. The extremely hot and concentrated flame is totally destructive. It consumes not only weeds but destroys insects, too. It can burn out stumps and even crack rocks.

Once you have used a good weed burner, you'll wonder how you ever got along without it!



Famous No. 99

AEROIL

FLAME GUN


Kills all weeds
with fire

Endorsed by leading agricultural authorities. 2000° F. flame kills stalks, seeds and roots. Destroys insects, cracks rocks, burns out stumps... 99 other uses. Burns only 6% kerosene and 94% air. OUTFIT INCLUDES 4 gal. all-welded tank, brass pump, 60 lb. air gauge, 7' oil resisting hose, bronze valve, and seamless steel removable coil burner. Nothing else to buy. Guaranteed for a full year. (Spray attachment if desired, \$3.50 extra.) PRICE AEROIL No. 99 SENIOR FLAME GUN, \$22.

USE End-o-Weed to Spray WEEDS AWAY

● Destroys weeds, roots and all, quickly. Kills dandelion, chickweed, plantain and over 100 other lawn weeds.

Presented by
Swift



THE WEED KILLING MIRACLE

NEW IMPROVED

WEEDONE®

Contains the powerful 2,4,5-T and 2,4-D

Now Weedone kills woody plants as well as dandelions, plantains and other lawn weeds, without killing grass. It kills poison ivy, poison oak, the brambles (blackberry and raspberry), honeysuckle and over 90 other woody plants. Sprayed on top and sides of tree stumps, it prevents resprouting.

The new, improved Weedone does not give off vapors that cause injury to rose bushes, tomatoes, flowers or ornamental shrubs. Harmless to humans and animals.

8-oz. can \$1 1-gal. can \$6.95
1-qt. can \$2.75 5-gal. can \$25

Weedone Plastic Applicator. Cap makes handy 1/2-oz. measure and fits any screw-top gallon jug. All plastic; no sharp metal edges to cut and scratch hands.



ONLY
49¢

2, 4-D for the farm


Now that practically everybody is using 2, 4-D preparations for lawn weed control, the 2, 4-D spotlight is centered on farm uses.

2, 4-D, properly used, is one of the greatest of all farm developments. Everywhere, farmers are getting amazing results in time and money savings and increased yields.

We can help any user to plan wisely in using 2, 4-D. Just ask us!

"Green Thumb"

Garden Gloves



They really have a green thumb and their chamois-like fabric is impregnated with a special treatment which makes them dirt-repellent and remarkably long wearing. Every gardener needs a pair of these attractively styled gloves to protect her hands. Washable, non-shrinking.

Sizes small, medium and large **79c**

MASTERS FERTILIZER MISER

Sows Fertilizer and Grass Seed Evenly—Saves Plant Food—Saves Seed



Every Ounce Controlled

New design spreader with fingertip microscopic control; years ahead in ease and accuracy of operation.

Three Home Lawn Models

25S Steel wheels, 20 lb. cap.	\$6.75
25D Rubber tires, 20 lb. cap.	\$7.75
30 Rubber tires, 50 lb. cap.	\$10.75

For larger users—estates, golf courses, etc.

241S—Steel wheels, 24" 75 lb. cap.	\$27.50
241D—Rubber tires, 24" 75 lb. cap.	\$35.00
361—Steel wheels, 36" 120 lb. cap.	\$37.00
361D—Rubber tires, 36" 120 lb. cap.	\$44.00
361SD—Stainless steel bottom, 36", 120 lb. cap.	\$52.75

MASTERS PLANTER COMPANY
Benton Harbor, Michigan

BEMIS

EROSIONET



Prevent seed washouts, grow beautiful lawns and terraces with one seeding by using this open-mesh woven paper fabric to hold seed and soil in place.

GARDEN SUPPLIES

If you want to ENJOY your gardening . . . if you want better results with less effort . . . we can help you in many ways. We know which tools are best for each job—and just which of the new "gadgets" are really good. Our selection of garden-aids is sound, and sensible. We choose each item for just one of two reasons—improved results or saving of effort.

That's why gardeners can shop with confidence here!

BIRD HOUSES AND FEEDERS

Window Bird Feeders—Provides an opportunity to study your bird companions from your window. Ideal for shut-ins and a real companionship for any bird lover. **Bird Houses**—A great deal of pleasure can be derived from the birds that will be attracted to your yard by putting out a bird house or two. We carry many types and styles for bird lovers to choose from.

WILD BIRD SEED MIXTURE

Feed your feathered friends the year round with this tempting mixture. All types of wild birds relish this seed. Don't forget to give them plenty in the winter months.

HOTKAPS



Patented individual hot-houses protect seedlings, young plants during critical period of root establishment against FROST, HOT SUN, STORMS, INSECTS. Hotkaps ripen plants 3 weeks earlier, increase

yield 18% to 51%. **GARDEN PACKET** of 25, only 70c. Setter free.


TWIST-EMS



Strong, dark green "invisible" tapes with wire reinforcing — protect stems, permanently support annuals, perennials, vines, shrubs, and vegetables speedily and permanently. Box of 200, 4-inch size 25c; box of 100, 8-inch size 25c; box of 100, 16-inch size 50c.

NEW! Pkg. of 50, 8-inch size 15c; pkg. of 35, 8-inch size 10c.

TRAIN-ETTS



Good support for SWEET PEAS, GARDEN PEAS, POLE BEANS, CUCUMBERS, TOMATOES. Hung in 5 minutes. Doesn't rot like string, nor burn tendrils like wire. 3

sizes—60-inch x 72-inch, 85c; 60-inch x 96-inch, 85c; 60-inch x 180-inch, \$1.25.

GARDEN GLOVES

Garden Gloves—Protect your hands—wear gloves in your garden! Canvas or leather, in sizes for men and women.

GARDEN HOSE

VISIT OUR STORE for our newest offerings. Garden hose is now available in good quality and quantity.

LABELS

Pot or Garden Labels (Wooden)—Used for marking plants in pots or seed flats. 4 inch, 6 inch, 12 inch.

Wood Tree Labels, Wired. Painted wooden labels equipped with wires, for marking trees or shrubs; also used extensively for labeling dahlia tubers.

PLANT BANDS

Square bands hold almost twice the number of plants as round pots of the same size. 2 in. size, packet of 30, 25c. (Ask for prices on larger sizes and quantities.)

PLANT SUPPORTS

Bamboo Stakes—Green, pencil-thickness. 2 ft, 3 ft., 4 ft.

Dahlia or Garden Stakes — Wooden — Painted green. Strong and durable. Almost rot-proof. Will last several seasons. For supporting dahlias, young trees, etc. 4 ft., 5 ft., 6 ft.

POTS AND SAUCERS

Standard Earthen Flower Pots. Many sizes, from 2½ in. to 12 in. diameter. **Earthen Flower Pot Saucers.** 3 in. to 12 in.

Red Paper Pots. Excellent for growing seedlings or for packing plants for shipment. 2¼ in. to 6 in. diameter.

DOUBLE DUTY

PLANT FOUNTAIN

The Ideal Bulb Sprinkler for Home and Garden



- Clean
- Handy
- Attractive

MOST Practical and enjoyable method of watering or spraying plants and seedlings.

LASTS Indefinitely—curved stem and detachable sprayer are made of plastic materials (various colors). Bulb of quality green rubber.

Preferred among plant fanciers—The New Double Duty Plant Fountain is greatly preferred to the clumsy water-pitcher or old fashioned watering can.

101 Uses—Plant growers and seedsmen say "It's tops!"

Price \$1.00

Attractively boxed

Protects your GARDEN

SCARE-AWAY

the modern scarecrow
Shiny aluminum strips
crackle and flash. Scares
birds away. Easy to use.

Pkg. of 10 only 25c

PAT. PENDING

for Your Garden

"Quick-ties"

Round cushion, wire center
"Quick-ties" are weatherized
with resin to last an entire
season.

Pkg. of 80 only 25c

See Scare-Away at our store

You have to see SCARE-AWAY to appreciate it. Doesn't harm the birds, but just makes them shy away! The reflected light and crackle and rattle do the trick!

GARDEN TOOLS

The next time you get into your tool shed or garage, or wherever you keep your garden tools, look them over! Try to remember how long it has been since you first brought them home. Then—if you want a real thrill—come into our store and see what the modern tool designers have done for you!

Here is a very brief outline of tools now available. But, better yet, come in and see for yourself.

CULTIVATORS, Speedy—4 sharp curved tines, 4 1/3 ft. handle.

Norcross—Adjustable steel teeth.

Hand Cultivator Weeders—3 or 5 prong.

FORKS, Spading—4 tines, D handle, light and heavy weight.

Hay Fork—Bent handle, 3 or 4 tines.

HOOKS, Grass (Sickles)—Various styles, well balanced designs. Wood handles.

Potato Hooks—4 broad tines, tumbled.

SHEARS, Grass—Pinch-proof handles.

Hedge Shears—8 or 9 inch blades.

HOES, Field or Garden—Various styles.

Onion Hoe—Square top pattern.

Scuffle Hoe—8 inch blade; straight handle.
Warren Hoe—Pointed steel head.

KNIVES, Asparagus—10" with V-shaped point.

Budding, Propagating, and Pruning Knives. See our selection.

Edging Knife—Half-moon blade.

SCYTHES, Grass, Weed and Bush—Best crucible steel. Visit our display!

SHOVELS, Square Point—Long and D handles.

Round Point Shovel—Long D handle.

RAKES, Steel, Curved Tooth—Straight handles; teeth on head 1/4" thick.

Steel, Straight Tooth Rakes—Level head.
Wood Rakes—Rigid and strong.

Bamboo Rakes—Fan shaped, strongly made.

Steel-Broom-Rake—Flat, spring-steel teeth.

PRUNERS, Tree—8 ft., 10 ft., 12 ft.

Pruning Shears—Again available in several styles.

Flower Gathering Shears—They cut the stem and hold the flower for you.

SPADES, Square Point—Flat Blade, D handle.

TROWELS—All-Steel Garden—Made of one piece of rigid steel; shaped ventilated handle.

Transplanting Trowel—6" blade of solid steel.


WEEDERS, Hand—3 steel prongs; short handle.

Lawn Weeder—Curved forged-steel blade.
Weeder and Hoe Combined—A labor saver.

Dandelion Weeder—V-shaped design.

Planet Jr.



GET MORE DONE WITH LESS EFFORT



No. 25 Combined Hill and Drill Seeder, Double Wheel Hoe, Cultivator and Plow.

This machine can do many jobs for you, quickly and efficiently.

Planet Jr. Single and Double Wheel Hoes have been designed by practical men to do the proper kind of work—the way you want it done.



Planting with a Planet Jr. Seeder has many advantages. The No. 35 Seeder Attachment is ideal for a small garden.

Miles of walk are edged with Planet Jr. Edgers—neatly and with minimum effort.

PLANET JR. Garden Trowels fit naturally in your hand. Bulb Trowel is extra long with three notches 3, 4 and 5" from tip, to control planting depth.



GROWTH AIDS

Plant hormones, the modern garden wonder, can do many amazing things. They stimulate seed germination, make cuttings root faster, give you better seedlings, help transplanting by reducing shock and wilt. They stop fruit and blossom drop, produce better tomatoes, beans, etc., and help in many other ways.

But, for the best results, be sure you have the right hormone for each purpose! We have them all and can advise you about their correct use.

FASTER, SURER ROOTING

for cuttings, seeds and bulbs

ROOTONE®

the plant hormone powder

Rootone stimulates the natural tendency of seeds, cuttings and bulbs to put out roots. Rooting is faster and heavier, resulting in bigger, earlier plants. Endorsed and used by leading growers everywhere.

Trial packet, 25c • 2-oz. package, \$1
1-lb. can, \$5

LOVELIER ROSES

ROSETONE

(TRADEMARK)

Before setting out rose bushes, soak bare-rooted plants in Rosetone solution. Also water established plants with Rosetone. Plants take hold quickly and bear finer, earlier roses. Indispensable for the rose enthusiast.

1/2-ounce package, 25c
3-ounce can, \$1

TRANSPLANT SAFELY

TRANSPLANTONE®

Transplantone reduces shock and wilt when seedlings and plants are moved. Stimulates root growth so that fewer seedlings die and more come to early, healthy maturity. Used to water plants, shrubs and trees, Transplantone encourages growth and bloom.

1/2-oz. packet, 25c • 3-oz. package, \$1
1-lb. can, \$4

MORE TOMATOES!

FRUITONE®

Spray Fruitone at blossoming time and each plant will set more fruit and bear more big, meaty tomatoes. Spray Fruitone for bigger crops of beans and lima beans, too. The dollar package makes 25 gallons of spray.

2/5 oz. packet, 25c • 2-oz. package, \$1
12-oz. can, \$5


NO-SEED HORMONE
Blossom-set

FOR TOMATOES



Grow EARLIER, larger, meatier, more delicious TOMATOES, more on each plant, with this approved plant hormone. Just mix with water and spray. Stops blossom-drop; makes blossoms set fruit chemically. Tomatoes ripen up to 3 weeks earlier. Fruits are larger, firmer, more delicious. Many are SEEDLESS because fruit is set chemically, not by pollen. Use on STRAWBERRIES, peppers, cukes, others. Tested by USDA, leading Universities, Fla., Colo. Expt. Stations. New low prices. 4 oz. bottle (makes 1 gal.) 75c; Pint (makes 4 gal.) \$1.75; Agric. Size (8 oz. makes 50 gals.) \$5.95.

\$1.75; Agric. Size (8 oz. makes 50 gals.) \$5.95.




NATURAIN

From 2-inch trickle to 25-foot spray, at will! April showers anytime of year—with this marvelous new method for watering lawns and gardens. No constant shifting . . . no water waste. Connects in a jiffy. Comes in 5 foot units, weight only 12 oz. Use 5 ft. to 30 ft., according to size of your garden. Primary unit, \$2.95; extension units \$2.75 each.



A precision, low angle sprinkler. Highest point of stream only 3 ft. above ground. Working parts bronze and stainless steel. Waters scientifically at any pressure from 5 lbs. up. **\$6.75** Fair Traded



Spray Wave

\$18.95

A slow swinging fan of gentle penetrating rain. Covers 40' x 50' at 35 lbs. pressure. **\$18.95** Fair Traded

POWERED BY YOUR GARDEN HOSE!

Hayes Jr. GARDEN SPRAY GUN

Full 3-gal. capacity. Delivers wet, fan-shaped spray in proper proportion, up, down, sideways. Special long-stream head for trees. Precision-built for years of service.



\$6.95

Hayes FERTL-RAIN

Fertilize while you water! Lift thumb to water, lower thumb over vent to apply liquid fertilizer, lawn moth control, weed killer. Holds equivalent of 15 gals. solution. No moving parts. **\$2.45** Built to last!



Hayes SUDZIT

CAR WASHER

Soaks, applies dirt-lifting suds, rinses, in one operation! For cars, porches, screens, etc. Includes enough detergent to wash 24 cars, applicator, sponge. **\$4.95**



Let Us Show You These and Other Famous Hayes Products

HAYES-ETTE • HAYES SPRINKL-AIR NOZZLE • HAYES HAN-D SPRAYER

DOBBINS Superbilt Sprayers and Dusters

BIGHEAD SPRAYER



No. 44 GS

4 gallon galvanized steel tank, seams electric welded. 4-3/4" opening for easy filling and cleaning. Patented self-lubricating plunger—more air per stroke. Handles all spray solutions perfectly, including DDT and weed control chemicals. Equipped with 3' synthetic hose, 2' brass angled extension and trigger-quick spray lock. Extra disc for flat-spray.

DELUXE GARDEN SPRAYER



No. 8

2 gallon galvanized steel tank of exclusive oval design. An attractive, light weight sprayer recommended for DDT solutions, weed control chemicals and all insecticides and disinfectants. Equipped with 3' hose, 1 curved brass extension and trigger-quick spray lock. Extra disc for flat spray.


FUN-L-FILL SPRAYER



No. 21G


3 1/2 gallon galvanized steel tank, seam welded with Fun-L-Fill top for ease and economy in filling. Self-lubricating plunger. Quick air release protects operator. The highest quality low cost compressed air sprayer. Equipped with 2' hose, 2' curved brass extension and trigger-quick spray lock. Extra disc for flat spray.

CONTINUOUS HAND SPRAYER



No. 703

1 quart glass jar container. Continuous type sprayer. Container and syphon tube removable for cleaning. For all insecticides, chemicals and disinfectants free from sediment. Patented brass nozzle.



No. 565

SPRAY WAND

A sprayer amazingly easy to use. Has adjustable nozzle making it ideal for countless uses. Excellent for spraying plants, shrubs, trees, buildings; for applying disinfectants, whitewash, cold water paints; for washing windows, cars, boats; fine as emergency fire pump or bilge pump. Nozzle adjusts to a fine spray or to a solid stream 35-40 feet long.




No. 80

FLAT SPRAYNOZZLE CAP

Interchanges with regular nozzle cap on all sprayers. Recommended for DDT and weed control chemicals.


HAND DUSTER



No. 132

The most efficient hand duster ever made. Highly recommended for applying Pyrethrum, Rotenone and Derris Root dust insecticides. A uniform discharge down to the last particle of dust. Tested and proved for all garden and field crops. Has 2 ft. extension, patented two-way cap for dusting top and underside of leaves. Capacity 1 lb.

FLAME SPRAYER




No. 210

Kills weeds and grasses. Burns rubbish and brush. Disinfects poultry houses, and yards, rabbit hutches. Heats and thaws. Flame temperature 2,000° F. Average fuel consumption 1 gallon per hour. Heavy Galvanized 4-

gallon steel tank with electric welded seams, tested for high pressure. Heavy steel welded torch.

POWER SPRAYER



No. 4240R

A portable, high-pressure, light-weight spray outfit capable of handling all spray jobs for the individual owner and grower. Tank capacity is 25 gallons. Equipped with 1 1/2 GPM pump which develops 250 lbs. pressure. Only 18 1/2" wide, 12 1/2" of 3/8" high-pressure hose. Adjustable spray gun.

BUDGET SPRAYERS



No. 24 G

Expertly built compressed air sprayers for all spraying tasks around the home and farm—offered in 2 1/2 and 3 1/2 gallon tank sizes. Fun-L-Fill tops with cam locks. Extra discs for flat spray.



26 G

No. 24G Sprayers: 3 1/2 gallon capacity, 20" hose, 20" curved brass extension, trigger-quick spray lock.

No. 26G Sprayer: 2 1/2 gallon capacity, 20" hose, 12" curved brass extension, trigger-quick spray lock. No carrying strap.



How? When?

HOME GARDENING GUIDE

Where? Why?

GLADIOLUS

Gladiolus are among the easiest of all flowers to grow. But while they stand neglect better than most plants, they also respond beautifully to proper treatment. So it is well to note these brief points: Soil should be well drained, sandy loam, preferably where no glads have been grown for the past 3 years. Cultivation to a depth of 18 inches is desirable. Full sun is best, although they do fairly well in partial shade. Glads may be set out as soon as frost is out of the ground, but extra-early planting gains little. A succession of plantings about ten days apart gives a long blooming season.

Depth of planting should be no more than 4" in heavy soil and 5 to 6" in light, sandy soil. Space bulbs 3" apart in rows 18 to 30" apart. Be sure to eliminate air pockets under the bulbs.

Place bulbs in a well worked trench in staggered or zig-zag row—and cover at first with about two inches of loam. When shoots begin to appear, work balance of loam into the trench.

Watering is important. Glads need an abundance of moisture, especially after the plant is well developed.

DAHLIAS

Any reasonably careful gardener can grow dahlias easily and successfully.

Soil needs of dahlias are no different than those of a good vegetable garden. Drainage and porosity are important.

Fertilizing calls for nothing more than a good balanced commercial fertilizer.

Planting is simple. Set stout stakes first. Plant the tuber in a hole 6 inches deep, with eye up, and neck near stake. Cover with just enough soil to hide the tuber. As the eye grows, keep filling in soil.

Culture. Cultivate frequently for about the first 10 weeks. Do not cultivate when flowers are in bud or bloom.

Allow only one main stalk to grow. When stalk is about 10 inches high, pinch out the center just above the 2nd pair of leaves. When buds appear, pinch out all except the central one. Also pinch out all new lateral shoots except the two nearest the main stalk. This helps produce large blooms on low, bushy plants and encourages long stems.

CANNAS

While cannas will tolerate cold soil, they usually do not start growing until hot

weather comes. If planted in round beds, you will need 37 plants for a 10 foot bed (18 plants on the outside, 12 in the second row, six for the third row and one in the center). A 7 foot bed will use 19 plants, with 12 plants on the outside row, six for the middle row and one plant in the center.



FANCY LEAVED CALADIUMS

These spectacular foliage plants are particularly valuable because they do well in shade. Start them in a mixture of half sand and half leaf mould at a temperature of over 70 degrees. When the roots are well-developed and the shoot is beginning to show, pot up in rich soil. Set out in the garden when weather is warm and settled. Elephant ears can be planted directly in soil out of doors, but the weather must be warm and settled, otherwise they rot.

LILIES

Even the swamp lilies will not tolerate wet feet; all must have perfect drainage. Yet they like a moist, cool soil. This means that liberal quantities of old well-decayed compost is almost essential for lilies.


CACTUS DAHLIA




DAHLIA

Formal Decorative

POMPON DAHLIAS



Your 1950 Garden Annual



Every Garden Needs Roses

For Those Who Want the Best, we offer heavy, top-grade No. 1, 2-year field grown budded plants of adapted varieties that will assure quickest and best flowering performance—not to be confused with so-called "bargains" of low grade.

**TIME-TESTED STANDARD
VARIETIES**
only \$1. each \$10. per dozen

REDS

Christopher Stone
E. G. Hill
Etoile de Hollande
Poinsettia
Red Radiance
Rouge Mallerin

PINKS

Briarcliff
Editor McFarland
Mrs. Chas. Bell
Pink Radiance
The Doctor

YELLOWS

Golden Charm
Golden Dawn
Luxembourg
Mrs. P. S. DuPont
Sunburst

WHITES

Caledonia
F. K. Druschki
K. A. Victoria
Kornigin Luise

TWO-TONES

Betty Uprichard
Condessa de Sastago
Edith Nellie Perkins
President H. Hoover
Talisman

FLORIBUNDAS

Cecil Brunner (Sweetheart)
Floradora
Red Ripples

CLIMBERS

American Beauty
Cl. Caledonia
Cl. Etoile de Hollande
Cl. Mrs. P. S. DuPont
Paul's Scarlet Climber
Cl. Pink Radiance
Cl. Red Radiance
Cl. Talisman

Acclimated, fresh-dug and packed to individual orders—no storage stock.

Patented Roses

Blaze Climber 1.50
Countess Vandal 1.50
Forty-Niner 2.50
Heart's Desire 1.50
Mirandy 1.50

Mme. Chiang Kai-Shek 1.50
New Dawn Climber 1.25
New Yorker 2.00
Nocturne 2.00

Peace 2.00
Pinocchio 1.50
Rubaiyat 1.50
Taffeta 2.00
Tallyho 2.50

BUXTON WHITE SEED CO.

The Live Seed House—Elizabeth City, N. C.

30 Years of Service to Successful Southern Planters